

5 June 2018
EMA/HMPC/753040/2017
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Oenothera biennis* L.; *Oenothera lamarckiana* L., oleum Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abo-Gresha NM, Abel-Aziz EZ, Greish SM. Evening primrose oil ameliorates platelet aggregation and improves cardiac recovery in myocardial-infarct hypercholesterolemic rats. *Int J Physiol Pathophysiol Pharmacol* 2014 Mar 13; 6(1):23-36

Abou El-Ela SH, Prasse KW, Carroll R, Bunce OR. Effects of dietary primrose oil on mammary tumorigenesis induced by 7,12-dimethylbenz(a)anthracene. *Lipids* 1987; 22(12):1041-1044

Abou El-Ela SH, Prasse KW, Carroll R, Wade AE, Dharwadkar S, Bunce OR. Eicosanoid synthesis in 7,12-dimethylbenz(a)anthracene-induced mammary carcinomas in sprague-dawley rats fed primrose oil, menhaden oil or corn oil diet. *Lipids* 1988; 23(10):948-954

Al-Shabanah OA. Effect of evening primrose oil on gastric ulceration and secretion induced by various ulcerogenic and necrotizing agents in rats. *Food Chem Toxicol* 1997; 35(8):769-775

Aman MG, Mitchell EA, Turbott SH. The effects of essential fatty acid supplementation by Efamol in hyperactive children. *J Abnorm Child Psychol* 1987; 15(1):75-90

Anonymous. Surgical research society abstracts. *Br J Surg* 1981; 68:801-824

Anonymous. Withdrawal of Epogam and Efamast. Current problems in pharmacovigilance. Medicines Control Agency 2002; 28:12

Anstey A, Quigley M, Wilkinson JD. Topical evening primrose oil as treatment for atopic eczema. *J Dermatol Treat* 1990; 1:199-201

Auberger J, Vogt S, Hopfinger G, Clausen J, Greil R. Topical evening primrose oil for reduction of bortezomib-induced skin reactions. *Ann Hematol* 2013 Jul; 92(7):995-6



Badri O, Shahabi P, Abdolalizadeh J, Alipour MR, et al. Combination therapy using evening primrose oil and electrical stimulation to improve nerve function following a crush injury of sciatic nerve in male rats. *Neural Regen Res* 2017 Mar; 12(3):458-463

Bamford JT, Ray S, Musekiwa A, van Gool C, Humphreys R, Ernst E. Oral evening primrose oil and borage oil for eczema. *Cochrane Database Syst Rev*. 2013 Apr 30; (4):CD004416

Bamford JTM, Gibson RW, Renier CM. Atopic eczema unresponsive to evening primrose oil (linoleic and alpha-linolenic acids). *J Am Acad Dermatol* 1985; 13(6):959-965

Barnes J, Anderson LA, Phillipson JD. *Herbal Medicines*. Pharmaceutical Press, London 2007, 251-255

Bédard M. Evening primrose oil – still promising, but unproven. *Can Pharm J* 2003; 136(10):41-42

Belch JJF, Ansell D, Madhok R, O'Dowd A, Sturrock R. Effects of altering dietary essential fatty acids on requirements for non-steroidal anti-inflammatory drugs in patients with rheumatoid arthritis: a double-blind placebo-controlled study. *Ann Rheum Dis* 1988; 47:96-104

Belch JJF, Hill A. Evening primrose oil and borage oil in rheumatologic conditions. *Am J Clin Nutr* 2000; 71:352-356

Belch JJF, Shaw B, O'Dowd A, et al. Evening primrose oil (Efamol) as a treatment for cold-induced vasospasm (Raynauds phenomenon). *Prog Lipid Res* 1986; 25:335-340

Berth-Jones J, Graham-Brown RAC. Placebo-controlled trial of essential fatty acid supplementation in atopic dermatitis. *The Lancet* 1993; 341:1557-1560

Biagi PL, Bordoni A, Masi M, et al. A long-term study on the use of evening primrose oil (Efamol) in atopic children. *Drugs Expt Clin Res* 1988; 14(4):285-290

Blommers J, de Lange-De Klerk ES, Kuik DJ, et al. Evening primrose oil and fish oil for severe chronic mastalgia: a randomized, double-blind, controlled trial. *Am J Obstet Gynecol* 2002; 187(5):1389-1394

Bordoni A, Biagi PL, Masi M, et al. Evening primrose oil (Efamol) in the treatment of children with atopic eczema. *Drugs Expt Clin Res* 1987; 14(4):291-297

Brzeski M, Madhok R, Capell HA. Evening primrose oil in patients with rheumatoid arthritis and side-effects of non-steroidal anti-inflammatory drugs. *Br J Rheumatol* 1991; 30:370-372

Budeiri D, Li Wan Po A, Dornan JC. Is evening primrose oil of value in the treatment of premenstrual syndrome? *Control Clin Trials* 1996; 17:60-68

Capasso F, Gaginella TS, Grandolini G, Izzo AA. *Phytotherapy*. Springer-Verlag, Berlin Heidelberg 2003, 236

Casper RF. A double blind trial of evening primrose oil in premenstrual syndrome. 2nd International Symposium on PMS, Kiawah Island, Sep 1987

Chalmers RJG, Shuster S. Evening primrose seed oil in ichthyosis vulgaris. *The Lancet* 1983; 1(8318):236-237

Chenoy R, Hussain S, Tayob Y, et al. Effect of oral gamolenic acid from evening primrose oil on menopausal flushing. *BMJ* 1994; 308: 501-503

Chung BY, Kim JH, Cho SI, Ahn IS, Kim HO, et al. Dose-dependent effects of evening primrose oil in children and adolescents with atopic dermatitis. *Ann Dermatol* 2013 Aug; 25(3):285-91

Collins A, Cerin A, Coleman G, Landgren BM. Essential fatty acids in the treatment of premenstrual syndrome. *Obstet Gynecol* 1993; 81(1):93-98

Cottier S. Evening primrose oil the return of "the King's cure-all". *New Zealand Pharmacy* 1996; 11-14

De La Cruz JP, Martín-Romero M, Carmona JA, Villalobos MA, Sánchez de la Cuesta F. Effect of evening primrose oil on platelet aggregation in rabbits fed an atherogenic diet. *Thromb Res* 1997; 87(1):141-149

Diansuy N. and Aguilar A. The effectiveness of Evening Primrose oil gel capsule as a cervical ripening agent during labor induction as measured by Bishop score on term singleton pregnant patients. *Journal of Obstetrics and Gynaecology Research* 2017. dx.doi.org/10.1111/jog.13387

Dove D, Johnson P. Oral evening primrose oil: its effect on length of pregnancy and selected intrapartum outcomes in low-risk nulliparous women. *J Nurse Midwifery* 1999; 44(3):320-324

Elkoussi A, Abdellah M. The potential therapeutic usefulness of single and concurrent administration of evening primrose oil and alpha lipoic acid in diabetic neuropathy. *Basic and Clinical Pharmacology and Toxicology* 2014; 115:349 or 240 ?

El-Sayed RM, Moustafa YM, El-Azab MF. Evening primrose oil and celecoxib inhibited pathological angiogenesis, inflammation, and oxidative stress in adjuvant-induced arthritis: novel role of angiopoietin-1. *Inflammopharmacology* 2014 Oct; 22(5):305-17

European Pharmacopoeia 7th ed. Council of Europe. 1/2010:2104

Everett DJ, Greenough RJ, Perry CJ, et al. Chronic toxicity studies of Efamol evening primrose oil in rats and dogs. *Med Sci Res* 1988a; 16:863-864

Everett DJ, Perry CJ, Bayliss P. Carcinogenicity studies of Efamol evening primrose oil in rats and mice. *Med Sci Res* 1988b; 16:865-866

Farzaneh F, Fatehi S, Sohrabi MR, Alizadeh K. The effect of oral evening primrose oil on menopausal hot flashes: a randomized clinical trial. *Arch Gynecol Obstet* 2013 Nov; 288(5):1075-9

Farzaneh M.F. The effect of oral evening primrose oil on menopausal hot flash: A randomized clinical trial. *International Journal of Gynecological Cancer* 2013; 23(8):1276

Ferreira MJ, Fiadeiro T, Silva M, Soares AP. Topical gamma-linolenic acid therapy in atopic dermatitis. A clinical and biometric evaluation. *Allergo J* 1998; 7(4):213–16[Cited in Hoare et al.(2010)]

Gehring W, Bopp R, Rippke F, et al. Effect of topically applied evening primrose oil on epidermal barrier function in atopic dermatitis as a function of vehicle. *Arzneim-Forsch/Drug Res* 1999; 49(7):635-642

Goyal A, Mansel RE. Efamast Study Group. A randomized multicenter study of gamolenic acid (Efamast) with and without antioxidant vitamins and minerals in the management of mastalgia. *Breast J* 2005; 11:41–47 [Cited in Srivastava et al. (2007)]

Granica S, Czerwińska ME, Piwowarski JP, Ziaja M, Kiss AK. Chemical composition, antioxidative and anti-inflammatory activity of extracts prepared from aerial parts of *Oenothera biennis* L. and *Oenothera paradoxa* Hudziok obtained after seeds cultivation. *J Agric Food Chem* 2013 Jan 30; 61(4):801-10

Gupta H, Pawar D, Riva A, Bombardelli E, Morazzoni P. A randomized, double-blind, placebo-controlled trial to evaluate efficacy and tolerability of an optimized botanical combination in the management of patients with primary hypercholesterolemia and mixed dyslipidemia. *Phytother Res* 2012 Feb; 26(2):265-72

Halat KM, Dennehy CE. Botanicals and dietary supplements in diabetic peripheral neuropathy. *J Am Board Fam Pract* 2003; 16:47-57

Hänsel R, Keller K, Rimpler H, Scheidner G. Hagers Handbuch der pharmazeutischer Praxis, Springer-Verlag, Berlin 1993, 929-936

Hederos CA, Berg A. Epogam evening primrose oil treatment in atopic dermatitis and asthma. *Arch Dis Child* 1996; 75:494-497

Hoare C, Li Wan Po A, Williams H. Systematic review of treatments for atopic eczema. *Health Technol Assess* 2000; 4(37):1-191

Holman CP, Bell AFJ. A trial of evening primrose oil in the treatment of chronic schizophrenia. *J Orthomol Psychiatr* 1983; 12:302-4

Humphreys F, Symons JA, Brown HK, Hunter JAA. The effects of gamolenic acid on adult atopic eczema and premenstrual exacerbation of eczema. *Eur J Dermatol* 1994; 4:598-603

Huntley A. Drug-herb interactions with herbal medicines for menopause. *J Br Menopause Soc* 2004; 10(4):162-165

Jafarnezhad F. Comparative effect of flaxseed and evening primrose oil with vitamin E on severity of cyclic mastalgia in women. *Iranian Journal of Obstetrics, Gynecology and Infertility* 2016; 19(22):8-16

Jamal GA, Carmichael H. The effect of gamma-linolenic acid on human diabetic peripheral neuropathy: a double-blind placebo-controlled trial. *Diabet Med* 1990; 7(4):319-323

Jamilian M, Karamali M, Taghizadeh M, Sharifi N, Jafari Z, Memarzadeh MR, Mahlouji M, Asemi Z. Vitamin D and evening primrose oil administration improve glycemia and lipid profiles in women with gestational diabetes. *Lipids* 2016; 51(3):349-356

Jäntti J, Seppälä E, Vapaatalo H, Isomäki H. Evening primrose oil and olive oil in treatment of rheumatoid arthritis. *Clin Rheumatol* 1989; 8(2):238-244

Keen H, Payan J, Allawi J, Walker J, Jamal GA, Weir AI, Henderson LM, Bissessar EA, Watkins PJ, Sampson M. Treatment of diabetic neuropathy with gamma-linolenic acid. The gamma-linolenic acid multicenter trial group. *Diabetes care* 1993; 16(1):8-15

Kerscher MJ, Korting HC. Treatment of atopic eczema with evening primrose oil: rationale and clinical results. *Clin Investig* 1992; 70:167-171

Khoo SK, Munro C, Battistutta D. Evening primrose oil and treatment of premenstrual syndrome. *Med J Aust* 1990; 153:189-192

Kim DH, Yoo TH, Lee SH, Kang HY, Nam BY, Kwak SJ, Kim JK, Park JT, Han SH, Kang SW. Gamma linolenic acid exerts anti-inflammatory and anti-fibrotic effects in diabetic nephropathy. *Yonsei Med J*. 2012 Nov 1; 53(6):1165-75

Kmietowicz Z. Evening primrose oil and borage oil do not help eczema symptoms, finds Cochrane review. *BMJ* 2013 Apr 29; 346:f2712

Larsson B, Jonasson A, Fianu S. Evening primrose oil in the treatment of premenstrual syndrome. *Curr Ther Res Clin Exp* 1989; 46(1):58-63

Lewandowska U, Owczarek K, Szewczyk K, Podścdek A, Koziołkiewicz M, Hrabec E. Influence of polyphenol extract from evening primrose (*Oenothera paradoxa*) seeds on human prostate and breast cancer cell lines. *Postepy Hig Med Dosw (Online)*, 2014 Feb 3; 68:110-8

Lovell CR, Burton JL, Horrobin DF. Treatment of atopic eczema with evening primrose oil. *The Lancet* 1981; 1(8214):278

Manthorpe R, Hagen Petersen S, Prause J. Primary Sjögren's syndrome treated with Efamol/Efavit. A double-blind cross-over investigation. *Rheumatol Int* 1984; 4(4):165-167

Martens-Lobenhoffer J, Meyer FP. Pharmacokinetic data of α -linolenic acid in healthy volunteers after the administration of evening primrose oil (Epogam). *Int J Clin Pharmacol Ther* 1998; 36(7):363-366

Montserrat-de la Paz S, Fernández-Arche A, Angel-Martín M, García-Giménez MD. The sterols isolated from Evening Primrose oil modulate the release of proinflammatory mediators. *Phytomedicine*. 2012 15; 19(12):1072-6

Montserrat-de la Paz S, García-Giménez MD, Ángel-Martín M, Pérez-Camino MC, Fernández Arche A. Long-chain fatty alcohols from evening primrose oil inhibit the inflammatory response in murine peritoneal macrophages. *J Ethnopharmacol* 2014; 151(1):131-6

Morse NL, Clough PM. A meta-analysis of randomized, placebo-controlled clinical trials of Efamol® evening primrose oil in atopic eczema. Where do we go from here in light of more recent discoveries? *Curr Pharm Biotechnol* 2006; 7(6):503-524

Morse PF, Horrobin DF, Manku MS, et al. Meta-analysis of placebo-controlled studies of the efficacy of Epogam in the treatment of atopic eczema: relationship between plasma essential fatty acid changes and clinical response. *Br J Dermatol* 1989; 121(1):75-90

Mosaad SM, Zaitone SA, Ahmed AA, Abo-Elmatty DM, El-Baz AA, Moustafa YM. Evening primrose oil or forskolin ameliorates celecoxib-enhanced upregulation of tissue factor expression in mice subjected to lipopolysaccharide-induced endotoxemia. *Naunyn Schmiedebergs Arch Pharmacol* 2017 May; 390(5):483-492

Muggli R. Systemic evening primrose oil improves the biophysical skin parameters of healthy adults. *Int J Cosmetol Sci* 2005; 27:243-249

Nasri K, Akrami S, Rahimi M, Taghizadeh M, Behfar M, Mazandaranian MR, Kheiry A, Memarzadeh MR, Asemi Z. The effects of vitamin D and evening primrose oil co-supplementation on lipid profiles and biomarkers of oxidative stress in vitamin D-deficient women with polycystic ovary syndrome: A randomized, double-blind, placebo-controlled trial. *Endocr Res* 2017 Jul; 25:1-10

Omran OM. Histopathological study of evening primrose oil effects on experimental diabetic neuropathy. *Ultrastruct Pathol*, 2012 Aug; 36(4):222-7

Osman M, Badawi E. Evening primrose oil reducing serum lithium concentration. *Ther Adv Psychopharmacol* 2016 Oct; 6(5):343-344

Oxholm P, Manthorpe R, Prause JU, Horrobin D. Patients with primary Sjögren's syndrome treated for two months with evening primrose oil. *Scand J Rheumatology* 1986; 15:103-108

Pashby NL, Mansel RE, Hughes LE, Hanslip J, Preece PE. A clinical trial of evening primrose oil in mastalgia [abstract 1979]. Cited by Anonymous 1981 (*Br J Surg* 1981; 68: 801. Abstract 1)

Pellegrina CD, Padovani G, Mainente F, et al. Anti-tumour potential of a gallic acid-containing phenolic fraction from *Oenothera biennis*. *Cancer Lett* 2005; 226(1):17-25

Pineda M.E.S. Effectiveness of intravaginal evening primrose oil as a cervical ripening agent in nulliparous women: A double blinded randomized controlled clinical trial.

dx.doi.org/10.1111/jog.13387. Journal of Obstetrics and Gynaecology Research 2017

Preece PE, Mansel RE. Management of breast pain using Efamol. In: Horrobin D, ed. Clinical uses of essential fatty acids. Montreal, Canada: Eden Press, 1982 no paging indicated [Cited in Shrivastava et al. (2007)]

Price L, Price S. *Aromatherapy for health professionals*. 3rd ed. Churchill Livingstone Elsevier, 2007, 195-196

Puolakka J, Mäkäräinen L, Viinikka L, Ylikorkala O. Biochemical and clinical effects of treating the premenstrual syndrome with prostaglandin synthesis precursors. *J Reprod Med* 1985; 30(3):149-153

Purewal TS, Evans PMS, Havard F, O'Hare JP. Lack of effect of evening primrose oil on autonomic function tests after 12 months of treatment. *Diabetologia* 1997; 40(Suppl 1):A556

Puri BK. The safety of evening primrose in epilepsy. *Prostaglandins Leukot Essent Fatty Acids* 2007; 77:101-103

Qureshi S, Sultan N. Topical nonsteroidal anti-inflammatory drugs versus oil of evening primrose in the treatment of mastalgia. *Surgeon* 2005; 3(1):7-10

Ramli D, Aziz I, Mohamad M, Abdulahi D, Sanusi J. The Changes in Rats with Sciatic Nerve Crush Injury Supplemented with Evening Primrose Oil: Behavioural, Morphologic, and Morphometric Analysis. *Evid Based Complement Alternat Med*. 2017; 2017:3476407. doi: 10.1155/2017/3476407. Epub 2017 May 23. PubMed PMID: 28620418; PubMed Central PMCID: PMC5460435

Riaz A, Khan RA, Ahmed SP. Assessment of anticoagulant effect of evening primrose oil. *Pak J Pharm Sci* 2009; 22(4):355-9

Safaahussain M. Anti-inflammatory, anti-oxidant, and vasodilating effect of evening primrose oil in type 2 diabetic patients. *International Journal of Pharmaceutical Sciences Review and Research* 2016; 39(2):173-178

Salama AAA, Zaki HF, El-Shenawy SM, EL-Denshary ESM, El-Kassaby I. Antiasthmatic effects of evening primrose oil in ovalbumin-allergic rats. *Der Pharmacia Lettre* 2015; 7(4):214-223

Schalin-Karrila M, Mattila L, Jansen CT, Uotila P. Evening primrose oil in the treatment of atopic eczema: effect on clinical status, plasma phospholipid fatty acids and circulating blood prostaglandins. *Br J Dermat* 1987; 117:11-19

Schulz V, Hänsel R, Blumenthal M, Tyler VE. Rational Phytotherapy. Springer Verlag, Berlin Heidelberg 2004, 341-344

Senapati S, Benerjee S, Gangopadhyay DN. Evening primrose oil is effective in atopic dermatitis: a randomized placebo-controlled trial. *Indian J Dermatol Venereol Leprol* 2008; 74(5):447-452

Sharma N, Gupta A, Jha PK, Rajput P. Mastalgia cured! Randomized trial comparing centchroman to evening primrose oil. *Breast J* 2012 Sep; 18(5):509-10

Simon D, Eng PA, Borelli S, Kägi R, Zimmermann C, Zahner C, Drewe J, Hess L, Ferrari G, Lautenschlager S, Wüthrich B, Schmid-Grendelmeier P. Gamma-linolenic acid levels correlate with clinical efficacy of evening primrose oil in patients with atopic dermatitis. *Adv Ther* 2014 Feb; 31(2):180-8

Singh R, Trivedi P, Bawankule DU, Ahmad A, Shanker K. HILIC quantification of oenotheralanosterol A and B from *Oenothera biennis* and their suppression of IL-6 and TNF- α expression in mouse macrophages. *J Ethnopharmacol* 2012 May 7; 141(1):357-62

Singh S, Dubey V, Singh DK, Fatima K, Ahmad A, Luqman S. Antiproliferative and antimicrobial efficacy of the compounds isolated from the roots of *Oenothera biennis* L. *J Pharm Pharmacol* 2017 Sep; 69(9):1230-1243

Soeken KL, Miller SA, Ernst E. Herbal medicines for the treatment of rheumatoid arthritis: a systematic review. *Rheumatology* 2003; 42:652-659

Srivastava A, Mansel RE, Arvind N, et al. Evidence-based management of Mastalgia: A meta-analysis of randomised trials. *Breast J* 2007; 16:503-512

Tanchoco M, Aguilar AS. Cervical Priming Prior to Operative Hysteroscopy: A Randomized Controlled Study Comparing the Efficacy of Laminaria Versus Evening Primrose Oil (EPO). *J Minim Invasive Gynecol* 2015 Nov-Dec; 22(6S):S45 (conference abstract)

Theander E, Horrobin DF, Jacobsson LTH, et al. Gamma-linolenic acid treatment of fatigue associated with primary Sjögren syndrome. *Scand J Rheumatol* 2002; 31:72-79

Vaddadi KS. The use of gamma-linolenic acid and linoleic acid to differentiate between temporal lobe epilepsy and schizophrenia. *Prostaglandins Med* 1981; 6(4):375-379

Whitaker DK, Cilliers J, de Beer C. Evening primrose oil (Epogam®) in the treatment of chronic hand dermatitis: disappointing therapeutic results. *Dermatology* 1996; 193:115-120

Williamson E, Driver S, Baxter K. Stockley's Herbal Medicines Interactions. Pharmaceutical Press, London 2013, 2nd Ed. pp. 206-208

Wright S, Burton JL. Oral evening primrose seed oil improves atopic eczema. *The Lancet* 1982; 2(8308):1120-1122

Yoon S, Lee J, Lee S. The therapeutic effect of evening primrose oil in atopic dermatitis patients with dry scaly skin lesions is associated with normalization of serum gamma-interferon levels. *Skin Pharmacol Appl Skin Physiol* 2002; 15:20-25

Zeng G, Ju Y, Shen H, Zhou N, Huang L. Immunopotentiating activities of the purified polysaccharide from evening primrose in H22 tumor-bearing mice. *Int J Biol Macromol* 2013 Jan; 52:280-5

References accessed but not cited:

Al-Okbi SY. Nutraceuticals of anti-inflammatory activity as complementary therapy for rheumatoid arthritis. *Toxicol Ind Health* 2014, Sep; 30(8):738-49

Bath-Hextall FJ, Jenkinson C, Humphreys R, Williams HC. Dietary supplements for established atopic eczema. *Cochrane Database Syst Rev*. 2012 Feb 15; (2):CD005205

Gentry-Maharaj A, Karpinskyj C, Glazer C, Burnell M, Ryan A, Fraser L, Lanceley A, Jacobs I, Hunter MS, Menon U. Use and perceived efficacy of complementary and alternative medicines after discontinuation of hormone therapy: a nested United Kingdom Collaborative Trial of Ovarian Cancer Screening cohort study. *Menopause* 2015 Apr; 22(4):384-90

Jalbert I. Diet, nutraceuticals and the tear film. *Exp Eye Res* 2013 Dec; 117:138-46

Jalloh MA, Gregory PJ, Hein D, Risoldi Cochrane Z, Rodriguez A. Dietary supplement interactions with antiretrovirals: a systematic review. *Int J STD AIDS* 2017 Jan; 28(1):4-15

Jamilian M. et al. Erratum. *Lipids* 2016; 51(3):357

Jelińska M, Tokarz A, Olędzka R, et al. Effects of dietary linseed, evening primrose or fish oils on fatty acid and prostaglandin E2 contents in the rat livers and 7,12-dimethylbenz[a]anthracene-induced tumours. *Biochim Bioph Acta* 2003; 1637(3):193-199

Khalil H., Painful diabetic neuropathy management. *Int J Evid Based Healthc* 2013 Mar; 11(1):77-9

Langhorst J, Wulfert H, Lauche R, Klose P, Cramer H, Dobos GJ, Korzenik J. Systematic review of complementary and alternative medicine treatments in inflammatory bowel diseases. *J Crohns Colitis* 2015 Jan; 9(1):86-106

Mayo TT; Khan F; Hunt C; Fleming K; Markus R. Comparative study on bruise reduction treatments after bruise induction using the pulsed dye laser. *Dermatol Surg* 2013, Oct; 39(10):1459-64

Mohajeri S, Newman SA. Review of evidence for dietary influences on atopic dermatitis. *Skin Therapy Lett.* 2014 Jul-Aug; 19(4):5-7. Review. PubMed PMID: 25188523

Montserrat-De La Paz S. et al. *Phytochemical characterization of potential nutraceutical ingredients from Evening Primrose oil (Oenothera biennis L.). Phytochemistry Letters* 2014; 8(1):158-162

Ng SC, Lam YT, Tsoi KK, Chan FK, Sung JJ, Wu JC. Systematic review: the efficacy of herbal therapy in inflammatory bowel disease. *Aliment Pharmacol Ther* 2013 Oct; 38(8):854-63

Norris S, Ortiz DD, Sullo E. FPIN's Clinical Inquiries. Complementary and alternative therapies for atopic dermatitis. *Am Fam Physician* 2012 Apr 15; 85(8):817-23. Review.

Posadzki P, Lee MS, Moon TW, Choi TY, Park TY, Ernst E. Prevalence of complementary and alternative medicine (CAM) use by menopausal women: a systematic review of surveys. *Maturitas* 2013 May; 75(1):34-43

Rezapour-Firouzi S, Arefhosseini SR, Ebrahimi-Mamaghani M, Baradaran B, Sadeghihokmabad E, Torbati M, Mostafaei S, Chehreh M, Zamani F. Activity of liver enzymes in multiple sclerosis patients with Hot-nature diet and co-supplemented hemp seed, evening primrose oils intervention. *Complement Ther Med* 2014 Dec; 22(6):986-93

Rezapour-Firouzi S, Arefhosseini SR, Ebrahimi-Mamaghani M, Baradaran B, Sadeghihokmabad E, Mostafaei S, Torbati M, Chehreh M. Alteration of delta-6-desaturase (FADS2), secretory phospholipase-A2 (sPLA2) enzymes by Hot-nature diet with co-supplemented hemp seed, evening primrose oils intervention in multiple sclerosis patients. *Complement Ther Med* 2015 Oct; 23(5):652-7

Rezapour-Firouzi S, Arefhosseini SR, Ebrahimi-Mamaghani M, Farhoudi M, Baradaran B, Ali TM, Zamani F. Erythrocyte membrane fatty acids in multiple sclerosis patients and hot-nature dietary intervention with co-supplemented hemp-seed and evening-primrose oils. *Afr J Tradit Complement Altern Med* 2013 Oct 3; 10(6):519-27

Rezapour-Firouzi S, Arefhosseini SR, Mehdi F, Mehrangiz EM, Baradaran B, Sadeghihokmabad E, Mostafaei S, Fazljou SM, Torbati MA, Sanaie S, Zamani F. Immunomodulatory and therapeutic effects of Hot-nature diet and co-supplemented hemp seed, evening primrose oils intervention in multiple sclerosis patients. *Complement Ther Med* 2013 Oct; 21(5):473-80

Rock E, DeMichele A. Nutritional approaches to late toxicities of adjuvant chemotherapy in breast cancer survivors. *J Nutr* 2003; 133(11):3785-3793

Vasiljevic D, Veselinovic M, Jovanovic M, Jeremic N, Arsic A, Vucic V, Lucic-Tomic A, Zivanovic S, Djuric D, Jakovljevic V. Evaluation of the effects of different supplementation on oxidative status in patients with rheumatoid arthritis. *Clin Rheumatol* 2016 Aug; 35(8):1909-1915

Vieira BL, Lim NR, Lohman ME, Lio PA. Complementary and Alternative Medicine for Atopic Dermatitis: An Evidence-Based Review. *Am J Clin Dermatol* 2016 Dec; 17(6):557-581. Review.

Wade AE, Dharwarkar S, Bunce OR, Abou el-Ela S. Effect of 7,12-dimethylbenz(a)anthracene administration on hepatic drug metabolizing enzymes in female rats fed corn, primrose, and menhaden oils. *Drug Nutr Interact* 1988; 5(4):309-316

Yoshimoto-Furuie K, Yoshimoto K, Tanaka T, et al. Effects of oral supplementation with evening primrose oil for six weeks on plasma essential fatty acids and uremic skin symptoms in hemodialysis patients. *Nephron* 1999; 81:151-159