



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

This document was valid from March 2011 until June 2018.
It is now superseded by a [new version](#) adopted by the HMPC on 05
June 2018 and published on the EMA website.

16 December 2011
EMA/HMPC/277817/2009
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Oenothera biennis* L.; *Oenothera lamarckiana* L., oleum

Final

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abou El-Ela SH, Prasse KW, Carroll R, Bunce OR. Effects of dietary primrose oil on mammary tumorigenesis induced by 7,12-dimethylbenz(a)anthracene. *Lipids* 1987; 22(12): 1041-1044

Abou El-Ela SH, Prasse KW, Carroll R, Wade AE, Dharwadkar S, Bunce OR. Eicosanoid synthesis in 7,12-dimethylbenz(a)anthracene-induced mammary carcinomas in sprague-dawley rats fed primrose oil, menhaden oil or corn oil diet. *Lipids* 1988; 23(10): 948-954

Al-Shabanah OA. Effect of evening primrose oil on gastric ulceration and secretion induced by various ulcerogenic and necrotizing agents in rats. *Food Chem Toxicol* 1997; 35(8): 769-775

Aman MG, Mitchell EA, Turbott SH. The effects of essential fatty acid supplementation by Efamol in hyperactive children. *J Abnorm Child Psychol* 1987; 15(1): 75-90

Anonymous. Withdrawal of Epogam and Efamast. Current problems in pharmacovigilance. Medicines Control Agency 2002; 28: 12

Anonymous. Surgical research society abstracts. *Br J Surg* 1981; 68: 801-824

Anstey A, Quigley M, Wilkinson JD. Topical evening primrose oil as treatment for atopic eczema. *J Dermatol Treat* 1990; 1: 199-201

Bamford JTM, Gibson RW, Renier CM. Atopic eczema unresponsive to evening primrose oil (linoleic and γ -linolenic acids). *J Am Acad Dermatol* 1985; 13(6): 959-965

Barnes J, Anderson LA, Phillipson JD. Herbal Medicines. Pharmaceutical Press, London 2007, 251-255

Bédard M. Evening primrose oil – still promising, but unproven. *Can Pharm J* 2003; 136(10): 41-42

Belch JJF, Shaw B, O'Dowd A, et al. Evening primrose oil (Efamol) as a treatment for cold-induced vasospasm (Raynauds phenomenon). *Prog Lipid Res* 1986; 25: 335-340

Belch JJF, Ansell D, Madhok R, et al. Effects of altering dietary essential fatty acids on requirements for non-steroidal anti-inflammatory drugs in patients with rheumatoid arthritis: a double-blind placebo-controlled study. *Ann Rheum Dis* 1988; 47: 96-104



Belch JJF, Hill A. Evening primrose oil and borage oil in rheumatologic conditions. *Am J Clin Nutr* 2000; 71: 352-356

Berth-Jones J, Graham-Brown RAC. Placebo-controlled trial of essential fatty acid supplementation in atopic dermatitis. *The Lancet* 1993; 341: 1557-1560

Biagi PL, Bordoni A, Masi M, et al. A long-term study on the use of evening primrose oil (Efamol) in atopic children. *Drugs Expt Clin Res* 1988; 14(4): 285-290

Blommers J, de Lange-De Klerk ES, Kuik DJ, et al. Evening primrose oil and fish oil for severe chronic mastalgia: a randomized, double-blind, controlled trial. *Am J Obstet Gynecol* 2002; 187(5): 1389-1394

Bordoni A, Biagi PL, Masi M, et al. Evening primrose oil (Efamol) in the treatment of children with atopic eczema. *Drugs Expt Clin Res* 1987; 14(4): 291-297

Brzeski M, Madhok R, Capell HA. Evening primrose oil in patients with rheumatoid arthritis and side-effects of non-steroidal anti-inflammatory drugs. *Br J Rheumatol* 1991; 30: 370-372

Budeiri D, Li Wan Po A, Dornan JC. Is evening primrose oil of value in the treatment of premenstrual syndrome? *Control Clin Trials* 1996; 17: 60-68

Capasso F, Gaginella TS, Grandolini G, Izzo AA. *Phytotherapy*. Springer-Verlag, Berlin Heidelberg 2003, 236

Casper RF. A double blind trial of evening primrose oil in premenstrual syndrome. 2nd International Symposium on PMS, Kiawah Island, Sep 1987

Chalmers RJG, Shuster S. Evening primrose seed oil in ichthyosis vulgaris. *The Lancet* 1983; 1(8318): 236-237

Chenoy R, Hussain S, Tayob Y, et al. Effect of oral gamma-linolenic acid from evening primrose oil on menopausal flushing. *BMJ* 1994; 308: 501-503

Collins A, Cerin A, Coleman G, et al. Essential fatty acids in the treatment of premenstrual syndrome. *Obstet Gynecol* 1993; 81(1): 93-98

Cottier S. Evening primrose oil the return of "the King's cure-all". *New Zealand Pharmacy* 1996; 11-14

De La Cruz JP, Martín-Romero M, Carmona JA, et al. Effect of evening primrose oil on platelet aggregation in rabbits fed an atherogenic diet. *Thromb Res* 1997; 87(1): 141-149

Dove D, Johnson P. Oral evening primrose oil: its effect on length of pregnancy and selected intrapartum outcomes in low-risk nulliparous women. *J Nurse Midwifery* 1999; 44(3): 320-324

European Pharmacopoeia 6th ed. Council of Europe. 1/2008: 5242

European Pharmacopoeia 7th ed. Council of Europe. 1/2010: 2104

Everett DJ, Greenough RJ, Perry CJ, et al. Chronic toxicity studies of Efamol evening primrose oil in rats and dogs. *Med Sci Res* 1988a; 16: 863-864

Everett DJ, Perry CJ, Bayliss P. Carcinogenicity studies of Efamol evening primrose oil in rats and mice. *Med Sci Res* 1988b; 16: 865-866

Ferreira MJ, Fiadeiro T, Silva M, Soares AP. Topical gamma-linolenic acid therapy in atopic dermatitis. A clinical and biometric evaluation. *Allergo J* 1998; 7(4): 213-16

Gehring W, Bopp R, Rippke F, et al. Effect of topically applied evening primrose oil on epidermal barrier function in atopic dermatitis as a function of vehicle. *Arzneim-Forsch/Drug Res* 1999; 49(7): 635-642

- Halat KM, Dennehy CE. Botanicals and dietary supplements in diabetic peripheral neuropathy. *J Am Board Fam Pract* 2003; 16: 47-57
- Hänsel R, Keller K, Rimpler H, Scheidner G. Hagers Handbuch der pharmazeutischer Praxis, Springer-Verlag, Berlin 1993, 929-936
- Hederos CA, Berg A. Epogam evening primrose oil treatment in atopic dermatitis and asthma. *Arch Dis Child* 1996; 75: 494-497
- Hoare C, Li Wan Po A, Williams H. Systematic review of treatments for atopic eczema. *Health Technol Assess* 2000; 4(37): 1-191
- Holman CP, Bell AFJ. A trial of evening primrose oil in the treatment of chronic schizophrenia. *J Orthomol Psychiatr* 1983; 12: 302-4
- Humphreys F, Symons JA, Brown HK, et al. The effects of gamma-linolenic acid on adult atopic eczema and premenstrual exacerbation of eczema. *Eur J Dermatol* 1994; 4: 598-603
- Huntley A. Drug-herb interactions with herbal medicines for menopause. *J Br Menopause Soc* 2004; 10(4): 162-165
- Jääntti J, Seppälä E, Vapaatalo H, Isomäki H. Evening primrose oil and olive oil in treatment of rheumatoid arthritis. *Clin Rheumatol* 1989; 8(2): 238-244
- Jamal GA, Carmichael H. The effect of gamma-linolenic acid on human diabetic peripheral neuropathy: a double-blind placebo-controlled trial. *Diabet Med* 1990; 7(4): 319-323
- Keen H, Payan J, Allawi J, et al. Treatment of diabetic neuropathy with gamma-linolenic acid. The gamma-linolenic acid multicenter trial group. *Diabetes care* 1993; 16(1): 8-15
- Kerscher MJ, Korting HC. Treatment of atopic eczema with evening primrose oil: rationale and clinical results. *Clin Invest* 1992; 70: 167-171
- Khoo SK, Munro C, Battistutta D. Evening primrose oil and treatment of premenstrual syndrome. *Med J Aust* 1990; 153: 189-192
- Larsson B, Jonasson A, Fianu S. Evening primrose oil in the treatment of premenstrual syndrome. *Curr Ther Res Clin Exp* 1989; 46(1): 58-63
- Lovell CR, Burton JL, Horrobin DF. Treatment of atopic eczema with evening primrose oil. *The Lancet* 1981; 1(8214): 278
- Manthorpe R, Hagen Petersen S, Prause J. Primary Sjögren's syndrome treated with Efamol/Efavit. A double-blind cross-over investigation. *Rheumatol Int* 1984; 4(4): 165-167
- Martens-Lobenhoffer J, Meyer FP. Pharmacokinetic data of γ -linolenic acid in healthy volunteers after the administration of evening primrose oil (Epogam). *Int J Clin Pharmacol Ther* 1998; 36(7): 363-366
- Morse PF, Horrobin DF, Manku MS, et al. Meta-analysis of placebo-controlled studies of the efficacy of Epogam in the treatment of atopic eczema: relationship between plasma essential fatty acid changes and clinical response. *Br J Dermatol* 1989; 121(1): 75-90
- Morse NL, Clough PM. A meta-analysis of randomized, placebo-controlled clinical trials of Efamol® evening primrose oil in atopic eczema. Where do we go from here in light of more recent discoveries? *Curr Pharm Biotechnol* 2006; 7(6): 503-524
- Muggli R. Systemic evening primrose oil improves the biophysical skin parameters of healthy adults. *Int J Cosmetol Sci* 2005; 27: 243-249

- Oxholm P, Manthorpe R, Prause JU, et al. Patients with primary Sjögren's syndrome treated for two months with evening primrose oil. *Scand J Rheumatology* 1986; 15: 103-108
- Pashby NL, Mansel RE, Hughes LE, Hanslip J, Preece PE. A clinical trial of evening primrose oil in mastalgia [abstract 1979]. Cited by Anonymous 1981 (*Br J Surg* 1981; 68: 801. Abstract 1)
- Pellegrina CD, Padovani G, Mainente F, et al. Anti-tumour potential of a gallic acid-containing phenolic fraction from *Oenothera biennis*. *Cancer Lett* 2005; 226(1): 17-25
- Price L, Price S. *Aromatherapy for health professionals*. 3rd ed. Churchill Livingstone Elsevier, 2007, 195-196
- Puolakka J, Mäkäräinen L, Viinikka L, Ylikorkala O. Biochemical and clinical effects of treating the premenstrual syndrome with prostaglandin synthesis precursors. *J Reprod Med* 1985; 30 (3): 149-153
- Purewal TS, Evans PMS, Havard F, O'Hare JP. Lack of effect of evening primrose oil on autonomic function tests after 12 months of treatment. *Diabetologia* 1997; 40(Suppl 1): A556
- Puri BK. The safety of evening primrose in epilepsy. *Prostaglandins Leukot Essent Fatty Acids* 2007; 77: 101-103
- Qureshi S, Sultan N. Topical nonsteroidal anti-inflammatory drugs versus oil of evening primrose in the treatment of mastalgia. *Surgeon* 2005; 3(1): 7-10
- Riaz A, Khan RA, Ahmed SP. Assessment of anticoagulant effect of evening primrose oil. *Pak J Pharm Sci* 2009; 22(4): 355-9
- Schalin-Karrila M, Mattila L, Jansen CT, et al. Evening primrose oil in the treatment of atopic eczema: effect on clinical status, plasma phospholipid fatty acids and circulating blood prostaglandins. *Br J Dermat* 1987; 117: 11-19
- Schmidt K, Pittler MH, Wilson N, et al. Oral evening primrose oil and borage oil for atopic eczema. (Protocol) *Cochrane Database of Systematic Reviews* 2003, Issue 2. Art. No.: CD004416. DOI: 10.1002/1465858.CD004416
- Schulz V, Hänsel R, Blumenthal M, Tyler VE. *Rational Phytotherapy*. Springer Verlag, Berlin Heidelberg 2004, 341-344
- Senapati S, Benerjee S, Gangopadhyay DN. Evening primrose oil is effective in atopic dermatitis: a randomized placebo-controlled trial. *Indian J Dermatol Venereol Leprol* 2008; 74(5): 447-452
- Smith RL, Pruthi S, Fitzpatrick LA. Evaluation and management of breast pain. *Mayo Clin Proc* 2004; 79: 353-372
- Soeken KL, Miller SA, Ernst E. Herbal medicines for the treatment of rheumatoid arthritis: a systematic review. *Rheumatology* 2003; 42: 652-659
- Srivastava A, Mansel RE, Arvind N, et al. Evidence-based management of Mastalgia: A meta-analysis of randomised trials. *Breast J* 2007; 16: 503-512
- Theander E, Horrobin DF, Jacobsson LTH, et al. Gamma-linolenic acid treatment of fatigue associated with primary Sjögren syndrome. *Scand J Rheumatol* 2002; 31: 72-79
- Vaddadi KS. The use of gamma-linolenic acid and linoleic acid to differentiate between temporal lobe epilepsy and schizophrenia. *Prostaglandins Med* 1981; 6(4): 375-379
- Wang W, Chen H, Liu J. Evening primrose oil or other essential fatty acids for the treatment of premenstrual syndrome (PMS). (Protocol) *Cochrane Database of Systematic Reviews* 2008, issue 2. Art. No.: CD001123. DOI: 10.1002/14651858.CD001123.pub3 (withdrawn)

Whitaker DK, Cilliers J, de Beer C. Evening primrose oil (Epogam®) in the treatment of chronic hand dermatitis: disappointing therapeutic results. *Dermatology* 1996; 193: 115-120

Wright S, Burton JL. Oral evening primrose seed oil improves atopic eczema. *The Lancet* 1982; 2(8308): 1120-1122

Yoon S, Lee J, Lee S. The therapeutic effect of evening primrose oil in atopic dermatitis patients with dry scaly skin lesions is associated with normalization of serum gamma-interferon levels. *Skin Pharmacol Appl Skin Physiol* 2002; 15: 20-25

Cited in Shrivastava et al. (2007):

Goyal A, Mansel RE. Efamast Study Group. A randomized multicenter study of gamma-linolenic acid (Efamast) with and without antioxidant vitamins and minerals in the management of mastalgia. *Breast J* 2005; 11:41-47

Preece PE, Hanslip JJ, Gilbert L, et al. Evening primrose oil (Efamol) for mastalgia. In: Horrobin D, ed. *Clinical uses of essential fatty acids*. Montreal, Canada: Eden Press, 1982:147-154

References accessed but not cited:

Jelińska M, Tokarz A, Olędzka R, et al. Effects of dietary linseed, evening primrose or fish oils on fatty acid and prostaglandin E2 contents in the rat livers and 7,12-dimethylbenz[a]anthracene-induced tumours. *Biochim Biophys Acta* 2003; 1637(3): 193-199

Rock E, DeMichele A. Nutritional approaches to late toxicities of adjuvant chemotherapy in breast cancer survivors. *J Nutr* 2003; 133(11): 3785-3793

Wade AE, Dharwarkar S, Bunce OR, Abou el-Ela S. Effect of 7,12-dimethylbenz(a)anthracene administration on hepatic drug metabolizing enzymes in female rats fed corn, primrose, and menhaden oils. *Drug Nutr Interact* 1988; 5(4): 309-316

Yoshimoto-Furuie K, Yoshimoto K, Tanaka T, et al. Effects of oral supplementation with evening primrose oil for six weeks on plasma essential fatty acids and uremic skin symptoms in hemodialysis patients. *Nephron* 1999; 81: 151-159