

## Annex A

EU (MA) Number	Invented name	Strength	Pharmaceutical form	Target species	Route of administration	Packaging	Content	Package size	Withdrawal period
EU/2/14/175/001	Porcilis PCV M Hyo	--1	Emulsion for injection	Pigs	Intramuscular use	Vial (PET)	20 ml	1 vial	Zero days
EU/2/14/175/002	Porcilis PCV M Hyo	--1	Emulsion for injection	Pigs	Intramuscular use	Vial (PET)	50 ml	1 vial	Zero days
EU/2/14/175/003	Porcilis PCV M Hyo	--1	Emulsion for injection	Pigs	Intramuscular use	Vial (PET)	100 ml	1 vial	Zero days
EU/2/14/175/004	Porcilis PCV M Hyo	--1	Emulsion for injection	Pigs	Intramuscular use	Vial (PET)	200 ml	1 vial	Zero days
EU/2/14/175/005	Porcilis PCV M Hyo	--1	Emulsion for injection	Pigs	Intramuscular use	Vial (PET)	500 ml	1 vial	Zero days
EU/2/14/175/006	Porcilis PCV M Hyo	--1	Emulsion for injection	Pigs	Intramuscular use	Vial (PET)	20 ml	10 vials	Zero days
EU/2/14/175/007	Porcilis PCV M Hyo	--1	Emulsion for injection	Pigs	Intramuscular use	Vial (PET)	50 ml	10 vials	Zero days
EU/2/14/175/008	Porcilis PCV M Hyo	--1	Emulsion for injection	Pigs	Intramuscular use	Vial (PET)	100 ml	10 vials	Zero days
EU/2/14/175/009	Porcilis PCV M Hyo	--1	Emulsion for injection	Pigs	Intramuscular use	Vial (PET)	200 ml	10 vials	Zero days
EU/2/14/175/010	Porcilis PCV M Hyo	--1	Emulsion for injection	Pigs	Intramuscular use	Vial (PET)	500 ml	10 vials	Zero days

--1 Porcine circovirus type 2 ORF2 subunit antigen  
*Mycoplasma hyopneumoniae* inactivated       $\geq 2828 \text{ AU}^*$   
 $\geq 2.69 \text{ RPU}^{**}$

\* Antigenic Units as determined in the *in vitro* potency test (ELISA).

\*\* Relative Potency Unit defined against a reference vaccine