



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

31 March 2011
EMA/HMPC/560961/2010
Committee on Herbal Medicinal Products (HMPC)

Community herbal monograph on *Pelargonium sidoides* DC and/or *Pelargonium reniforme* Curt., radix

Draft

Discussion in Working Party on Community monographs and Community list (MLWP)	September 2010 November 2010 January 2011 March 2011
Adoption by Committee on Herbal Medicinal Products (HMPC) for release for consultation	31 March 2011
End of consultation (deadline for comments). Comments should be provided using this template to hmpc.secretariat@ema.europa.eu	15 August 2011
Rediscussion in Working Party on Community monographs and Community list (MLWP)	
Adoption by Committee on Herbal Medicinal Products (HMPC)	

Keywords	Herbal medicinal products; HMPC; Community herbal monographs; traditional use; <i>Pelargonium sidoides</i> DC and/or <i>Pelargonium reniforme</i> Curt.; Pelargonii radix; pelargonium root
-----------------	---

BG (bългарски): Пеларгониум, корен CS (čeština): pelargoniový kořen DA (dansk): Pelargonierod DE (Deutsch): Pelargoniumwurzel EL (elliniká): EN (English): pelargonium root ES (español): Pelargonio, raíz de ET (eesti keel): pelargoonijuur FI (suomi): FR (français): Pélargonium (racine de) HU (magyar): Muskátligyökér IT (italiano): Pelargonio radice	LT (lietuvių kalba): LV (latviešu valoda): Pelargonijas saknes MT (malti): NL (nederlands): Geranium PL (polski): Korzeń pelargonii PT (português): Pelargónio, raiz RO (română): SK (slovenčina): Muškátový koreň SL (slovenščina): korenina pelargonije SV (svenska): Pelargonrot IS (íslenska): NO (norsk): Pelargoniumrot
--	--



Community herbal monograph on *Pelargonium sidoides* DC and/or *Pelargonium reniforme* Curt., radix

1. Name of the medicinal product

To be specified for the individual finished product.

2. Qualitative and quantitative composition^{1,2}

Well-established use	Traditional use
	<p>With regard to the registration application of Article 16d(1) of Directive 2001/83/EC as amended</p> <p><i>Pelargonium sidoides</i> DC and/or <i>Pelargonium reniforme</i> Curt., radix (pelargonium root)</p> <p>i) Herbal substance</p> <p>Not applicable.</p> <p>ii) Herbal preparations</p> <p>Liquid extract (DER 1:8-10), extraction solvent ethanol 11% m/m</p>

3. Pharmaceutical form

Well-established use	Traditional use
	<p>Herbal preparation in liquid dosage forms for oral use.</p> <p>The pharmaceutical form should be described by the European Pharmacopoeia full standard term.</p>

4. Clinical particulars

4.1. Therapeutic indications

Well-established use	Traditional use
	<p>Traditional herbal medicinal product for the symptomatic treatment of common cold.</p> <p>The product is a traditional herbal medicinal</p>

¹ The material complies with the Ph. Eur. monograph (ref.: 01/2008:2264).

² The declaration of the active substance(s) for an individual finished product should be in accordance with relevant herbal quality guidance.

Well-established use	Traditional use
	product for use in specified indication exclusively based upon long-standing use.

4.2. Posology and method of administration

Well-established use	Traditional use
	<p>Posology</p> <p><i>Adolescents, adults and elderly</i></p> <p>Single dose: 1.14 g, 3 times daily.</p> <p><i>Children between 6-12 years</i></p> <p>Single dose: 0.76 g, 3 times daily.</p> <p>The use in children under 6 years of age is not recommended (see section 4.4 'Special warnings and precautions for use').</p> <p>Duration of use</p> <p>If the symptoms persist longer than 1 week during the use of the medicinal product, a doctor or a qualified health care practitioner should be consulted.</p> <p>Method of administration</p> <p>Oral use.</p>

4.3. Contraindications

Well-established use	Traditional use
	Hypersensitivity to the active substance(s).

4.4. Special warnings and precautions for use

Well-established use	Traditional use
	<p>The use in children under 6 years of age has not been established due to lack of adequate data.</p> <p>If the symptoms worsen during the use of the medicinal product, a doctor or a qualified health care practitioner should be consulted.</p> <p>For liquid extracts containing ethanol, the appropriate labelling for ethanol, taken from the</p>

Well-established use	Traditional use
	'Guideline on excipients in the label and package leaflet of medicinal products for human use', must be included.

4.5. Interactions with other medicinal products and other forms of interaction

Well-established use	Traditional use
	None reported.

4.6. Pregnancy and lactation

Well-established use	Traditional use
	Safety during pregnancy and lactation has not been established. In the absence of sufficient data, the use during pregnancy and lactation is not recommended.

4.7. Effects on ability to drive and use machines

Well-established use	Traditional use
	No studies on the effect on the ability to drive and use machines have been performed.

4.8. Undesirable effects

Well-established use	Traditional use
	Mild gastrointestinal complaints (diarrhoea, epigastric discomfort, nausea or vomiting, dysphagia) and allergic reactions have been reported. The frequency is not known. If other adverse reactions not mentioned above occur, a doctor or a qualified health care practitioner should be consulted.

4.9. Overdose

Well-established use	Traditional use
	No case of overdose has been reported.

5. Pharmacological properties

5.1. Pharmacodynamic properties

Well-established use	Traditional use
	Not required as per Article 16c(1)(a)(iii) of Directive 2001/83/EC as amended.

5.2. Pharmacokinetic properties

Well-established use	Traditional use
	Not required as per Article 16c(1)(a)(iii) of Directive 2001/83/EC as amended.

5.3. Preclinical safety data

Well-established use	Traditional use
	Not required as per Article 16c(1)(a)(iii) of Directive 2001/83/EC as amended, unless necessary for the safe use of the product. Adequate tests on reproductive toxicity, genotoxicity and carcinogenicity have not been performed.

6. Pharmaceutical particulars

Well-established use	Traditional use
	Not applicable.

7. Date of compilation/last revision

31 March 2011