



13 January 2021  
EMA/HMPC/376770/2019  
Committee on Herbal Medicinal Products (HMPC)

## European Union herbal monograph on *Aloysia citrodora* Paláu (syn. *Aloysia triphylla* (L'Hér.) Kuntze; *Verbena triphylla* L'Hér.; *Lippia citriodora* Kunth), folium

Final

Initial assessment	
Discussion in Working Party on European Union monographs and European Union list (MLWP) and Committee on Herbal Medicinal Products (HMPC)	September 2018 September 2019 March 2020 May 2020
Adoption by Committee on Herbal Medicinal Products (HMPC) for release for consultation	6 May 2020
End of consultation (deadline for comments)	31 August 2020
Re-discussion in HMPC	November 2020 January 2021
Adoption by HMPC	13 January 2021

Keywords	Herbal medicinal products; HMPC; European Union herbal monographs; traditional use; <i>Aloysia citrodora</i> Paláu; <i>Aloysia triphylla</i> (L'Hér.) Kuntze; <i>Verbena triphylla</i> L'Hér.; <i>Lippia citriodora</i> Kunth, folium; <i>Verbenae citriodorae</i> folium; lemon verbena leaf
----------	---



<p>BG (bulgarski): Лимонова върбинка, лист</p> <p>CS (čeština): list aloisie citronové</p> <p>DA (dansk): CITRONVERBENABLAD</p> <p>DE (Deutsch): Zitronenverbennenblätter</p> <p>EL (elliniká): Αλοΐσιας κιτριόσμου (λουίζας φύλλο)</p> <p>EN (English): lemon verbena leaf</p> <p>ES (español): Hierbaluisa, hoja de</p> <p>ET (eesti keel):</p> <p>FI (suomi): sitruunaverbena, lehti</p> <p>FR (français): verveine odorante</p> <p>HR (hrvatski): list limunomirisnog sporiša</p> <p>HU (magyar): citromverbéna levél</p> <p>IT (italiano): Verbena odorosa, foglia</p>	<p>LT (lietuvių kalba): Citrininių aloyzijų lapai</p> <p>LV (latviešu valoda): citrona verbēnas lapas</p> <p>MT (Malti): Weraq tal-Alwiża</p> <p>NL (Nederlands): Citroenverbena, blad</p> <p>PL (polski): Liść witułki cytrynowej (liść werbeny cytrynowej)</p> <p>PT (português): Lúcia-lima, folha</p> <p>RO (română): frunză de verbenă citronată</p> <p>SK (slovenčina): list aloisie citrónovej</p> <p>SL (slovenščina): list citronke</p> <p>SV (svenska): citronverbena, blad</p> <p>IS (íslenska):</p> <p>NO (norsk):</p>
---	--

# **European Union herbal monograph on *Aloysia citrodora* Paláu (syn. *Aloysia triphylla* (L'Hér.) Kuntze; *Verbena triphylla* L'Hér.; *Lippia citriodora* Kunth), folium**

## **1. Name of the medicinal product**

To be specified for the individual finished product.

## **2. Qualitative and quantitative composition<sup>1, 2</sup>**

<b>Well-established use</b>	<b>Traditional use</b>
	<p>With regard to the registration application of Article 16d(1) of Directive 2001/83/EC</p> <p><i>Aloysia citrodora</i> Paláu (syn. <i>Aloysia triphylla</i> (L'Hér.) Kuntze; <i>Verbena triphylla</i> L'Hér.; <i>Lippia citriodora</i> Kunth), folium; lemon verbena leaf</p> <p>i) Herbal substance</p> <p>As defined in the Ph. Eur. monograph.</p> <p>ii) Herbal preparations</p> <p>Comminuted herbal substance</p>

## **3. Pharmaceutical form**

<b>Well-established use</b>	<b>Traditional use</b>
	<p>Comminuted herbal substance as herbal tea for oral use.</p> <p>The pharmaceutical form should be described by the European Pharmacopoeia full standard term.</p>

## **4. Clinical particulars**

### **4.1. Therapeutic indications**

<b>Well-established use</b>	<b>Traditional use</b>
	<p>Indication 1)</p> <p>Traditional herbal medicinal product for relief of mild symptoms of mental stress and to aid</p>

<sup>1</sup> The declaration of the active substance(s) for an individual finished product should be in accordance with relevant herbal quality guidance.

<sup>2</sup> The material complies with the Ph. Eur. monograph (ref.: 1834).

<b>Well-established use</b>	<b>Traditional use</b>
	<p>sleep.</p> <p><b>Indication 2)</b></p> <p>Traditional herbal medicinal product for symptomatic treatment of mild gastrointestinal complaints including bloating and flatulence.</p> <p>The product is a traditional herbal medicinal product for use in the specified indications exclusively based upon long-standing use.</p>

#### **4.2. Posology and method of administration<sup>3</sup>**

<b>Well-established use</b>	<b>Traditional use</b>
	<p><b>Posology</b></p> <p><i>Adolescents, Adults and Elderly</i></p> <p><b>Indication 1)</b></p> <p>Herbal tea</p> <p>For relief of mild symptoms of mental stress: 5 g of the comminuted herbal substance in 100 ml of boiling water as a decoction, 3 times daily.</p> <p>To aid sleep: 1-2 g of the comminuted herbal substance in 200 ml of boiling water as a herbal infusion half an hour before bedtime</p> <p><b>Indication 2)</b></p> <p>Herbal tea</p> <p>2-3 g of the comminuted herbal substance in 200 ml of boiling water as a herbal infusion, 1-3 times daily, or 1 g of the comminuted herbal substance in 200 ml of boiling water as a herbal infusion up to 5 times daily.</p> <p>The use in children is not recommended (see section 4.4 'Special warnings and precautions for use').</p> <p><b>Duration of use</b></p> <p>If the symptoms persist longer than 2 weeks during the use of the medicinal product, a doctor or a qualified health care practitioner should be consulted.</p>

---

<sup>3</sup> For guidance on herbal substance/herbal preparation administered as herbal tea or as infusion/decoction/macerate preparation, please refer to the HMPC 'Glossary on herbal teas' (EMA/HMPC/5829/2010 Rev.1).

<b>Well-established use</b>	<b>Traditional use</b>
	<b>Method of administration</b> Oral use

#### **4.3. Contraindications**

<b>Well-established use</b>	<b>Traditional use</b>
	Hypersensitivity to the active substance and to other plants of the Verbenaceae family.

#### **4.4. Special warnings and precautions for use**

<b>Well-established use</b>	<b>Traditional use</b>
	The use in children has not been established due to lack of adequate data.  If the symptoms worsen during the use of the medicinal product, a doctor or a qualified health care practitioner should be consulted.

#### **4.5 Interactions with other medicinal products and other forms of interaction**

<b>Well-established use</b>	<b>Traditional use</b>
	None reported

#### **4.6. Fertility, pregnancy and lactation**

<b>Well-established use</b>	<b>Traditional use</b>
	Safety during pregnancy and lactation has not been established. In the absence of sufficient data, the use during pregnancy and lactation is not recommended.  No fertility data available.

#### **4.7. Effects on ability to drive and use machines**

<b>Well-established use</b>	<b>Traditional use</b>
	May impair ability to drive and use machines. Affected patients should not drive or operate machinery.

#### **4.8. Undesirable effects**

<b>Well-established use</b>	<b>Traditional use</b>
	None known  If adverse reactions occur, a doctor or a qualified health care practitioner should be consulted.

#### **4.9. Overdose**

<b>Well-established use</b>	<b>Traditional use</b>
	No case of overdose has been reported.

### **5. Pharmacological properties**

#### **5.1. Pharmacodynamic properties**

<b>Well-established use</b>	<b>Traditional use</b>
	Not required as per Article 16c(1)(a)(iii) of Directive 2001/83/EC.

#### **5.2. Pharmacokinetic properties**

<b>Well-established use</b>	<b>Traditional use</b>
	Not required as per Article 16c(1)(a)(iii) of Directive 2001/83/EC.

#### **5.3. Preclinical safety data**

<b>Well-established use</b>	<b>Traditional use</b>
	Not required as per Article 16c(1)(a)(iii) of Directive 2001/83/EC, unless necessary for the safe use of the product.  Adequate tests on reproductive toxicity, genotoxicity and carcinogenicity have not been performed.

## **6. Pharmaceutical particulars**

<b>Well-established use</b>	<b>Traditional use</b>
	Not applicable

## **7. Date of compilation/last revision**

13 January 2021