

London, 10 January 2008
Doc. Ref: EMEA/HMPC/476255/2007

COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)

DRAFT

LIST OF REFERENCES FOR ASSESSMENT OF:

**Harpagophytum procumbens D.C.; Harpagophytum zeyheri Decne
(devil's claw root)**

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

1. Kundu JK ; Mossanda KS ; Na HK ; Surh YJ, Inhibitory effects of the extracts of Sutherlandia frutescens (L.) R. Br. and Harpagophytum procumbens DC. on phorbol ester-induced COX-2 expression in mouse skin : AP-1 and CREB as potential upstream targets. *Cancer Letters*, 2005. 218: 21-31.
2. Baghdikian B ; Lanfers MC ; Fleurentin J ; Ollivier E ; Maillard C ; Balansard G ; Mortier F, An analytical study, anti-inflammatory and analgesic effects of Harpagophytum procumbens and Harpagophytum zeyheri. *Planta Med*, 1997. 63: 171-6.
3. Lanfers MC ; Fleurentin J ; Mortier F ; Vinche A ; Younos C, Anti-inflammatory and analgesic effects of an aqueous extract of Harpagophytum procumbens. *Planta Med*, 1992. 58: 117-23.
4. Recio MC ; Giner RM ; Manez S ; Rios JL, Structural considerations on the iridoids as anti-inflammatory agents. *Planta Med*, 1994. 60: 232-4.
5. Eichler O ; Koch C, Antiphlogistic, analgesic and spasmolytic effect of harpagoside, a glycoside from the root of Harpagophytum procumbens DC. *Arzneimittelforschung*, 1970. 20: 107-9.
6. McLeod DW ; Revell P ; Robinson BV, Investigations of Harpagophytum procumbens (Devil's Claw) in the treatment of experimental inflammation and arthritis in the rat. *Brit J Pharmacol*, 1979. 66: 140-1.
7. Whitehouse WL ; Znamirowska M ; Paul CJ, Devil's Claw (Harpagophytum procumbens) : no evidence for anti-inflammatory activity in the treatment of arthritic disease. *Can Med Assoc J*, 1983. 129: 249-51.
8. Soulimani R ; Younos C ; Mortier F ; Derrieu C, The role of stomachal digestion the pharmacological activity of plant extracts, using as example extracts of Harpagophytum procumbens. *Can J Physiol Pharmacol*, 1994. 72: 1532-6.
9. Jadot G ; Lecomte A, Activité anti-inflammatoire d'Harpagophytum procumbens DC. *Lyon méditerranée Médical Médecine du Sud-Est*, 1992. XXVIII: 29-31.
10. Erdös A ; Fontaine R ; Frieh H ; Durand R ; Pöppinghaus Th, Beitrag zur Pharmakologie und Toxikologie verschiedener Extrakte, sowie des Harpagosids aus Harpagophytum procumbens DC. *Planta Med*, 1978. 34: 97-108.

11. Jang MH ; Lim S ; Han SM ; Park HJ ; Shin I ; Kim JW ; Kim NJ ; Lee JS ; Kim KA ; Kim CJ, Harpagophytum procumbens suppresses lipopolysaccharide-stimulated expressions of cyclooxygenase-2 and inducible nitric oxide synthase in fibroblast cell line L929. *J Pharmacol Sci*, 2003. 93: 367-71.
12. Salvemini D ; Misko TP ; Masferrer JL ; Seibert K ; Currie MG ; Needleman P, Nitric oxide activates cyclooxygenase enzymes. *Proc Natl Acad Sci USA*, 1993. 90: 7240-4.
13. Loew D ; Möllerfeld J ; Schrödter A ; Puttkammer S ; Kaszkin M, Investigations on the pharmacokinetic properties of Harpagophytum extracts and their effects on eicosanoid biosynthesis in vitro and ex vivo. *Clin Pharmacol Ther*, 2001. 69: 356-64.
14. Fiebich BL ; Heinrich M ; Hiller KO ; Kammerer N, Inhibition of TNF-a synthesis in LPS-stimulated primary human monocytes by Harpagophytum extract SteiHap 69. *Phytomedicine*, 2001. 8: 28-30.
15. Boje K ; Lechtenberg M ; Nahrstedt A, New and known iridoid- and phenylethanoid glycosides from Harpagophytum procumbens and their in vitro inhibition of human leukocyte elastase. *Planta Med*, 2003. 69: 820-5.
16. Bhattacharya A ; Bhattacharya SK, Anti-oxidant activity of Harpagophytum procumbens (Devil's claw). *British Journal of Phytotherapy*, 1998. 5: 68-71.
17. Circosta C ; Occhiuto F ; Ragusa S ; Trovato A ; Tumino G ; Briguglio F ; de Pasquale A, A drug used in traditional medicine : Harpagophytum procumbens DC. II. Cardiovascular activity. *Journal of Ethnopharmacology*, 1984. 11: 259-74.
18. de Pasquale RC ; Busa G ; Circosta C ; Lauk L ; Ragusa S ; Ficarra P ; Occhiuto F, A drug used in traditional medicine : Harpagophytum procumbens DC. III. Effects on hyperkinetic ventricular arrhythmias by reperfusion. *Journal of Ethnopharmacology*, 1985. 13: 193-9.
19. van Haelen M, Aspects botaniques, constitution chimique et activité pharmacologique d'Harpagophytum procumbens. *Phytotherapy*, 1983. 5: 7-13.
20. Baghdikian B ; Guiraud-Dauriac H ; Ollivier E ; N'Guyen A ; Dumenil G ; Balansard G, Formation of nitrogen-containing metabolites from the main iridoids of Harpagophytum procumbens and *H. zeyheri* by human intestinal bacteria. *Planta Med*, 1999. 65: 164-6.
21. Chrubasik S ; Zimpfer Ch ; Schütt U; Ziegler R, Effectiveness of Harpagophytum procumbens in treatment of acute low back pain. *Phytomedicine*, 1996. 3(1) pages?
22. Chrubasik S ; Junck H ; Breitschwerdt H ; Conradt Ch ; Zappe H, Effectiveness of Harpagophytum extract WS 1531 in the treatment of exacerbation of low back pain: a randomized, placebo-controlled, double-blind study. *European Journal of Anaesthesiology*, 1999. 16, 118-29
23. Chantre P ; Cappelaere A ; Leblan D ; Guédon D ; Vandermander J ; Fournie B, Efficacy and tolerance of Harpagophytum procumbens versus Diacerhein in treatment of osteoarthritis. *Phytomedicine*, 2000. 7(3): 177-83
24. Leblan D ; Chantre P ; Fournie B ; Harpagophytum procumbens in the treatment of knee and hip osteoarthritis. Four-month results of a prospective, multicenter, double-blind trial versus Diacerhein. *Joint Bone Spine*, 2000. 67: 462-7
25. Chribasik S; Model A ; Black A ; Pollak S, A randomized double-blind pilot study comparing Doloteffin® and Vioxx® in the treatment of low back pain. *Rheumatology*, 2003.42: 141-8
26. Chribasik S ; Künzel O ; Tanner J ; Conradt C ; Black A, A 1-year follow-up after a pilot study with Doloteffin® for low back pain *Phytomedicine*, 2005. 12: 1-9
27. Lienert A et al., A randomised, active-controlled, mono-centric study of the herbal drug, Devil's claw (Harpagophytum procumbens) (ALLYA® tablets), Voltaren® and Vioxx® indicates equal efficacy in the treatment of patients with unspecific lumbar pain. Meeting abstract. 54. Jahrestagung der Norddeutschen Orthopädenvereinigung e.V. Hamburg 16-18 June 2005
28. Laudahn D ; Walper A, Efficacy and tolerance of Harpagophytum Extract LI 174 in patients with chronic non-radicular back pain. *Phytother. Res.* 200115: 621-4
29. Chribasik S ; Künzel O ; Tanner J ; Conradt C ; Black A ; Pollak S, Comparison of outcome measures during treatment with the proprietary Harpagophytum Extract Doloteffin® in patients with pain in the lower back, knee or hip. *Phytomedicine* 2002. 9: 181-94
30. Göbel H et al. Harpagophytum-Extrakt LI 174 (Teufelskralle) bei der behandlung unspezifischer rückenschmerzen. *Schmerz* 2001; 15: 10-1827

- 31 Schmidt A ; Berghol U, Schmidt E, Therapie der unspezifischen lumbalgie mit teufelskrallenwurzelextrakt – Ergebnisse einer klinischen studie. Effectiveness of *Harpagophytum Procumbens* in treatment of unspecific low back pain. Phys Med Rehab Kuror 2005. 15: 317-21
- 32 Wegener T ; Lüpke NP, Treatment of patients with arthrosis of hip or knee with an aqueous extract of Devil's Claw (*Harpagophytum procumbens* DC). Phytother.Res. 2003. 17: 1165-72
- 33 Gagnier JJ ; Chrubasik S ; Manheimer E, *Harpagophytum Procumbens* for osteoarthritis and low back pain: a systematic review BMC complementary And Alternative Medicine 2004. 4:13
- 34 Hänsel R ; Keller K ; Rimpler H ; Schneider G ; editors. *Harpagophytum*. In Hagers Handbuch des Pharmazeutischen Praxis, 5th ed. Volume 5 : Drogen E – O. Berlin : Springer-Verlag, 1993. 384-90.
- 35 Zimmerman W, Planzliche Bitterstoffe in der Gastroenterologie. Z Allgemeinmed 1976. 54: 1178-84.
- 36 Schilcher H ; Teufelskralle. In : KleinesHeilkräuter-lexikon, 4th ed. Weil der Stadt : Haedecke, 1999. 187-8.
- 37 Braun H ; Frohne D, *Harpagophytum procumbens* DC. Teufelskralle. In : Heilplanzen-lexikon für Ärzte und Apotheker, 5th ed. Stuttgart : Gustav Fisher, 1987. 129
- 38 Czygan FC, *Harpagophytum* – Teufelskralle. Z Phytotherapie 1987. 8: 17-20.
- 39 Bisset NG, editor (translated from Wichtl M, editor. Teedrogen). *Harpagophytum radix*. In *Herbal Drugs and Phytopharmaceuticals*. Stuttgart : Medpharm, Boca Raton-London, CRC Press, 1994. 248-50.
- 40 Weiss RF, *Harpagophytum procumbens*, Teufelskralle. In : Lehrbuch der Phytotherapie, 7th ed. Stuttgart : Hippokrates, 1991. 86 and 340-2.
- 41 Izzo AA ; Di Carlo G ; Borrelli F ; Ernst E, Cardiovascular pharmacotherapy and herbal medicines: the risk of drug interaction. Int J Cardiol. 2005. 1: 1-14
- 42 Heck AM ; DeWitt BA ; Lukes AL, Potential interactions between alternative therapies and warfarin. Am J Health Syst Pharm. 2000. 1; 57(13): 1221-7