

27 January 2011
EMA/HMPC/563402/2010
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Agropyron repens* (L.) P. Beauv., rhizoma

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Arceusz A, Mieczkowska A, Radecka I, Wesołowski M.

Zawartość żelaza i cynku w naparach i odwarach sporządzonych z roślinnych surowców leczniczych.

Bromat Chem Toksykol 2009; 42:808-814.

Arni PC and Percival EGV.

Studies on fructosans. Part II. Triticin from the rhizomes of couch grass (*Triticum repens* L.).

J Chem Soc 1951; 1822-1830.

Ballabh B, Chaurasia OP, Ahmed Z, Singh SB.

Traditional medicinal plants of cold desert Ladakh-used against kidney and urinary disorders.

J Ethnopharmacol 2008; 118:331-339.

Barnes J, Anderson LA, Phillipson JD.

Couchgrass. Herbal Medicines. A guide for healthcare professionals.

Pharmaceutical Press, London 2002, 160-161.

Barnes J, Anderson LA, Phillipson JD.

Couchgrass.

Herbal Medicines. A guide for healthcare professionals.

Pharmaceutical Press, London 1996, 160-161.

Barsom S.

Die Behandlung von Moktionbescwerden mit dem Phytopharmakon Acorus.

Erfahrungsheilkunde 1981; 30:1011-1016.

Biggs DR, Hancock KR.

Fructan 2000.

Trends Plant Sci 2001; 6:8-9.



Boesel R, Schilcher H.
Composition of the essential oil of *Agropyron repens* rhizome.
Planta Med 1989; 55:399-400.

Borkowski B.
Zarys Farmakognozji. Surowce o budowie tkankowej.
Rhizoma Agropyri – Rhizoma Graminis - Kłącze perzu.
PZWL, Warszawa 1952, 126-127.

Borkowski B.
Zarys Farmakognozji.
Rhizoma Agropyri – Kłącze perzu.
PZWL, Warszawa 1974, 288-291.

Bradley P.
Couch grass rhizome. *Agropyri repentis* rhizoma.
British Herbal Compendium. Vol 2.
British Herbal Medicine Association, Bournemouth 2006, 123-126.

British Herbal Pharmacopoeia.
Agropyron.
British Herbal Medicine Association. Scientific Committee.
London 1971.

Bruneton J.
Pharmacognosy. Phytochemistry Medicinal Plants.
Fructan-containing Drugs Other than Inulin.
Intercept Ltd, Lavoisier Publishing Inc., London, Paris, New York 1999, 78-79.

Cammue B, Stinissen HM, Peumans WJ.
A new type of cereal lectin from leaves of couch grass (*Agropyrum repens*).
Eur J Biochem 1985; 148:315-322.

Claus EP.
Gathercoal and Wirth Pharmacognosy.
Triticum, Couch grass or Dog grass.
Lea and Febiger, Philadelphia 1956, 60-61.

Duke JA.
Couchgrass, Quackgrass.
CRC Handbook of Medicinal Herbs.
CRC Press, Inc. Boca Raton. London, New York, Washington 2002, 227-228.

Eddouks M, Maghrani M, Michel JB.
Hypoglycaemic effect of *Triticum repens* P. Beauv. in normal and diabetic rats.
J Ethnopharmacol 2005; 102:228-232.

Eddouks M, Quahidi ML, Farid O, Moufid A, Khalidi A, Lemhadri A.
L'utilisation des plantes médicinales dans le traitement du diabète au Maroc.
Phytotherapie 2007; 5:194-203.

European Pharmacopoeia 6.
Couch grass rhizome – Graminis rhizoma.
01/2008:1306.

Friebe A, Schulz M, Kück P, Schnabi H.
Phytotoxins from shoot extracts and root exudates of *Agropyron repens* seedlings.
Phytochemistry 1995; 38:1157-1159.

Frohne D.
Heilpflanzenlexikon.
Elymus repens.
Gustav Fischer Verlag, Stuttgart, Jena, New York 1994, 240-241.

ESCOP. *Graminis rhizoma*.
Monographs on the medicinal use of plant drugs, Supplement 2009.
European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2009, 126-130.

German Commission E Monograph.
Graminis rhizoma(Agropyri rhizoma).
Bundesanzeiger No. 22a, 1.02. 1990.

Grases F, Ramis M, Costa-Bauzá A, March JG.
Effect of *Herniaria hirsuta* and *Agropyron repens* on calcium oxalate urolithiasis risk in rats.
J Ethnopharmacol 1995; 45:211-214.

Hagers Handbuch der Pharmazeutischen Praxis.
Agropyrum.
Frerichs G, Arends G, Zörnig H.
Springer-Verlag, Berlin, Göttingen, Heidelberg 1949, 329-330.

Hagers Handbuch der Pharmazeutischen Praxis. Drogen A-D.
Hänsel R, Keller K, Rimpler H, Schneider G (Ed.)
Agropyron.
Springer-Verlag, Berlin, Heidelberg, New York 1992, 138-141.

Hagin RD, Bobnick SJ.
Isolation and identification of a slug-specific molluscicide from quackgrass (*Agropyron repens*, L. Beauv.).
J Agric Food Chem 1991; 39:192-196.

Hanlidou E, Karousou R, Kleftoyanni V, Kokkini S.
The herbal market of Thessaloniki (N Greece) and its relation to the ethnobotanical tradition.
J Ethnopharmacol 2004; 91:281-299.

Hautmann C, Scheithe K.
Fluidextrakt aus *Agropyron repens* bei Harnwegsinfektionen oder Reizblase.
Ergebnisse einer multizentrischen Anwendungsbeobachtung.
Z Phytotherapie 2000; 21:252-255.

Henderson J, Triebeskorn R.
Chemical control of terrestrial Gastropods.
In: Barker G. M. (ed) *Molluscs as Crop Pests*.
CAB International, Wallingford 2002, 1-31.

Hiller K, Melzig MF.
Lexikon der Arzneipflanzen und Drogen.
Agropyron repens.
Spektrum Akademischer Verlagt, Heidelberg, Berlin 1999.

- Hoppe HA.
Drogenkunde. Handbuch der Pflanzlichen und Tiereischen Rohstoffe.
Agropyrum repens.
Cram, De Gruyter and Co, Hamburg 1958, 32-33.
- Jaretzky R.
Lehrbuch der Pharmakognosie.
Rhizoma Graminis.
Deutscher Apotheker-Verlag, Berlin 1937, 113.
- Karsten G, Weber U, Oehlkers F, Stahl E.
Lehrbuch der Pharmakognosie.
Rhizoma Graminis.
Gustav Fischer Verlag, Stuttgart 1956, 33-34.
- Kiesewetter R, Müller M.
Zur Frage der "sedativen" Wirkung von Radix Valerianae.
Pharmazie 1958; 13:777-781.
- Koetter U, Kaloga M, Schilcher H.
Isolierung und Struktur-aufklärung von *p*-Hydroxyzimtsäurealkylester-Verbindungen aus dem Rhizom von *Agropyron repens*; 1. Mitteilung.
Planta Med 1993; 59:279-280.
- Koetter U, Kaloga M, Schilcher H.
Isolierung und Struktur-aufklärung von *p*-Hydroxyzimtsäurealkylester-Verbindungen aus dem Rhizom von *Agropyron repens*; 2. Mitteilung.
Planta Med 1994; 60:488-489.
- Korhammer S, Haslinger E.
Isolation of a biologically active substance from rhizomes of quackgrass [*Elymus repens* (L.) Gould]
J Agric Food Chem 1944; 42:2048-2050.
- Lans C, Turner N, Khan T, Brauer G.
Ethnoveterinary medicines used to treat endoparasites and stomach problems in pigs and pets in British Columbia, Canada.
Vet Parasitol 2007; 148:325-340.
- Leporatti ML, Ivancheva S.
Preliminary comparative analysis of medicinal plants used in the traditional medicine of Bulgaria and Italy.
J Ethnopharmacol 2003; 87:123-142.
- Łuczaj Ł, Szymański WM.
Wild vascular plants gathered for consumption in the Polish countryside: a review.
J Ethnobiol Ethnomed 2007; 3:17, doi:10.1186/1746-4269-3-17.
- Łuczaj Ł.
Archival data on wild food plants used in Poland in 1948.
J Ethnobiol Ethnomed 2008; 4:4, doi:10.1186/1746-4269-4-4.
- Macías FA, Marín D, Oliveros-Bastidas A, Chinchilla D, Simonet AM, Molinillo JMG.
Isolation and Synthesis of Allelochemicals from Gramineae: Benzoxazinones and Related Compounds.
J Agric Food Chem 2006; 54:991-1000.

Madaus G.

Lehrbuch der Biologischen Heilmittel.

Triticum repens Quecke, Graminae.

Georg Thieme Verlag, Leipzig 1938.

<http://www.henriettesherbal.com/eclectic/madaus/Triticum.html>

Maghrani M, Lemhadri A, Zeggwagh NA, El Amraoui M, Haloui M, Jouad H, Eddouks M.

Effects of an aqueous extract of Triticum repens on lipid metabolism in normal and recent-onset diabetic rats.

J Ethnopharmacol 2004; 90:331-337.

Martindale.

Couch-grass.

The Complete Drug Reference.

The Pharmaceutical Press. Electronic version 2009.

Mascolo N, Autore G, Capasso F, Menghini A, Fasulo MP.

Biological screening of Italian medicinal plants for anti-inflammatory activity.

Phytother Res 1987; 1:28-31.

Mueller SO, Schmitt M, Dekant W, Stopper H, Schlatter J, Schreier P, Lutz WK.

Occurrence of emodin, chrysophanol and physcion in vegetables, herbs and liquors. Genotoxicity and anti-genotoxicity of the anthraquinones and of the whole plants.

Food Chem Toxicol 1999; 37:481-491.

Newall CA, Anderson LA, Phillipson JD.

Couchgrass.

Herbal Medicines. A Guide for Health-care Professionals.

The Pharmaceutical Press, London 1996, 91.

Oppermann E.

Alles im Fluss beim älteren Herrn?

Fortschr Med 1995; 113(7):70-71.

Pasiawska S, Piekos R.

Studies on the optimum conditions of extractions of silicon species from plants with water.

Planta Medica 1976; 30:216-220.

PDR for Herbal Medicines.

Triticum. Agropyron repens.

Thomson Medical Economics, Montvale 2000, 771-772.

PDR for Herbal Medicines.

Triticum. Agropyron repens.

Thomson Medical Economics, Montvale 2004, 597-598.

Penn DJ, Lynch JM.

Effect of decaying couch grass rhizomes on the growth of barley.

J Appl Ecology 1981; 18:669-674.

Penn DJ, Lynch JM.

The effect of bacterial fermentation of couch grass rhizomes and *Fusarium culmorum* on the growth of barley seedlings.

Plant Pathol 1982; 31:39-43.

Petrova AP, Krasnov EA, Saprykina EV, Subbotina YA, Ermilova EV.
Chemical composition of couch grass and studies of its antioxidant activity in allergic contact dermatitis.

Pharm Chemistry J 2009; 43:30-32.

Pieroni A, Quave C, Nebel S, Heinrich M.
Ethnopharmacy of the ethnic Albanians (Arbëreshë) of northern Basilicata, Italy.
Fitoterapia 2002; 73:217-241.

Powell RG, Petroski RJ.
Alkaloid toxins in endophyte-infected grasses.
Natural Toxins 1992; 1:163-170.

Rácz-Kotilla E, Rácz G, Solomon A.
The action of Taraxacum officinale extracts on the body weight and diuresis of laboratory animals.
Planta Med 1974; 26:212-217.
Receptariusz Zielarski.
Zjednoczenie Przemysłu Zielarskiego Herbapol.
Wydawnictwo Przemysłu Lekkiego i Spożywczego, Warszawa 1963, 58-61, 180-181, 294-295.

Receptariusz Zielarski.
Zjednoczenie Przemysłu Zielarskiego Herbapol.
Wydawnictwo Przemysłu Lekkiego i Spożywczego, Warszawa 1967, 186-187, 292-295, 324-325.

Redžić SS.
The ecological aspect of ethnobotany and ethnopharmacology of population in Bosnia and Herzegovina.
Coll Antropol 2007; 31:869-890.

Sánchez-Moreiras AM, Weiss OA, Reigosa-Roger MJ.
Allelopathic Evidence in the Poaceae.
Bot Rev 2004; 69:300-319.

Schimmer O, Kruger A, Paulini, H, Haefele F.
An evaluation of 55 commercial plant extracts in the Ames mutagenicity test.
Pharmazie 1994; 49:448-451.

Schulz V, Hänsel R, Tyler VE.
Rational; Phytotherapy. A Physician's Guide to Herbal Medicine.
Springer Verlag, Berlin, Heidelberg 1998, 221-238.

Simons RG, Grinwich DL.
Immunoreactive detection of four mammalian steroids in plants.
Can J Bot 1989; 67:288-296.

Steinegger E, Hänsel R.
Lehrbuch der Pharmakognosie. Auf photochemischer Grundlage.
Fructosane und Fructosandrogen.
Springer Verlag, Berlin, Heidelberg, New York 1972, 88-89.

Stoop JMH, Williamson JD, Mason Pharr D.
Mannitol metabolism in plants: a method for coping with stress.
Trends Plant Sci 1996; 1:139-144.

Toai TV, Linscott DL.
Phytotoxic effect of decaying quackgrass (*Agropyron repens*) residues.
Weed Sci Vol 1979; 27:595-598.

Viegi L, Pieroni A, Guarnera PM, Vangelisti R.
A review of plants used in folk veterinary medicine in Italy as basis for a databank.
J Ethnopharmacol. 2003; 89:221-244.

Wallis TE.
Textbook of Pharmacognosy.
Couch grass rhizome.
Churchill Ltd, London 1955, 388-389.

Weston LA, Burke BA, Putnam AR.
Isolation, characterization and activity of phytotoxic compounds from quackgrass.
J Chem Ecology 1987; 13:403-421.

Whitehead DC, Dibb H, Hartley RD.
Phenolic compounds in soil as influenced by the growth of different plant species.
J Appl Ecology 1982; 19:579-588.

Wichtl M.
Graminis rhizoma
In: Herbal Drugs and Phytopharmaceuticals.
[Bisset NG, translated and edited].
Medpharm GmbH Scientific Publisher, CRC Press, Stuttgart 1994, 241-242.

Wichtl M.
Graminis rhizoma, Couch grass rhizome.
In: Herbal Drugs and Phytopharmaceuticals.
Medpharm CRC Press Boca Raton, London, New York, Washington 2002, 261-263.