



24 November 2015  
EMA/HMPC/436678/2015  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Althaea officinalis* L., radix

Draft

**The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Alcaraz MJ, Moroney M, Hoult JRS. Effects of hypolaetin- $\beta$ -O-glucoside and its aglycone *in vivo* and *in vitro* tests for anti-inflammatory agents. *Planta Med* 1989, 55:107-108

Barnes J, Anderson L, Phillipson D. *Herbal Medicines: A guide for healthcare professionals*. 3<sup>rd</sup> ed. Pharmaceutical Press, London 2002, 331-332

Bässler D. Retrospective observational study of the application of Phytohustil® syrup for children up to 12 years of age. Steigerwald Arzneimittelwerk GmbH (unpublished study), 2005

Bäumler S. *Heilpflanzen Praxis Heute*. Elsevier, München 2007, 131-132

Beaune A, Balea T. Anti-inflammatory experimental properties of marshmallow: its potentiating action on the local effects of corticoids. *Therapie* 1966, 21:341-347

Benbassat N, Kostova B, Nikolova I, Rachev D. Development and evaluation of novel lozenges containing marshmallow root extract. *Pak J Pharm Sci* 2013, 26(6):1103-1107

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, editors. *The Complete German Commission E Monographs*. American Botanical Council, Austin Texas 1998, 167

Blumenthal M, Goldberg A, Brinckmann J, editors. *Herbal medicine. Expanded Commission E Monographs*. The American Botanical Council, Austin Texas 2000, 244-248

Böker I, Sendker J, Stark T, Kelber O, Fink C, Hensel A. Cytoprotective effects of aqueous extracts from marshmallow roots (*Althaea officinalis* L.). Poster *Zeitschrift für Phytoterapie Suppl.* 1, 2012, 33:513

Böker I. *Althaea officinalis L. Phytochemische Charakterisierung und Untersuchung der zell- und proteinprotektiven Wirkung der Wurzel*. Thesis, Westfälischen Wilhelms-Universität Münster 2013

Bradley PR editor. *British Herbal Compendium*. Vol 1. British Herbal Medicine Association. Bournemouth 1992, 151-153



British Herbal Pharmacopoeia. British Herbal Medicine Association, 1983, Althaea Root

British Pharmaceutical Codex (BPC) 1949. London, Pharmaceutical Press, 74:1291-1292

BSL BIOSERVICE Scientific Laboratories GmbH, Planegg, Germany, Study No 131997, sponsored by Weleda, France, Reverse Mutation Assay using Bacteria (*Salmonella typhimurium*) with marshmallow (aqueous extract), May 2013 unpublished

Capek P, Rosík J, Kardošová A, Toman R. Polysaccharides from the roots of the marshmallow (*Althaea officinalis* L. var. *robusta*): Structural features of an acidic polysaccharide. *Carbohydr Res* 1987, 164:443-452

Capek P, Toman R, Kardošová A, Rosík J. Polysaccharides from the roots of the marshmallow (*Althaea officinalis* L.): Structure of an Arabinan. *Carbohydr Res* 1983, 117:133-140

Capek P, Toman R, Rosík J, Kardošová A. Polysaccharides from the roots of *Althaea officinalis* L.: Structural Features of D-Glucans. *Collect Czech Chem Commun* 1984, 49:2674-2679

Capek P, Uhrín D, Rosík J, Kardošová A, Toman R, Mohálov V. Polysaccharides from the roots of the marshmallow (*Althaea officinalis* L., var. *robusta*): dianhydrides of oligosaccharides of the aldose type. *Carbohydr Res* 1988, 182:160-165

Československý lékopis (Pharmacopoeia Bohemoslovenica) 2<sup>nd</sup> ed. Sirupus althaeae. Státní zdravotnické nakladatelství, Prague 1954, 697-698

Český lékopis 2005 (Pharmacopoeia Bohemica). Vol 3. Grada Publishing, Prague 2005, 2777-3132

Deters A, Ziffel J, Hellenbrand N, Pappai D, Possemeyer C, Hensel A. Aqueous extract and polysaccharides from Marshmallow roots (*Althaea officinalis* L.): Cellular internalisation and stimulation of cell physiology of human epithelial cells *in vitro*. *J Ethnopharmacology* 2010, 127:62-69

Deutscher Arzneimittel-Codex 1979. E-020 Eibischsirup

Deutscher Arzneimittel-Codex 2004. E-020 Eibischsirup

Deutsches Arzneibuch. 6<sup>th</sup> ed. Radix althaeae. Druckerei des Protektorates Böhmen und Mähren, Prague 1926, 391-392

Dorsch W, Loew D, Meyer-Buchtela E, Schilcher H. Kinderdosierungen von Phytopharmaka: Althaeae radix. Kooperation Phytopharmaka, Bonn 2002, 30-31

ESCOP Monographs 2<sup>nd</sup> ed. Althaeae radix – Marshmallow root. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2003, 32-35

European Pharmacopoeia 8<sup>th</sup> ed. Marshmallow root – Althaeae radix. Council of Europe. 01/2012: 1126

Farmakopea Polska, wyd. III, 1954, Althaeae sirupus, 560

Farmakopea Polska, wyd. IV, 1970, Althaeae sirupus, 426

Farmakopea Polska wyd VI, 2002, Althaeae sirupus, 913

Fasse M, Zieseniss E, Bässler D. Dry irritating cough in children – a post-marketing surveillance involving marshmallow syrup. *Praktische Pädiatrie* 2005, 11:3-8

Franz G. Die Schleimpolysaccharide von *Althaea officinalis* und *Malva silvestris*. *Planta Med* 1966, 14:90-110

Franz G. Polysaccharides in Pharmacy: current applications and future concepts. *Planta Med* 1989, 55:493-497

Ghavi PP. The extraction process optimization of antioxidant polysaccharides from Marshmallow (*Althaea officinalis* L.). *Int J Biol Macromol* 2015, 75:51-57

Gruenwald J, Brendler T, Jaenicke C, editors. PDR for herbal medicines. 1<sup>st</sup> ed. Medical Economics Company, Montvale 1998, 635-637

Gudej J. Oznaczanie flawonoidów w liściach, kwiatach i korzeniach *Althaea officinalis* L. *Farm Pol* 1990, 46:153-155 [Polish]

Gudej J. Flavonoids, phenolic acids and coumarins from the roots of *Althaea officinalis*. *Planta Med* 1991, 57:284-285

Hänsel R, Keller K, Rimpler H, Schneider G, editors. Hagers Handbuch der Pharmazeutischen Praxis. Vol 4. 5<sup>th</sup> ed. Springer-Verlag, Berlin 1993, 236-238

Hungarian Pharmacopoeia (1970) Vol 3. 6<sup>th</sup> ed.; 13-15

Hungarian Pharmacopoeia (1970) Vol 4. 6<sup>th</sup> ed.; 11-15

Iauk L, Lo Bue AM, Milazzo I, Rapisarda A, Blandino G. Antibacterial activity of medicinal plant extracts against periodontopathic bacteria. *Phytother Res* 2003, 17:599-604

Ionkova I. Alternative ways for the production of biologically active substances from *Althaea officinalis*, var. *rusalka*. *CR Acad. Bulg. Sci.* 1992; 9:137-141

Kern W, List PH, Hörhammer L. Hagers Handbuch der Pharmazeutischen Praxis. 4<sup>th</sup> ed. Springer Verlag, Berlin 1969, 1237-1248

Kobayashi A, Hachya A, Ohuchi A, Kitahara T, Takema Y. Inhibitory mechanism of an extract of *Althaea officinalis* L. on endothelin-1-induced melanocyte activation. *Biol Pharm Bull* 2002, 25:229-234

Madaus G. (1938). Lehrbuch der biologischen Heilmittel. Vol 1. Georg Thieme Verlag, Leipzig 1938, 492-497

Martindale. The Extra Pharmacopoeia. The Pharmaceutical Press, London 1977, p. 918

Mascolo N, Autore MG, Capasso F, Menghini A, Fasulo MP. Biological screening of Italian medical plants for anti-inflammatory activity. *Phytother Res* 1987, 1:28-31

Müller-Limmroth W, Fröhlich H-H. (1980). Wirkungsnachweis einiger phytotherapeutischer Expektorantien auf den mukoziliären Transport. *Fortschr Med* 1980, 98:95-101

Newall CA, Anderson LA, Philipson JD. Herbal Medicine: A guide for healthcare professionals. The Pharmaceuticals Press, London 1996, 188

Ninov S, Ionkova I, Kolev D. Constituents from roots of *Althaea officinalis* L. var. *rusalka*, Malvaceae. *Fitoterapia* 1992, 43:474

Nosálová G, Strapková A, Capek P, Kardošová A. Antitussive activity of an α-D-glucan isolated from the root of *Althaea officinalis* L., var. *robusta*. *Pharm Pharmacol Lett* 1992a, 2:195-197

Nosálová G, Strapková A, Kardošová A, Capek P. Antitussive activity of a rhamnogalacturonan isolated from the roots of *Althaea officinalis* L., var. *robusta*. *Carbohydr Chem* 1993, 12:589-596

Nosálová G, Strapková A, Kardošová A, Capek P, Zathurecký L, Bukovská E. Antitussive Wirkung des Extraktes und der Polysaccharide aus Eibisch (*Althaea officinalis* L., var. *robusta*). *Pharmazie* 1992, 47:224-226

Österreichisches Arzneibuch 1981, Radix Althaeae, Sirupus Althaeae

Österreichisches Arzneibuch 1990, Sirupus Althaeae

Österreichisches Arzneibuch 2013, Sirupus Althaeae

Perez GRM, Zavala SMA, Perez GS, Perez C. Antidiabetic effect of compounds isolated from plants. *Phytomedicine* 1998, 5:55-75 Rosík J, Kardošová R, Toman R, Capek P. Izolácia a charakterizácia slizov z ibiša lekárského (*Althaea officinalis* L.) a slezu lesného maurského (*Malva silvestris* L., ssp. *mauritiana* (L.) Thell.). *Československá farmacie* 1984, 33:68-71

Rouhi H, Ganji F. Effect of *Althaea officinalis* on cough associated with ACE inhibitors, *Pakistan Journal of Nutrition* 2007, 6(3):256-258

Schmidgall J, Schnetz E, Hensel A. Evidence for bioadhesive effects of polysaccharides and polysaccharide-containing herbs in an ex vivo bioadhesion assay on buccal membranes. *Planta Med* 2000, 66:48-53

Standard Zulassungen für Fertigarzneimittel, Vol 1. Eibischwurzel. Govi-Verlag Pharmazeutischer Verlag, Frankfurt am Main 1996, Lfd.-Nr. 86

Šutovská M, Nosálová G, Šutovský J, Fraňová S, Prisenžňáková L, Capek P. Possible mechanisms of dose-dependent cough suppressive effect of *Althaea officinalis* rhamnogalacturonan in guinea pigs test system, *Int J Biol Macromol* 2009, 45:27-32

Sutovská M, Capek P, Franova S, Joskova M, Sutovsky J, Marcinek J, Kalman M. Antitussive activity of *Althaea officinalis* L. Polysaccharide rhamnogalacturonan and its changes in guinea pigs with ovalbumine-induced airways inflammation, *Bratislavské lekárske listy* 2011, 12:112

Tomoda M, Shimizu N, Oshima Y, Takahashi M, Murakami M, Hikino H. Hypoglycemic activity of twenty plant mucilages and three modified products. *Planta Med* 1987, 53:8-12

Tomoda M, Kaneko S, Ebashi M, Nagakura T. Plant Mucilages XVI. Isolation and characterization of a mucous polysaccharide Althaea-mucilage O, from the roots of *Althaea officinalis*. *Chemical and Pharmaceutical Bulletin* 1977, 25:1357-1362

Tomoda M, Satoh N, Shimada K. Plant Mucilages XXIV. The structural features of Althaea-mucilage O, a representative mucous polysaccharide from the roots of *Althaea officinalis*. *Chemical and Pharmaceutical Bulletin* 1980, 28:824-830

Villar A, Gasco MA, Alcaraz MJ. Anti-inflammatory and anti-ulcer properties of hypolaetin- $\beta$ -glucoside a novel plant flavonoid. *J Pharm Pharmacol* 1984, 36:820-823

Villar A, Gasco MA, Alcaraz MJ. Some aspects of the inhibitory activity of hypolaetin- $\beta$ -glucoside in acute inflammation. *J Pharm Pharmacol* 1987, 39:502-507

Wagner H, Proksch A. (1985). Immunostimulatory drugs of fungi and higher plants. In Wagner H, Hikino H, Farnsworth NR, editors. *Economic and Medicinal Plant Research* Vol. 1. Academic Press, London 1985, 113-153

WHO Monographs on Selected Medicinal Plants, Vol 2. Radix althaeae. World Health Organization, Geneva 2002, 5-11

Wichtl M. Herbal drugs and phytopharmaceuticals. CRC Press, Stuttgart 1994, 65-66

Ziffel J, Hensel A, Katryniok C. Eibisch wirkt aktiv auf die Physiologie der Mucosazellen. *NaturaMed* 2009, 5:24-27