



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

22 May 2012
EMA/HMPC/113046/2010
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Cichorium intybus* L., radix

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Ahmed B, Al-Howiriny TA, Siddiqui AB. Antihepatotoxic activity of seeds of *Cichorium Intybus*. *Journal of Ethnopharmacology* 2003, 87: 237-240

Ahmed B, Khan S, Masood MH and Siddique AH. Antihepatotoxic activity of cichotyboside, a sesquiterpene glycoside from the *Cichorium Intybus*. *Journal of Asian Natural Product Research*. 2008,10, 218-223

Bais H.P. and GA Ravishankar, *Journal of the Science of Food and Agriculture* 2001, 81: 467-484

Behnam-Rassouli M, Aliakbarpour A, Hosseinzadeh H, Behnam-Rassouli F and Chamsaz M. Investigating the effect of aqueous extract of *Chicorium intybus* L. leaves on offspring sex ratio in rat. *Phytotherapy Research* 2010, 24: 1417-1421

Bischoff TA, Kelley CJ, Karchesy Y, Lurantos M, Nguyen-Dinh Phuc, Arefi AG. Antimalarial activity of Lactucin and lactucopicrin: sesquiterpene lactones isolated from *Cichorium intybus* L. *Journal of Ethnopharmacology* 2004, 95: 455-457

Blumenthal M. The complete German Commission E monographs. American Botanical Council, Austin, TX 1998, 109

Boeuf G, Roszak R, Legrand B, Rambour S. Effect of NAA (Naphtalene acetic acid) on the development, apoplastic peroxidase activities, and peroxidase isoenzymes in chicory root explants *Journal of Plant Physiology* 2001, 158; 963-969

Braun H, Frohne D. Heilpflanzenlexicon: *Cichorium intybus* L.- Gemeine Wegwarte 6. Auflage, 156-157 Gustav Fischer Verlag Stuttgart, Jena, New York 1994



- Bridle P, Loeffler RST, Timberlake CF, Self R. Cyanidin 3-Malonylglucoside in *Cichorium Intybus* *Phytochemistry* 1984, 12:2968-2969
- Cadot P, Kochuyt AM, Deman R, Stevens EA. Inhalative occupational and ingestive immediate-type allergy caused by chicory (*Cichorium intybus*). *Clinical and Experimental allergy* 1996, 26: 940-944
- Cadot P, Kochuyt AM, van Ree R, Ceuppens JL. Oral allergy syndrome to chicory associated with birch pollen allergy. *International Archives of Allergy and Immunology* 2003,131: 19-24
- Cavin C, Delannoy M, Malnoe A, Debeve E, Touché A, Courtois D, Schiller B. Inhibition of the expression and activity of cyclooxygenase-2 by chicory extract. *Biochem Biophys Res Commun.* 2005 Feb 18;327(3):742-9
- Český farmaceutický kodex 1st ed. Cichorii radix. Nakladatelství X-EGEM, Prague 1993
- Dauchot N, Mingeot D, Purnelle B, Muys C, Watillon B, Boutry M, Van Cutsem P. Construction of 12EST libraries and characterization of 12,226 dataset for chicory (*Cichorium intybus*) root, leaves and nodules in the context of carbohydrate metabolism investigation. *BCM Plant Biology* 2009, 9: 14-33
- De Kraker JW, Schurink M, Franssen MC, König WA, de Groot A, Bouwmeester HJ. Hydroxylation of sesquiterpenes by enzymes from chicory (*Cichorium intybus* L.) roots. *Tetrahedron* 2003, 59:409-418
- Ernst M, Chatterton NJ, Harrison PA. Carbohydrate changes in chicory (*Cichorium intybus* L.var.foliosum) during growth and storage. *Scientia Horticulturae* 1995, 63: 251-261
- Friis B, Hjort N, Vail J jr., Mitchell J. Occupational contact dermatitis from *Cichorium* (Chicory, endive) and *Lactuca* (lettuce) *Contact Dermatitis* 1975 1: 311-313
- Gadgoli C, Mshra SH. Antihepatotoxic activity of *Cichorium intybus*. *Journal of Ethnopharmacology* 1997, 58:131-134
- Gordon JA, Flood AE. 2,4-Dichlorophenoxyacetic acid and the de novo synthesis of invertase in chicory root tissue. *Phytochemistry* 1980, 19: 505-508
- Gupta AK, Kaur N. Fructan metabolism in Jerusalem artichoke and chicory. In: Gupta AK, Narinder K editors. *Carbohydrate Reserves in Plants-Synthesis and regulation Elsevier Science* 2000, 223-248.
- Gupta AK, Mamta, Kaur N, Singh R. Fructosan metabolism in *Cichorium Intybus* roots. *Phytochemistry* 1986,12: 2765-2768
- Gupta AK, Mann P, Kaur N, Singh R. Profiles of sucrose metabolism in the leaves of chicory (*Chicorium intybus*) during development. *Plant science* 1991,77:191-196
- Hance P, Martin Y, Vasseur J, Hilbert JL, Trotin F. Quantification of chicory root bitterness by an ELISA for 11 β ,13-dihydroxylactucin. *Food Chemistry* 2007, 105: 742-748
- Hazra B, Sarkar R, Bhattacharyya S, Roy P. Tumour inhibitory activity of chicory root extract against Ehrlich ascites carcinoma in mice. *Fitoterapia* 2002,73: 730-733
- Helbling A, Reimers A, Wälti M, Borgts R, Brander KA. Food allergy to Belgian endive (chicory). *Journal of Allergy and Clinical Immunology* 1997, 99: 854-856
- Hoppe HA, in *Drogenkunde* 6th edition Cram, de Gruyter & Co, Hamburg 1949, 132
- Hoppe HA in *Drogenkunde*, 7th. edition. Cram, de Gruyter & Co, Hamburg 1958, 220-221
- Kim HM, Kim HW, Lyu YS, Won JH, Kim DK, Lee YM, Morii E, Jippo T, Kitamura Y, An NH. Inhibitory effect of mast cell-mediated immediate-type allergic reactions by *Cichorium intybus*. *Pharmacological Research.* 1999, 40: 61-65

- Kim M. The water-soluble extract of Chicory reduces cholesterol uptake in gut-perfused rats. *Nutrition Research* 2000, 20: 1017-1026
- Kim M. The water-soluble extract of chicory affects rat intestinal morphology similarly to other non-starch polysaccharides. *Nutrition research* 2002, 22: 1299-1307
- Kořen čekankový, ON 86 7033, Vydavatelství Úřadu pro normalizaci a měření, Prague 1967
- Krebsky EO, Geuns JMC, De Proft M. Polyamines and sterols in *Cichorium* heads. *Phytochemistry* 1999, 50: 549-553
- Leclercq E. Determination of lactucin in roots of chicory (*Cichorium intybus* L.) by high-performance liquid chromatography. *Journal of Chromatography* 1983, 283: 441-444
- Madaus G, in Lehrbuch der Biologischen Heilmittel. Abt. 1. Heilpflanzen. Band I. Leipzig: Thieme, 1938
- Ministry of social affairs and solidarity 1990. Notice to manufacturers concerning marketing authorization applications for plant-based medicinal products. Annex II: List of vegetable drugs accepted in the corresponding indications
- Molan A, Duncan AJ, Barry TN, McNabb WC. Effect of condensed tannins and crude sesquiterpenelactones extracted from chicory on the motility of larvae of deer lungworm and gastrointestinal nematodes. *Parasitology International* 2003, 59: 209-218
- Monde K, Shirata A, Takasugi M. A guaianolide phytoalexin, cichoralexin from *Cichorium intybus*. *Phytochemistry* 1990, 29: 3449-3451
- Nemery B, Demedts M. Occupational asthma in a chicory grower. *The Lancet* 1989, 333: 673-674
- Nørnbæk R, Nielsen K, Kondo T. Anthocyanins from flowers of *Cichorium intybus*. *Phytochemistry* 2002, 60: 357-359
- Olsen NJ, Branch VK, Jonnala G, Seskar M, Cooper M. Phase 1, placebo-controlled, dose escalation trial of chicory root extract in patients with osteoarthritis of the hip or knee. *BMC Musculoskeletal Disorders* 2010, 9: 156
- Piet DP, Franssen MCR, de Groot A. Biotransformation of allylically activated (E,E)-cyclodeca-1,6-dienols by *Cichorium intybus*. *Tetrahedron* 1996, 52: 11273-11280
- Pirson F, Detry B, Pilette C. Occupational Rhinoconjunctivitis and asthma caused by chicory and oral allergy syndrome associated with BET V1-related protein. *Journal Investigation of Allergology and Clinical Immunology* 2009,19: 306-310
- Poletti A, Schilcher H, Müller A, in Heilkräftige Pflanzen, Walter Hadecke Verlag 1989, 171
- Prakash AO, Mathur R. Screening of Indian plants for antifertility activity. *Indian journal of experimental biology* 1976.,14: 623-626
- Pushparaj PN, Low HK, Manikandan J, Tan BKH, Tan CH. Antidiabetic effects of *Cichorium intybus* in streptozotocin-induced diabetic rats. *Journal of Ethnopharmacology* 2007, 111: 430-434
- Rasmussen MK, Zamaratskaia G, Ekstrand B. *In vivo* effect of dried chicory root (*Cichorium intybus* L.) on xenobiotica metabolising cytochrome P450 enzymes in porcine liver. *Toxicology Letter* 2011, 200: 88-91.
- Roberfroid M. Chicory Fructooligosaccharides and the Gastrointestinal Tract. *Nutrition*,2000, 16: 677-679

- Rossetto M, Lante A, Vanzani P, Spettoli P, Scarpa M, Rigo A. Red chicories as potent scavengers of highly reactive radicals: a study on their phenolic composition and peroxy radical trapping capacity and efficiency. *Journal of Agricultural Food Chemistry* 2005, 53: 8169-8175
- Roy-Choudhury A, Venkatakrisna-Bhatt H. Spermatogenic inhibition by *Cichorium Intybus* L. aqueous suspension in mice. *Naturwissenschaften* 1983,70: 365-366
- Schmidt BM, Ilic N, Poulev A, Raskin I. Toxicological evaluation of a chicory root extract. *Food and Chemical Toxicology* 2007, 45: 1131-1139
- Scholz E. Monographien: *Cichorium*, *Cichorium intybus* L., *Cichorii folia et radix*, *Cichorii radix*. In Hagers Handbuch der Drogen und Arzneistoffe, Hager ROM 2006, Eds W., E., Blaschek, S., Ebel, E., Hackental U., Holzgrabe, K., Keller, J., Reichling, and J., Schulz. Springer Medizin Verlag, Heidelberg 2006
- Seto M, Miyase T, Umehara K, Ueno A, Hirano Y, Otani N. Sesquiterpene lactones from *Cichorium endivia* L. and *C. intybus* L. and cytotoxic activity. *Chemical Pharmaceutical Bulletin* 1988, 36: 2423-2429
- Schumacher E, Vigh E, Molnár V, Kenyeres P, Fehér P, Késmárky G, Tóth K, Garai J. Thrombosis Preventive Potential of Chicory Coffee Consumption: A Clinical Study. *Phytotherapy. Research* 2011, 25: 744-748
- Sultana S, Perwaiz S, Iqbal M, Athar M. Crude extracts of hepatoprotective plants, *Solanum nigrum* and *Cichorium intybus* inhibit free radical-mediated DNA damage. *Journal of Ethnopharmacology* 1995, 45:189-192
- Wesołowska A, Nikiforuk A, Michalska K, Kisiel W and Chojnacka-Wójcik E. Analgesic and sedative activities of lactucin and some lactucin-like guaianolides in mice. *Journal of Ethnopharmacology* 2006, 107: 254-258
- Zafar R, Mujahid Ali S. Anti-hepatotoxic effects of root and root callus extracts of *Cichorium intybus* L, *Journal of Ethnopharmacology* 1998, 63: 227-231