



13 September 2011

EMA/HMPC/56157/2011

Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Citrus bergamia* Risso et Poiteau, aetheroleum

Draft

**The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Amantea D, Fratto V, Maida S, Rotiroti D, Ragusa S, Nappi G, et al. Prevention of glutamate accumulation and upregulation of phospho-akt may account for neuroprotection afforded by bergamot essential oil against brain injury induced by focal cerebral ischemia in rat. *Int Rev Neurobiol* 2009, 85:389–405.

Averbeck D, Averbeck S, Dubertret L, Young AR, Morlière P. Genotoxicity of bergapten and bergamot oil in *Saccharomyces cerevisiae*. *J Photochem Photobiol B: Biology*, 1990, 7:209-229.

Bagetta G, Morrone L A, Rombolà L, Amantea D, Russo R, Berliocchi L, et al. Neuropharmacology of the essential oil of bergamot. *Fitoterapia* 2010, 81:453–461.

Bakkali F, Averbeck S, Averbeck D, Idaomar M. Biological effects of essential oils – A review. *Food Chem Toxicol* 2008, 46:446–475.

Belsito EL, Carbone C, Di Gioia ML, Leggio A, Liguori A, Perri F, et al. Comparison of the volatile constituents in cold-pressed bergamot oil and a volatile oil isolated by vacuum distillation. *J Agric Food Chem* 2007, 55:7847–7851.

Bergamot (*Citrus bergamia*). *Natural Standard*. <http://naturalstandard.com>.

Bergamot oil. In: Martindale: The Complete Drug Reference. Drug monographs. Pharmaceutical Press, London 2010.

Bergamotto essenza. In: Farmacopea Ufficiale Italiana. 12th ed. Ministero della Sanità, Istituto Poligrafico e Zecca dello Stato, Roma 2008: 968.

Corasaniti MT, Maiuolo J, Maida S, Fratto V, Navarra M, Russo R, et al. Cell signaling pathways in the mechanisms of neuroprotection afforded by bergamot essential oil against NMDA-induced cell death in vitro. *Br J Pharmacol* 2007, 151:518–529.



Costa R, Dugo P, Navarra M, Raymo V, Dugo G, Mondello L. Study on the chemical composition variabilità of some processed bergamot (*Citrus bergamia*) essential oils. *Flavour Fragr J* 2010, 25:4–12.

Chouchi D, Barth D, Reverchon E, Della Porta G. Supercritical desorption of bergamot peel oil. *Znd Eng Chem Res* 1996, 34:4508-4513.

Di Donna L, De Luca G, Mazzotti F, Napoli A, Salerno R, Taverna D, et al. Statin-like Principles of Bergamot Fruit (*Citrus bergamia*): Isolation of 3-Hydroxymethylglutaryl Flavonoid Glycosides. *J Nat. Prod* 2009, 72:1352–1354.

Dugo P, Mondello L, Dugo L, Stanganelli R, Dugo G. LC-MS for the identification of oxygen heterocyclic compounds in citrus essential oils. *J Pharm Biomed Anal* 2000, 24:147–50.

Fang T, Goto M, Sasaki M, and Hirose T. Combination of Supercritical CO<sub>2</sub> and Vacuum Distillation for the Fractionation of Bergamot Oil. *J Agric Food Chem* 2004, 52:5162-5167.

Finsterer J. Earl Grey tea intoxication. *Lancet* 2002, 359:1484.

Fisher K and Phillips CA. The effect of lemon, orange and bergamot essential oils and their components on the survival of *Campylobacter jejuni*, *Escherichia coli* O157, *Listeria monocytogenes*, *Bacillus cereus* and *Staphylococcus aureus* in vitro and in food systems. *J Appl Microbiol* 2006, 101:1232–1240.

Forlot D. Toxicological and pharmacological properties of bergapten. *Essenze Derivi Agrum* 2000, 70:147-153.

Gattefosse R.M. Usi terapeutici dell'essenza di bergamotto. Officina Fotoincisione S. Michele, Roma 1932.

Gattuso G, Caristi C, Gargiulli C, Bellocchio E, Toscano G and Leuzzi U. Flavonoid Glycosides in Bergamot Juice (*Citrus bergamia* Risso). *J Agric Food Chem* 2006, 54:3929-3935.

Graham PH, Browne L, Cox H, and Graham J Inhalation Aromatherapy During Radiotherapy: Results of a Placebo-Controlled Double-Blind Randomized Trial. *J Clin Oncol*, Vol 21, No 12, 2003, 2372-2376.

Guerrini A, Lampronti I, Bianchi N, Zuccato C, Breveglieri G, Salvatori F, et al. (*Citrus bergamia* Risso) Fruit Extracts as γ-Globin Gene Expression Inducers: Phytochemical and Functional Perspectives *J Agric Food Chem* 2009, 57, 4103-4111.

Halcon LL. Aromatherapy: therapeutic applications of plant essential oils. *Minnesota Med* 2002, 85:42–6.

Herr H, Cho HJ, Yu S. Burns caused by accidental overdose of photochemotherapy (PUVA). *Burns* 2007, 33:372-375.

Kaddu S, Kerl H and Wolf P. Accidental bullous phototoxic reactions to bergamot aromatherapy oil. *J Am Acad Dermatol Brief reports*. 2001, 45(3):458-61.

Karaca M, İlhan F, Altan H, Him A, Tütüncü M, Özbeş H. Evaluation of hepatoprotective activity of *Bergamot orange* in rats. *East J Med* 2005, 10:1-4.

Karaca M, Özbeş H, Him A, Tütüncü M , Akkan H A, Kaplanoğlu V. Investigation of Anti-Inflammatory Activity of Bergamot Oil. *Eur J Gen Med* 2007, 4:176-179.

Kejlová K, Jiřová D, Bendová H, Kandárová H, Weidenhoffer Z, Kolárova H, et al. Phototoxicity of bergamot oil assessed by in vitro techniques in combination with human patch tests. *Toxicol in Vitro* 2007, 21:1298–1303.

Mandalari G, Bennett RN, Bisignano G, Saija A, Dugo G, Lo Curto RB, et al. Characterization of Flavonoids and Pectins from Bergamot (*Citrus bergamia* Risso) Peel, a Major By-product of Essential Oil Extraction. *J Agric Food Chem* 2006, 54:197-203.

Melliou E, Michaelakis A, Koliopoulos G, Skaltsounis A-L, Magiatis P. High Quality Bergamot Oil from Greece: Chemical Analysis Using Chiral Gas Chromatography and Larvicidal Activity against the West Nile Virus Vector. *Molecules* 2009, 14:839-849.

Mollace V, Ragusa S, Sacco I, Muscoli C, Sculco F, Visalli V, et al. The Protective Effect of Bergamot Oil Extract on Lecitine-like OxyLDL Receptor-1 Expression in Balloon Injury-related Neointima Formation. *J Cardiovasc Pharmacol Ther* 2008, 13:120-129.

Mollace V, Sacco I, Janda E, Malara C, Ventrice D, Colica C, Visalli V, Muscoli S, Ragusa S, Muscoli C, Rotiroti D, Romeo F Hypolipemic and hypoglycaemic activity of bergamot polyphenols: From animal models to human studies. *Fitoterapia* 2011, 82:309-316.

Mondello L, Dugo P, Bartle KD, Dugo G, Cotroneo A. Automated HPLCHRGC: a powerful method for essential oils analysis. Part V. Identification of terpene hydrocarbons of bergamot, lemon, mandarin, sweet orange, bitter orange, grapefruit, clementine and mexican lime oils by coupled HPLC-HRGCMs (ITD). *Flav Fragr J* 1995, 10:33-42.

Mondello L, Verzera A, Previti P, Crispo F, Dugo G. Multidimensional Capillary GC-GC for the Analysis of Complex Samples. 5. Enantiomeric Distribution of Monoterpene Hydrocarbons, Monoterpene Alcohols, and Linalyl Acetate of Bergamot (*Citrus bergamia* Risso et Poiteau) Oils. *J Agric Food Chem* 1998, 46:4275-4282.

Morrone LA, Rombolà L, Pelle C, Corasaniti MT, Zappettini S, Paudice P, et al. The essential oil of bergamot enhances the levels of amino acid neurotransmitters in the hippocampus of rat: Implication of monoterpene hydrocarbons. *Pharmacol Res* 2007, 55:255-262.

Moufida S, Marzouk, B. Biochemical characterization of blood orange, sweet orange, lemon, bergamot and bitter orange. *Phytochemistry* 2003, 62(8):1283-1289.

Ndao DH, Ladas EJ, Cheng B, Sands SA, Snyder KT, Garvin JH Jr, Kelly KM. Inhalation aromatherapy in children and adolescents undergoing stem cell infusion: results of a placebo-controlled double-blind trial. *Psychooncology* 2010, Dec 27. [Epub ahead of print] PubMed PMID: 21188734.

Occhiuto F and Circosta C. Antianginal and Antiarrhythmic Effects of Bergamottine, a Furocoumarin Isolated from Bergamot Oil. *Phytotherapy Research* 1996, 10:491-496.

Oppenheim M. Local sensitization of the skin to Grenz rays by bergamot oil. *J Invest Dermatol*. 1947; 8: 255-262.

Pendino GM. Il bergamotto in terapia medica: attualità e prospettive. *Ess Der Agr* 1998, 68:57-62.

Peng SM, Koo M, Yu ZR. Effects of music and essential oil inhalation on cardiac autonomic balance in healthy individuals. *J Altern Complement Med* 2009, 15:53-7.

Pernice R, Borriello G, Ferracane R, C Borrelli R, Cennamo F, Ritieni A. Bergamot: A source of natural antioxidants for functionalized fruit juices. *Food Chemistry* 2009, 112:545-550.

Placzek M, Frömel W, Eberlein B, Gilbertz KP, Przybilla B. Evaluation of Phototoxic Properties of Fragrances. *Acta Derm Venereol* 2007, 87:312-316.

Reflection paper on the risks associated with furocoumarins contained in preparations of *Angelica archangelica* L. (EMEA/HMPC/317913/06).

Reverchon E and Iacuzio G. Supercritical desorption of bergamot peel oil from silica gel Experiments and mathematical modelling. *Chem Engin Sci* 1997, 52:3553-3559.

Romano L, Battaglia F, Masucci L, Sanguinetti M, Posteraro B, Plotti G, et al. In vitro activity of bergamot natural essence and furocoumarinfree and distilled extracts, and their associations with boric acid, against clinical yeast isolates. *J Antimicrob Chemother* 2005, 55:110–114.

Saiyudthong S. and Marsden C.A. Acute Effects of Bergamot Oil on Anxiety-related Behaviour and Corticosterone Level in Rats. *Phytother Res* 2010, 25:858-862.

Sakurada T, Kuwahata H, Katsuyama S, Komatsu T, Morrone LA, Corasaniti MT, et al. Intraplantar injection of bergamot essential oil into the mouse hindpaw: effects on capsaicin-induced nociceptive behaviors. *Int Rev Neurobiol* 2009, 85:237-248.

Sakurada T, Mizoguchi H, Kuwahata H, Katsuyama S, Komatsu T, Morrone L A, et al. Intraplantar injection of bergamot essential oil induces peripheral antinociception mediated by opioid mechanism. *Pharmacol, Biochem Behav* 2011, 97:436–443.

Sanguinetti M, Posteraro B, Romano L, Battaglia F, Lo Pizzo T, De Carolis E, et al. In vitro activity of *Citrus bergamia* (bergamot) oil against clinical isolates of dermatophytes. *J Antimicrob Chemother* 2007, 59;305–308.

Statti GA, Conforti F, Sacchetti G, Muzzoli M, Agrimonti C, Menichini F. Chemical and biological diversity of Bergamot (*Citrus bergamia*) in relation to environmental factors. *Fitoterapia* 2004, 75:212–216.

Trombetta D, Cimino F, Cristani M, Mandalari G, Saija A, Ginestra G, et al. In Vitro Protective Effects of Two Extracts from Bergamot Peels on Human Endothelial Cells Exposed to Tumor Necrosis Factor- $\tau$  (TNF- $\tau$ ). *J Agric Food Chem* 2010, 58:8430–8436.

Trovato A, Taviano M F, Pergolizzi S, Campolo L, De Pasquale R, Miceli N. *Citrus bergamia* Risso & Poiteau Juice Protects against Renal Injury of Diet-induced Hypercholesterolemia in Rats. *Phytother Res* 2010, 24:514–519.

Verzera A, Trozzi A, Gazea F, Ciccarello G, Cotroneo A. Effects of Rootstock on the Composition of Bergamot (*Citrus bergamia* Risso et Poiteau) Essential Oil. *J Agric Food Chem* 2003, 51:206-210.

Verzera A, Lamonica G, Mondello L, Trozzi A, Dugo G. The composition of bergamot oil. *Perfum Flavor* 1996, 21:19–34.

Wiebe E. A randomized trial of aromatherapy to reduce anxiety before abortion. *Eff Clin Pract* 2000, 3:166–169.