



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

10 March 2015
EMA/HMPC/712512/2014
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Epilobium angustifolium* L. and/or *Epilobium parviflorum* Schreb., herba

Draft

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Bartfay WJ, Bartfay E, Johnson JG. Gram-negative and gram-positive antibacterial properties of the whole plant extract of willow herb (*Epilobium angustifolium*). *Biol Res Nurs* 2012, 14(1):85-89

Battinelli L, Tita B, Evandri MG, Mazzanti G. Antimicrobial activity of *Epilobium* spp. extracts. *II Farmaco* 2001, 56:345-348

Český farmaceutický kodex, 1993, monograph *Epilobii herba*

Ducrey B, Marston A, Göhring S, Hartmann RW, Hostettmann K. Inhibition of 5-alpha-reductase and aromatase by the ellagitannins oenothelin A and oenothelin B from *Epilobium* species. *Planta Med* 1997, 63(2):111-114

Frohne D. *Epilobium parviflorum* u.a. kleinblütige Arten – Kleinblütiges Weidenröschen in: *Heilpflanzenlexikon*. p 211. Wissenschaftliche Verlagsgesellschaft mbH Stuttgart, 2006

Fuchs L. *Das Kräuterbuch von 1543, New Kreüterbuch*, Taschen Verlag, Paris, 2001

Gerlach S, *Wissenschaftliche Reflexionen über traditionelle Arzneimittel in Österreich*. PhD Thesis, University of Vienna 2007

Granica S, Piwowarski JP, Czerwinska ME, Kiss AK. Phytochemistry, pharmacology and traditional uses of different *Epilobium* species (Onagraceae): A review. *J Ethnopharmacol* 2014, 156:316-346

Hänsel R, Keller K, Rimpler H, Schneider G, editors. *Hagers Handbuch der pharmazeutischen Praxis*. Drogen E-O. Springer, Berlin-Heidelberg-New York, 1993, 57-64

Hevesi BT, Houghton PJ, Habtemariam S, Kery A. Antioxidant and anti-inflammatory effect of *Epilobium parviflorum* Schreb. *Phytother Res* 2009, 23:719-724

Hiermann A. Die Untersuchung potentieller Wirkstoffe in *Epilobium*-Arten. *Sci Pharm* 1983, 158-167



- Hiermann A, Juan H, Sametz W. Die phytochemische Untersuchung von *Epilobium*-Infusen und deren Einfluss auf die Prostaglandinsynthese. *Farmaceutisch Tijdschrift voor België* 1984, 61(3):282
- Hiermann A, Juan H, Sametz W. Influence of *Epilobium* extracts on prostaglandin biosynthesis and carrageenan induced oedema of the rat paw. *J Ethnopharmacol* 1986, 17(2):161-169
- Hiermann A, Reidlinger M, Juan H, Sametz W. Isolation of the antiphlogistic principle from *Epilobium angustifolium*. *Planta Med* 1991, 57(4):357-360
- Hiermann A, Bucar F. Studies of *Epilobium angustifolium* extracts on growth of accessory sexual organs in rats. *J Ethnopharmacol* 1997, 55:179-183
- Jänicke C, Grünwald J, Brendler T. Weidenröschen – *Epilobium angustifolium* in: Handbuch Phytotherapie, p 558-559. Wissenschaftliche Verlagsgesellschaft mbH Stuttgart 2003
- Karakurt S, Semiz A, Celik G, Gencler-Ozkan A, Sen A, Adali O. *Epilobium hirsutum* alters xenobiotic metabolizing CYP1A1, CYP2E1, NQO1 and GPx activities, mRNA and protein levels in rats. *Pharm Biol* 2013, 51(5):650-658
- Kiss A, Kowalski J, Melzig MF. Compounds from *Epilobium angustifolium* inhibit the specific metallopeptidases ACE, NEP and APN. *Planta Med* 2004, 70:919-923
- Kiss A, Kowalski J, Melzig MF. Induction of neutral endopeptidase activity in PC-3 cells by an aqueous extract of *Epilobium angustifolium* L. and oenothien B. *Phytomedicine* 2006a, 13:284-289
- Kiss A, Kowalski J, Melzig MF. Effect of *Epilobium angustifolium* L. extracts and polyphenols on cell proliferation and neutral endopeptidase activity in selected cell lines. *Pharmazie* 2006b, 61:66-69
- Kiss AK, Bazylo A, Filipek A, Granica S, Jaszewska E, Kiarszys U *et al.* Oenothien B's contribution to the anti-inflammatory and antioxidant activity of *Epilobium* sp. *Phytomedicine* 2011, 18:557-560
- Kosalec I, Kopjar N, Kremer D. Antimicrobial activity of willowherb (*Epilobium angustifolium* L.) Leaves and Flowers. *Curr Drug Targets* 2013, 14(9):986-991
- Kottas-Heldenberg A. Wholesaler for herbal substances in Austria. Personal communication 2014
- Kujawski R, Ozarowski M, Derebecka-Holysz N, Bartkowiak-Wieczorek J, Bogacz A, Karasiewicz M *et al.* Effect of Willow herb (*Epilobium angustifolium* L.) extract on gene expression of selected P450 cytochromes in rat liver – preliminary study. *Herba Pol* 2009, 55(4):52-64
- Kujawski R, Mrozikiewicz PM, Mikolajczak PL, Kuzio G, Bogacz A, Cichocka J *et al.* Influence of *Epilobium angustifolium* and *Serenoa repens* extracts on cytochrome 2D2 and 3A1 expression level in rats. *Herba Pol* 2010, 56(4):39-51
- Kujawski R, Bogacz A, Bartkowiak-Wieczorek J, Karasiewicz M, Mikolajczak PL, Rakowska-Mrozikiewicz B *et al.* Effect of *Epilobium angustifolium* and *Serenoa repens* extracts on regulation of non-genomic signaling pathway of kinases. *Ginkekol Pol* 2014, 85:278-282
- Lachinger M. Untersuchung von Inhaltsstoffen einheimischer *Epilobium*-Arten. Master Thesis, University of Vienna 2004
- Lesuisse D, Berjonneau J, Ciot C., Devaux P, Doucet B, Gourvest JF *et al.* Determination of Oenothien B as the Active 5- α -Reductase-Inhibiting Principle of the Folk Medicine *Epilobium parviflorum*. *J Nat Prod* 1996, 59:490-492

- List PH, Hörhammer L. Hagers Handbuch der pharmazeutischen Praxis, Springer, Berlin-Heidelberg-New York, 1972, 832-833
- List PH, Hörhammer L. Hagers Handbuch der pharmazeutischen Praxis, Springer, Berlin-Heidelberg-New York, 1973, 787
- Ramstead AG, Schepetkin IA, Quinn MT, Jutlia MA. Oenothlein B, a cyclic dimeric ellagitannin isolated from *Epilobium angustifolium*, enhances IFN γ production by lymphocytes. *PLoS One* 2012, 7(11):e50546
- Roman A, Rusu MA, Puica C, Borsa M. Citotoxic effects of three species of *Epilobium* (Onagraceae) herbal extracts in rats. *Studia Universitatis "Vasile Goldis", Seria Stiintele Vietii* 2010, 20(1):19-23
- Saukel H. Pharmakobotanische Untersuchungen von Arzneidrogen II. Herba Epilobii. 1. Mitteilung. *Sci Pharm* 1982, 50:179-200
- Saukel H. Pharmakobotanische Untersuchungen von Arzneidrogen II. Herba Epilobii. 2. Mitteilung. *Sci Pharm* 1983, 51:115-132
- Schilcher H. Bedeutung von Arzneipflanzen und Phytopharmaka in der Bundesrepublik Deutschland. *Pharmazeutische Zeitung* 1982, 127(41): 2174-2179
- Schilcher H. Pflanzliche Urologika, *Dtsch Apoth Ztg* 1984, 124(47):2429-2436
- Schilcher H, Kammerer S, Wegener T. Leitfaden Phytotherapie. p 764. Elsevier GmbH, München, 2010
- Seeram NP, Henning SM, Zhang Y, Suchard M, Li Z, Heber D. Pomegranate Juice Ellagitannin Metabolites are Present in Human Plasma and Some Persist in Urine for Up to 48 Hours. *J Nutrition* 2006, 136:2481-2485
- Seeram NP, Aronson WJ, Zhang Y, Henning SM, Moro A, Lee RP *et al.* Pomegranate Ellagitannin-Derived Metabolites Inhibit Prostate Cancer Growth and Localize to the Mouse Prostate Gland. *J Agric. Food Chem* 2007. 55:7732-7737
- Sennikov A. *Chamerion* or *Chamaenerion* (Onagraceae)? The old story in new words. *Taxon* 2011, 60(5):1485-1488
- Shikov AN, Poltanov EA, Dorman HJD, Makrarov VG, Tikhonov VP, Hiltunen R. Chemical Composition and *in Vitro* Antioxidant Evaluation of Commercial Water-Soluble Willow Herb (*Epilobium angustifolium* L.) extracts. *J Agric Food Chem* 2006, 54:3617-3624
- Steenkamp V, Gouws MC, Gulumian M, Elgorashi EE, van Staden J. Studies on antibacterial, anti-inflammatory and antioxidant activity of herbal remedies used in the treatment of benign prostatic hyperplasia and prostatitis. *J Ethnopharmacol* 2006, 103:71-75
- Stolarczyk M, Naruszewicz M, Kiss AK. Extracts from *Epilobium* sp. herbs induce apoptosis in human hormone-dependent prostate cancer cells by activating the mitochondrial pathway. *J Pharm Pharmacol* 2013a, 65(7):1044-1054
- Stolarczyk M, Piwowarski JP, Granica S, Stefanska J, Naruszewicz M, Kiss AK. Extracts from *Epilobium* sp. herbs, their components and gut microbiota metabolites of *Epilobium* ellagitannins, urolithins, inhibit hormone-dependent prostate cancer cells-(LNCaP) proliferation and PSA secretion. *Phytother Res* 2013b, 27(12):1842-1848
- Tita B, Abdel-Haq H, Vitalone A, Mazzanti G, Saso L. Analgesic properties of *Epilobium angustifolium*, evaluated by the hot plate test and the writhing test. *Il Farmaco* 2001, 56:341-343

- Treben M, Gesundheit aus der Apotheke Gottes: Ratschläge und Erfahrungen mit Heilkräutern, Verein Freunde der Heilkräuter, Karlstein/Thaya, 1978
- Treben M, Gesundheit aus der Apotheke Gottes: Ratschläge und Erfahrungen mit Heilkräutern, Verlag Wilhelm Ennsthaler, Steyr, 1980
- Treben M, Health through Gods Pharmacy: Advise and experiences with medicinal herbs, Publisher Wilhelm Ennsthaler, Steyr, 1982
- Treben M. Heilkräuter aus dem Garten Gottes, Wilhelm Heyne Verlag, München, 1986
- Van Wyk BE, Wink C, Wink M. *Epilobium parviflorum* in: Handbuch der Arzneipflanzen p 135. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, 2004
- Vitali F, Fonte G, Saija A, Tita B. Inhibition of intestinal motility and secretion by extracts of *Epilobium* spp. in mice. *J Ethnopharmacol* 2006, 107:342-348
- Vitalone A, Bordi F, Baldazzi C, Mazzanti G, Saso L, Tita B. Anti-proliferative effect on a prostatic epithelial cell line (PZ-HPV-7) by *Epilobium angustifolium* L. *Il Farmaco* 2001, 56:483-489
- Wichtl M, Tadros W. Weidenröschen-Tee: Ein Beitrag zur Untersuchung. *Dtsch Apoth Ztg* 1982, 122(50):2593-2598
- Wichtl M. Teedrogen. Wiss. Verlagsgesellschaft mbH, Stuttgart, 1984
- Wichtl M. Teedrogen und Phytopharmaka. 5th ed. Wiss. VerlagsgesmbH, Stuttgart, 2009
- Zimmermann H. Wholesaler for herbal substances in Austria. Personal communication 2014