

27 March 2012
EMA/HMPC/892623/2011
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Eucalyptus globulus* Labill., folium

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Afssaps "Médicaments traditionnels à base plants: Liste des indications acceptées pour une mise devant le comptoir" July 2008,

<http://www.afssaps.fr/content/search?SearchText=liste+des+indications+acceptees&ok=Valider>

Ahlem S., Khaled H., Wafa M., Sofiane B., Mohamed D., Jean-Claude M., Abdelfattah el F. Oral administration of *Eucalyptus globulus* extract reduces the Alloxan-induced-oxidative stress in rats. Chem Biol Interact 2009, 181:71-76

Almeida I.F., Fernandes E., Lima J.L., Valentao P., Andrade P.B., Seabra R.M., Costa P.C., Bahia M.F. Oxygen and nitrogen reactive species are effectively scavenged by *Eucalyptus globulus* leaf water extract. J Med Food 2009, 12(1):175-183

Al-Saimary I.E., Bakr S.S., Jaffar T., Al-Samary A.E., Salim H., Al-Muosawi R. Effects of some plant extracts and antibiotics on *Pseudomonas aeruginosa* isolated from various burn cases. Saudi Med J 2002, 23:802-805

Amakura Y., Umino Y., Tsuji S., Ito H., Hatano T., Yoshida T., Tonogai Y. Constituents and their antioxidative effects in eucalyptus leaf extract used as a natural food additive. Food Chem 2002, 77:47-56

Aswal B.B., Bhakuni D.S., Goel A.K., Kar K., Mehrotra B.N., Mukherjee K.C. Screening of Indian plants for biological activity. Indian J Exp Biol. 1984, 22:312-332

Betts Th. J. Solid phase microextraction of volatile constituents from fresh individual fresh *Eucalyptus* leaves of three species. Planta Med 2000, 66:193-195

Blaschek W., Ebel S., Hilgenfeldt U., Holzgrabe U., Keller K., Reichling J., Schulz V., editors. Hagers Enzyklopädie der Arzneistoffe und Drogen. *Eucalyptus*; Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2007



Blumenthal M., Busse W.R., Goldberg A., Gruenwald J., Hall T., Riggins W., Rister R., Klein S. The Complete German Commission E Monographs. The American Botanical Council, Austin, Texas, 1998, Eucalyptus leaves

Böhlau V., Schildwächter G. Aerosol treatment of bronchitis. ZFA (Stuttgart) 1977, 53:1885-1887

Bokaeian M., Nakhaee A., Moodi B., Ali Khazaei H. *Eucalyptus globulus* (eucalyptus) treatment of *Candida albicans* in diabetic rats. Iran Biomed J 2010, 14(3):121-6

Bradley P., British Herbal Compendium, A handbook of scientific information on widely used plant drugs. Companion to the British Herbal Pharmacopoeia, Vol 2, British herbal medicine association, Bournemouth 2006, Eucalyptus leaf, 142-145

Brantner A., Grein E. Antibacterial activity of plant extracts used externally in traditional medicine. J Ethnopharmacol 1994; 44:35-40

Braun R., Haffner F., Schultz O.-E., Schmid W. Normdosen gebräuchlicher Arzneistoffe und Drogen. Wissenschaftliche Verlagsgesellschaft, Stuttgart, 16th edition, 2011

Brown J.S., Marcy S.A. The use of botanicals for health purposes by members of a prepaid health plan. Res Nurs Health 1991, 14:339-350

Caceres A., Giron M.A., Alvarado S.R., Torres M.F. Screening of activities of plants popularly used in Guatemala for the treatment of dermatomucosal diseases. J Ethnopharmacol. 1987, 20:223-237

Caceres A., Lopez B.R., Giron M.A., Logemann H. Plants used in Guatemala for the treatment of dermatophytic infections. 1. Screening for antimycotic activity of 44 plant extracts. J Ethnopharmacol. 1991, 31:263-276

Cahier No 3 de l'Agence du Médicament: Médicaments à base de plantes. Agence du Médicament, Paris 1998

Cimanga K., Kambu K., Tona L., Apers S., De Bruyne T., Hermans N., Totte J., Pieters L., Vlietinck A.J. Correlation between chemical composition and antibacterial activity of essential oils of some aromatic medicinal plants growing in the Democratic republic of Congo. J Ethnopharmacol. 2002, 79: 213-220

Clare S. *Eucalyptus* for Coughs, Cold and Flu. <http://scienceray.com/biology/eucalyptus-for-cough-cold-and-flu>, 2010

Clegg R.J., Middleton B., Bell D.G., White D.A. The mechanism of cyclic monoterpenoid inhibition of hepatic 3-hydroxy-3-methylglutaryl Coenzyme A reductase *in vivo* in the rat. J Biol Chem 1982, 257(5):2294-2299

Clegg R.J., Middleton B., Bell D.G., White D.A. Inhibition of hepatic cholesterol synthesis and S-3-hydroxy-3-methylglutaryl-CoA reductase by mono and biterpenes administered *in vivo*. Biochem Pharmacol 1980, 29:2125-2127

Cork S.J., Krockenberger A.K. Methods and pitfalls of extracting condensed tannins and other phenolics from plants: Insights from investigations on *Eucalyptus* leaves. J Chem Ecol. 1991, 17(1):123-134

Daroui-Mokaddem H., Kabouche A., Bouacha M., Soumati B., El-Azzouny A., Bruneau C., Kabouche Z. GC/MS analysis and antimicrobial activity of essential oil and fresh leaves of *Eucalyptus globulus*, and leaves and stems of *Smyrnium olusatrum* from Constantine (Algeria). Nat Prod Commun 2010, 5:1669-1672

Deutsches Arzneibuch, 6. Ausgabe 1926, Neudruck 1951, Deutscher Apotheker-Verlag Stuttgart, 656

Deutsches Arzneibuch (DAB) 1953, 6. Ausgabe (EB6), Deutscher Apothekerverlag, Stuttgart, S 490 und S 185 ff

Deutsches Arzneibuch DAB 10, 10. Ausgabe 1991, Nachtrag 1993 Deutscher Apotheker-Verlag Stuttgart

Deutscher Arzneimittel Codex (DAC), Bundesverband deutscher Arzneimittelverbände. (eds) Govi-Verlag Pharmazeutischer Verlag GmbH, Eschborn, Deutscher Apotheker Verlag Stuttgart 2004
Eucalyptustinktur E-190

De Vincenzi M., Silano M., DeVincenzi A., Maialetti F., Scazzocchio B. Constituents of aromatic plants: Eucalyptol. Fitoterapia 2002, 73:269-275

Diepenbrock F. Gehes Codex der pharmazeutischen Spezialpräparate mit Angaben über Zusammenstzung, Indikationen, Zubereitungsformen und Hersteller. Wissenschaftliche Verlagsgesellschaft M.B.H., Stuttgart, Schwarzeck-Verlag GmbH, München 1960 IX Auflage, 441

Duke J.A. CRC Handbook of medicinal herbs. Boca Raton Florida, CRC Press 1985, 185-186

ESCOP monographs 2nd ed. eucalyptusoil-Eucalyptus aetheroleum. European Scientific Cooperative on Phytotherapy, 2. edition. Thieme, Stuttgart 2003, 150-156

European Pharmacopoeia 7th ed. Eucalyptus leaf. Council of Europe. 01/2008:1320; 1122-1123

Faulds G. Eucalyptus in the treatment of diabetes. Glasgow Med J 1902, 57:342-348

German Standardzulassung Eucalyptusblätter Nr. 9299.99.99 published 02/1996

Goldstein E., Cooper A.D., Tarkington B., Effect of inhaling medication vapours from a colds preparation on murine pulmonary bacterial defense systems. J Toxicol Environ Health 1976, 2:371-388

Gomes-Carneiro M.R., Felzenszwab I., Paumgartten F.J.R. Mutagenicity testing of (\pm)-camphor, 1,8-cineole, citral, citronellal, (-)-menthol and terpineol with the *Salmonella*/microsome assay. Mutat Res 1998, 416: 129-136

Goodger J.Q.D., Cao B., Jayadi I., Williams S.J., Woodrow I.E. Non-volatile components of essential oil secretory cavities of *Eucalyptus* leaves: Discovery of two glucose monoterpane esters, cuniloside B and froggattiside A. Phytochemistry 2009, 70:1187-1194

Gray A.M., Flatt P.R. Antihyperglycaemic actions of *Eucalyptus globulus* (*Eucalyptus*) are associated with pancreatic and extra pancreatic effects in mice. J Nutr 1998, 1289:2319-2323

Habich G., Repges R. Chronisch obstruktive Atemwegserkrankungen- Cineol als Medikation sinnvoll und bewährt! Therapiewoche 1994, 44(6):356-365 [German]

Haen E. Expektoranzien, Antitussiva, Bronchospasmolytika. Med Monatsschr Pharm 1989, 11: 344-355 [German]

Hasegawa T., Takano F., Takata T., Niijima M., Ohta T. Bioactive monoterpane glycosides conjugated with gallic acid from the leaves of *Eucalyptus globulus*. Phytochemistry 2008, 69:747-753

Hohenwallner W., Klima J. *In vivo* activation of glucuronyl transferase in rat liver by eucalyptol. Biochem Pharmacol 1971, 20:3463-3472

Hümer M., Scheller G., Kapellen T., Gebauer C., Schmidt H., Kiess W. Phytotherapie in der Kinderheilkunde. Dtsch Med Wochenschr 2010, 135:959-964 [German]

Ikawati Z. Wahyuono S., Maeyama K. Screening of several Indonesian medicinal plants for their inhibitory effect on histamine release from RBL-2H3 cells. J Ethnopharmacol 2001, 75:249-256

Ilmberger J., Heuberger E., Mahrhofer C., Dessovic H., Kowarik D., Buchbauer G. The influence of essential oils on human attention: Alertness. *Chem Senses* 2001, 26:239-245

Jäger W., Nasel B., Nasel C., Binder R., Stimpfl T., Vycudilik W., Buchbauer G. Pharmacokinetic studies of the fragrance compound 1,8 cineole in human during inhalation. *Chem Senses* 1996, 21:477-480

Jenner P.M., Hagan E.C., Taylor J.M., Cook E.L., Fitzhugh O.G. Food flavourings and compounds of related structure I. Acute oral toxicity. *Food Cosmet Toxicol.* 1964, 2:327-343

Jorch G. Auslösungsmechanismus des Kratzschmer-Reflexes. *Arzneimittel-, Threapie-Kritik & Medizin und Umwelt*, 2009, 41,384 [German]

Jori A., Bianchetti A., Prestini P.E. Effect of essential oils on drug metabolism. *Biochem Pharmacol.* 1969, 18:2081-2085

Jori A., Bianchetti A., Prestini P.E., Garattini S. Effect of Eucalyptol (1,8 Cineol) on the metabolism of other drugs in rats and in man. *Eur J Pharmacol* 1970, 9:362-366

Jori A., Di Sale E., Pescador R. On the inducing activity of eucalyptol. *J Pharm Pharmacol.* 1972, 24:464-469

Jori A., Briatico G. Effect of eucalyptol on microsomal enzyme activity of foetal and newborn rats. *Biochem Pharmacol* 1973, 22:543-544

Juergens U.R., Stöber M., Schmidt-Schilling I., Kleuver T., Vetter H. Antiinflammatory effects of eucalyptol (1,8 cineole) in bronchial asthma: inhibition of arachidonic acid metabolism in human blood monocytes ex vivo. *Eur J Med Res* 1998a, 3:407-412

Juergens U.R., Stöber M., Vetter H. Inhibition of cytokine production and arachidonic acid metabolism by eucalyptol (1,8 cineole) in human blood monocytes *in vitro*. *Eur J Med Res* 1998b, 3:508-510

Juergens U.R. Wirkt Eukalyptusöl bei Asthma? *MMW Fortschr Med.* 2001, 13:14 [German]

Juergens U.R., Dethlefsen U., Steinkamp G., Gillissen A., Repges R., Vetter H. Anti-inflammatory activity of 1,8 Cineol (eucalyptol) in bronchial asthma: a double-blind placebo-controlled trial. *Respir Med* 2003, 97:250-256

Juergens U.R., Engelen T., Racke K., Gillissen A., Vetter H. Inhibitory activity of 1,8 Cineol (eucalyptol) on cytokine production in cultured human lymphocytes and monocytes. *Pulm Pharmacol Ther.* 2004, 17:281-287

Kehrl W., Sonnemann U., Dethlefsen U. Therapy for acute nonpurulent rhinosinusitis with cineole: results of a double-blind randomized, placebo-controlled trial. *Laryngoscope* 2004, 114:738-742

Köhler H. Bericht über die neusten auf *Eucalyptus globulus* (Myrtaceae) bezüglichen Arbeiten. *Archiv der Pharmazie* 1873, 203(2):126-146 [German]

Kohlert C., Van Rensen I., März R., Schindler G., Graefe E.U., Veit M. Bioavailability and pharmacokinetics of natural volatile terpenes in animals and humans. *Planta Med* 2000, 66:495-505

Kristiansen E., Madsen C. Induction of protein droplet ($\alpha 2\mu$ -globulin) nephropathy in male rats after short-term dosage with 1,8-cineole and l-limonene. *Toxicol Lett* 1995, 80:147-152

Laude E. A., Morice A.H., Grattan T.J. The antitussive effects of menthol, camphor and cineol in conscious guinea-pigs. *Pulm Pharmacol* 1994, 7:179-184

Liapi C., Anifantis G., Chinou I., Kourounakis A.P., Theodosopoulos S., Galanopoulou P. Antinociceptive Properties of 1,8-Cineole and β-Pinene, from Essential Oil of *Eucalyptus camaldulensis* Leaves, in Rodents. *Planta Med* 2007, 73:1247-1254

Lin Y.C., Huang J.T., Hsiu H.C. Studies on the hypoglycaemic activity of the medical herbs. *Tsa Chih Gaoxiong Yi Xue Yuan Tong Xue Hui*, 1964, 63:400-406 [English]

Madaus, Lehrbuch der biologischen Heilmittel, 1938 Georg Thieme Verlag Leipzig, 2:1308

Madhyastha K., Chadha A. Metabolism of 1,8 Cineol in rat: Its effects on liver and lung microsomal cytochrome P-450 systems. *Bull Environ Contam Toxicol*. 1986, 37:759-766

Mahmoudzadeh-Sagheb H. Heidari Z., Bokaeian M., Moudi B. Antidiabetic effects of *Eucalyptus globulus* on pancreatic islets: A stereological study. *Folia Morphol* 2010, 69(2):112-8

May G., Willuhn G. Antivirale Wirkung wäßriger Pflanzenextrakte in Gewebekulturen. *Arzneim.-Forsch./Drug Res.* 1978, 28(1):1-7 [German]

McLean S., Boyle R.R., Brandon N. S., Davies N.W., Sorensen J.S. Pharmacokinetics of 1,8-cineole, a dietary toxin, in the brushtail possum (*Trichosurus vulpecula*): Significance for feeding. *Xenobiotica* 2007; 37(9):903-922

Melis K., Janssens G., Bochner A. Accidental nasal eucalyptol and menthol instillation. *Acta Clin Belg Suppl* 1990, 13: 101-102

Miyazawa M., Kameoka H., Morinaga K., Negoro K., Mura N. Hydroxycineole: Four new metabolites of 1,8 Cineole in rabbits. *J Agric Food Chem* 1989, 37:222-226

Miyazawa M., Shindo M. Biotransformation of 1,8-Cineole by human liver microsomes. *Nat. Prod. Lett.* 2001, 15(1):49-53

Nagata H., Inagaki Y., Yamamoto Y., Maeda K., Kataoka K., Osawa K., Shizukuishi S. Inhibitory effects of macrocyclics on the biological activity of *Porphyromonas gingivalis* and other periodontopathic bacteria. *Oral Microbiol Immunol* 2006, 21:159-163

Navarro V., Villarreal M.L., Rojas G., Lozoya X. Antimicrobial evaluation of some plants used in Mexican traditional medicine for the treatment of infectious diseases. *J Ethnopharmacol* 1996, 53:143-147

OECD Guideline for testing of chemicals, 1997 No 471

Opdyke D.L.J. Eucalyptol. *Food Cosmet Toxicol* 1975, 13:105-6

Osawa K., Yasuda H., Morita H., Takeya K., Itokawa H. Eucalyptone from *Eucalyptus globulus*. *Phytochemistry* 1995, 40:183-184

Otoom S.A., Al-Safi S.A., Kerem Z.K., Alkofahi A. The use of medicinal herbs by diabetic Jordanian patients. *J Herb Pharmacother* 2006, 6:31-41

Pass G.J., McLean S., Stupans I., Davies N. Microsomal metabolism of terpene 1,8 cineole in the common brushtail possum (*Trichosurus vulpecula*), koala (*Phascolartos cinereua*), rat and human. *Xenobiotica* 2001, 31(4):205-221

Penso G. Piante medicinali nella terapia medica, Formulario pratico per medici e farmacisti, Organizzazione Editoriale Medico-Farmaceutica Milano, 1980, 89-90. [Italian]

Perez R.M., Ocegueda A., Munoz J.L., Avila J.G., Morrow W.W. A study of the hypoglycaemic effect of some Mexican plants. *J Ethnopharmacol*. 1984, 12:253-262

Pharmacopée Belge V, Eucalypti tinctura (Teinture d'Eucalyptus) (1:5), 1962-1966

Pharmacopée Française: IX ed. Paris: Commission Permanente de la Pharmacopée, Eucalyptus - Teinture d'eucalyptus (1:5), 1972-1976 [French]

Pharmacopée Française: X ed. Paris: Commission Permanente de la Pharmacopée, Eucalyptus globulus; Tisanes, 1989 [French]

Real Farmacopea Espanola, 2. ed. Eucalipto, Hoja de, 2002

Saify Z.S., Ahsan O., Dayo A. Cineole as skin penetration enhancer. Pak J Pharm Sci. 2000, 13:29-32

Salari M.H., Amine G., Shirazi M.H., Hafezi R., Mohannaddypour M. Antibacterial effects of *Eucalyptus globulus* leaf extract on pathogenic bacteria isolated from specimens of patients with respiratory tract disorders. Clin Microbial Infect 2006; 12:194-196

Saller R., Hellstern A., Hellenbrecht D. Klinische Pharmakologie und therapeutische Anwendung von Cineol (Eucalyptusöl) und Menthol als Bestandteile ätherischer Öle. Intern Praxis 1988, 28:355-364 [German]

Santos F.A., Rao V.S.N. Antiinflammatory and antinociceptive effects of 1,8 Cineole a terpenoid oxide present in many plant essential oils. Phytother Res. 2000, 14:240-244

Sasaki Y.F., Imanishi H., Ohta T., Shirasu Y. Modifying effects of components of plant essence on the induction of sister-chromatid exchange in cultured Chinese hamster ovary cells. Mutat Res. 1989, 226:103-110

Sato S., Yoshinuma N., Ito K., Tokumoto T., Takiguchi T., Suzuki Y., Murai S. The inhibitory effect of funoran and eucalyptus extract containing chewing gum on plaque formation. J Oral Sci 1998, 40:155-117

Schimmer O., Krüger A., Paulini H., Haefele F. An evaluation of 55 commercial plant extracts in the Ames mutagenicity test. Pharmazie 1994, 49:448-451

Schmid W., Schultz O.-E., Haffner F. Normdosen der gebräuchlichen Arzneimittel, Wissenschaftliche Verlagsgesellschaft M.B.H., Stuttgart, 4th edition, 1963

Sherry E., Boeck H., Warnke P.H. Percutaneous treatment of chronic MRSA osteomyelitis with a novel plant-derived antiseptic. BMC Surgery 2001, 1:1-3

Silvestre A. J.D., Cavaleiro J.A.S., delmond B., Filliatre C., Bourgeois G. Analysis of the variation of essential oil composition of *Eucalyptus globulus* Labill. from Portugal using multivariate statistical analysis. Ind Crop Prod 1997, 6:27-33

Stimpfl T., Našel B., Našel Ch., Binder R., Vycudilik W., Buchbauer G. Concentration of 1,8-cineol in Human Blood During Prolonged Inhalation, Chem Senses 1995, 20:349-350

Stoner G.D., Shimkin M.B., Kniazeff A.J., Weisburger J.H., Weisburger E.K., Gori G.B. Test for carcinogenicity of food additives and chemotherapeutic agents by the pulmonary tumor response in strain A mice. Cancer Res 1973, 33(12):3069-3085

Southwell I.A., Flynn T.M. Metabolism of α-pinene and β-pinene, p-cymene and 1,8-cineole in brushtail possum, *Trichosurus vulpecula*. Xenobiotica 1980, 10(1):17-23

Sugimoto K., Hosotani T., Kawasaki T., Nakagawa K., Hayashi S., Nakano Y., Inui H., Yamanouchi T. Eucalyptus leaf extract suppresses the postprandial elevation of portal, cardiac and peripheral concentration after sucrose ingestion in rats. J Clin Biochem Nutr 2010, 46:205-211

Sugimoto K., Suzuli J., Nakagawa K., Hayashi S., Enomoto T., Fujita T., Yamaji R., Inui H., Nakano Y. *Eucalyptus* leaf extract inhibits intestinal fructose absorption, and suppresses adiposity due to dietary sucrose in rats. Br J Nutr 2005, 93:957-963

Sur S.V., Tuljupa F.M., Sur L.I. Gas chromatographic determination of monoterpenes in essential oil medicinal plants. J Chromatogr A 1991, 542:451-458

Swanson-Flatt S.K., Day C., Bailey C.J., Flatt P.R. Traditional plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice. Diabetologia 1990, 33:462-464

Sweetman S.C. (ed), Martindale: the complete drug reference. 35. edition –London Pharmaceutical Press, 2007, *Eucalyptus* leaf

Swenberg J.A., Short B., Borghoff S., Strasser J., Charbonneau M. The comparative pathobiology of alpha-2-globulin nephropathy. Toxicol Appl Pharmacol 1989, 97:35-46

Takasaki M., Konoshima T., Fujitani K., Yoshida S., Nishimura H., Tokuda H., Nishino H., Iwashima A., Kozuka M. Inhibitors of skin-tumor promotion. VIII inhibitory effects of Euglobals and their related compounds on Epstein-Barr virus activation. Chem Pharm Bull 1990, 28(10):2737-2739

Takasaki M., Konoshima T., Kozuka M., Tokuda H. Anti-tumor-promoting activities of Euglobals from *Eucalyptus* plants. Biol Pharm Bull 1995, 18(3):435-438

Tesche S., Metternich F., Sonnemann U., Engelke J.-C., Dethlefsen U. The value of herbal medicines in the treatment of acute non-purulent rhinosinusitis. Eur Arch Otorhinolaryngol 2008, 265:1355-1359

Vidal C., Cabeza N. Contact urticaria due to eucalyptus pollen. Contact Dermatitis 1992, 26:265

Vigo E., Cepeda A., Gualillo O., Perez-Fernandez R. In-vitro anti-inflammatory effect of *Eucalyptus globulus* and *Thymus vulgaris*: nitric oxide inhibition in J774A-1 murine macrophages. J Pham Pharmacol 2004, 56:257-263

Whitman B.W., Ghazizadeh H. *Eucalyptus* oil: therapeutic and toxic aspects of pharmacology in humans and animals. J Paediatr Child Health 1994, 30:190-191

WHO monographs on selected medicinal plants. Vol. 2. *Folium Eucalypti*. World Health Organization. Geneva 2002, 106-113

Wichtl M. (ed.), Teedrogen und Phytopharmaka. 3rd ed. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2004, *Eucalyptusblätter*

Wichtl M. Teedrogen. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1984

Wittmann M., Petro W., Kasper P., Repges R., Dethlefsen U. Zur Therapie chronisch obstruktiver Atemwegserkrankungen mit Sekretolytika. Atemwegs- und Lungenerkrankungen 1998, 24(2):67-74 [German]

Worth H., Schacher C., Dethlefsen U. Concomitant therapy with cineole (*Eucalyptole*) reduces exacerbations in COPD: A placebo-controlled double-blind trial. Respir Res 2009, 10:69-75

Zänker K.S., Tölle W., Blümel G., Probst J. Evaluation of surfactant-like effects of commonly used remedies for colds. Respiratory 1980, 39:150-157

Zimmermann T., Seibering M., Thomann P., Karabelnik D. Untersuchungen zur relativen Bioverfügbarkeit und zur Pharmakokinetik von Myrtol standardisiert. Arzneim.-Forsch/Drug Res. 1995, 45(II):1198-1201