

27 March 2018  
EMA/607862/2017  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Gentiana lutea L., radix*

Draft

**The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Amann K, Maiwald L. Wie beeinflussen Bitterstoffe die Pepsin - und Säuresekretion im Magen. *Natura Med* 1988, 112: 38-41

Amin A. Ketoconazole-induced testicular damage in rats reduced by Gentiana extract. *Exp Toxicol Pathol* 2008, 59(6):377-384

Blaschek W, Hilgenfeldt U, Holzgrabe U, Mörike K, Reichling J, Ruth P. HagerROM 2016. Hagers Enzyklopädie der Drogen und Arzneistoffe. Springer Verlag, Heidelberg 2016

Blumberger W, Glatzel H. Über die Speichelwirksamkeit von Bitterstoffen. *Planta Medi* 1966, 14 (Suppl.):52-60

Borgia M, Sepe N, Borgia R, Ori-Bellometti M. Pharmacological activity of a herbs extract: a controlled clinical study. *Curr Ther Res* 1981, 29:525-536

Borisow NN. Über die Bedeutung der Bitterstoffe für die Verdauung. *Naunyn Schmiedebergs Arch Pharmacol* 1903, 51:363-371

British Herbal Pharmacopoeia, Gentiana, 1976

Cahier de l'Agence n°3: Médicaments à base de plantes Ed. Agence du Médicament, Paris, 1998

Chibanguza G, März R, Sterner W. Zur Wirksamkeit und Toxizität eines pflanzlichen Sekretolytikums und seiner Einzeldrogen. *Arzneimittelforsch* 1984, 34(1):32-36

Deutsches Arzneibuch, Eb. 6, Gentianae radix

EI-Sedawy AI, Hattori M, Kobashi K, Namba T. Metabolism of gentiopicroside (gentiopicrin) by human intestinal bacteria. *Chem Pharm Bull (Tokyo)* 1989, 37(9):2435-2437

ESCOP Monographs 2nd ed. Gentianae radix - Gentian root, Thieme Verlag, Stuttgart, New York 2003

European Pharmacopoeia, 9.0 1380 Gentianae radix



Franz C, Franz G, Franz D, Schulze J. Jahreszeitliche Schwankungen des Gehaltes an löslichen Zuckern und Bitterstoffen in *Gentiana lutea* L. *Sci Pharm* 1985, 53:31-38

Gebhardt R. Stimulation of acid secretion by extracts of *Gentiana lutea* L. in cultured cells from rat gastric mucosa. *Pharmaceut Pharmacol Lett* 1997, 7 (2/3): 106-108

Glatzel H, Hackenberg K. Röntgenologische Untersuchungen der Wirkungen von Bittermitteln auf die Verdauungsorgane. *Planta Med* 1967, 16:223-32

Guérin JC, Réveillère HP. Activité antifongique d'extraits végétaux à usage thérapeutique. II. Étude de 40 extraits sur 9 souches fongiques. *Ann Pharmaceut Fr* 1985, 43:77-81

Hänsel R, Sticher O. *Pharmakognosie – Phytopharmazie*. 8. Aufl., Springer Medizin Verlag, Heidelberg 2007

Haffner F, Schultz O-E, Schmidt W, Braun R. Normdosen der gebräuchlichen Arzneimittel; 12. Aufl.; Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2008

Ivancevic I, Kadrnka S. Vorgänge an der Magenschleimhaut unter dem Einfluss von Bittermitteln. *Arch Exp Path Pharmakol* 1938, 189: 557-567

Kazakov BN. The effect of plant bitters on the secretion of enzymes in the small intestine of sheep. *Materialy Vos'moi Nauchnoy Konferencii po Farmakologii*. Moscow SB, 1963:63–65 [in Russian], cited from ESCOP Monographs *Gentianae radix*, 2nd Edition 2003

Kesavan R, Chandel S, Upadhyay S, Bendre R, Ganugula R, Potunuru UR et al. Gentiana lutea exerts anti-atherosclerotic effects by preventing endothelial inflammation and smooth muscle cell migration. *Nutr Metab Cardiovasc Dis* 2016, 26:293-301

Kommission E Monographie. *Gentianae radix* (Enzianwurzel). *BAnz* 30.11.1985, no. 223; (Rev.) *BAnz* 13.3.1990, no. 50.

Kondo Y, Takano F, Hojo H. Suppression of chemically and immunologically induced hepatic injuries by gentiopicroside in mice. *Planta Med* 1994, 60:414-416

Kumarasamy Y, Nahar L, Sarker SD. Bioactivity of gentiopicroside from the aerial parts of *Centaurium erythraea*. *Fitoterapia* 2003, 74(1-2):151-4

Kusar A, Zupancic A, Sentjurc M, Baricevic D. Free radical scavenging activities of yellow gentian (*Gentiana lutea* L.) measured by electron spin resonance. *Human & Exper Toxicol* 2006, 25(10):599-604

Leslie GB. A pharmacometric evaluation of nine Bio-Strath herbal remedies. *Medita* 1978, 8:31-47

Leslie GB, Salmon G. Repeated dose toxicity studies and reproductive studies on nine Bio- Strath herbal remedies. *Swiss Med* 1979, 1:43-5.

Madaus G. Lehrbuch der biologischen Heilmittel. Georg Olms Verlag, Hildesheim, New York 1979 (reprint of Madaus G. (1938) Lehrbuch der biologischen Heilmittel. Georg Thieme Verlag, Leipzig 1938)

Mahady GB, Pendland SL, Stoia A, Hamill FA, Fabricant D, Dietz BM et al. In vitro susceptibility of *Helicobacter pylori* to botanical extracts used traditionally for the treatment of gastrointestinal disorders. *Phytother Res* 2005, 19 (11):988-991

Martindale. The Complete Drug Reference 34th edition. The Pharmaceutical Press London (2004)

Matsushima T, Araki A, Yagame O, Muramatsu M, Koyama K, Ohsawa K et al. Mutagenicities of xanthone derivatives in *Salmonella typhimurium* TA100, TA98, TA97 and TA2637. *Mutation Res* 1985, 150:141-146

Moorhead LD. Contributions to the physiology of the stomach XXVIII. Further studies on the action of bitter tonics on the secretion of gastric juice. *J Pharmacol Exp Ther* 1915, 7:577-589

Morimoto I, Nozaka T, Watanabe F, Ishino M, Hirose Y, Okitsu T. Mutagenic activities of gentisin and isogentisin from Gentianae radix (Gentianaceae). *Mutation Res* 1983, 116:103-117

McMullen M, Whitehouse JM, Whitton PA, Towell A. Bitter tastants alter gastric-phase postprandial haemodynamics. *J Ethnopharmacol* 2014, 154: 719-27

PDR: Physicians' Desk Reference for Herbal Medicines 3rd edition; Ed. Thomson PDR, 2004, 988 pages

Rozengurt E. Taste receptors in the gastrointestinal tract. I. Bitter taste receptors and α-gustducin in the mammalian gut. *Am J Physiol Gastrointest Liver Physiol* 2006, 291:171-177

Schulz V, Hänsel R. Rationale Phytotherapie Ratgeber für die ärztliche Praxis. 4. Auflage, Springer Verlag, Berlin, Heidelberg 1999:205-220

Seitz R, Lange D, Franz C. *Phytotherapie* 2005, 26:143-150

Standardzulassung Nr.: 9199.99.99; 11. Erg. Lieferung, Stand 02/1996; in: Braun R Standardzulassungen für Fertigarzneimittel, DAV Stuttgart Govi Verlag GmbH Frankfurt 2004

van der Sluis WG, van der Nat JM, Labadie RP. Thin-layer chromatographic bioassay of iridoid and secoiridoid glucosides with a fungitoxic aglucone moiety using β-glucosidase and the fungus *Penicillium expansum* as a test organism. *J Chromatogr* 1983, 259:522-526

Sternini C. Taste receptors in the gastrointestinal tract. IV. Functional implications of bitter taste receptors in gastrointestinal chemosensing. *Am J Physiol Gastrointest Liver Physiol* 2007, 292 (2): 457-761. Epub 2006 Nov 9

Wang CH, Cheng XM, Bligh SW, White KN, Branford-White CJ, Wang ZT. Pharmacokinetics and bioavailability of gentiopicroside from decoctions of Gentianae and Longdan Xiegan Tang after oral administration in rats-Comparison with gentiopicroside alone. *J Pharm Biomed Anal* 2007, 44 (5): 1113-1117

Wegner T. Anwendung eines Trockenextraktes aus Gentianae luteae radix bei dyspeptischem Symptomkomplex. *Z Phytotherapie* 1997, 19:163-164

Wichtl M. Teedrogen und Phytotherapeutika. 4. Aufl., Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2002, Gentianae radix

Zhu Y-P. Chinese Materia Medica. Chemistry, Pharmacology and Applications. CRC Press, Boca Raton, London, New York, Washington D.C., 1998

Zimmermann W, Gaisbauer G, Gaisbauer M. Wirkung von Bitterstoff-Drogen auf das darmassoziierte Immunsystem. *Z Phytother* 1986, 7:59–64