

29 September 2015
EMA/HMPC/144093/2015
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Helichrysum arenarium* (L.) Moench, flos

Draft

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Albayrak S, Aksoy A, Sağdic O, Budak U. Phenolic compounds and antioxidant and antimicrobial properties of *Helichrysum* species collected from eastern Anatolia, Turkey. Turk J Biol 34 (2010) 463-473.

Albayrak S, Aksoy A, Sagdic O, Hamzaoglu E. Compositions, antioxidant and antimicrobial activities of *Helichrysum* (Asteraceae) species collected from Turkey. Food Chemistry 119 (2010) 114–122.

Baranchikova OS, Popova NV, Lypovetskyi PV, Tkachenko MF. Study of volatile compounds of *helichrysum arenarium*. In actual questions of development of new drugs. Ministry of Public Health of Ukraine the National University of Pharmacy. April 22-23, 2014, Kharkiv NUPh 2014, 24.

Bauer J, Koeberle A, Dehma F, Pollastro F, Appendino G, Northoff H, Rossi A, Sautebin L, Werz O. Arzanol, a prenylated heterodimeric phloroglucinyl pyrone, inhibits eicosanoid biosynthesis and exhibits anti-inflammatory efficacy in vivo. Biochemical Pharmacology 2011, 81:259-268.

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. HagerROM 2013: Hagers Handbuch der Drogen und Arzneistoffe. Version 5.0. Springer Medizin Verlag, Heidelberg 2013 *Helichrysum arenarium* (L.) MOENCH.

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, et al., editors. The Complete German Commission E Monographs. American Botanical Council, Austin, Texas 1998, 198-199.

Bryksa-Godzisz M, Węglarz Z, Przybył J. Phenolic compounds in yellow everlasting (*Helichrysum arenarium* (L.) Moench) growing wild in the middle part of the Bug valley. Herba Polonica, Vol. 52, No 4, 2006, 26-31.

Clapham AR 1976 *Helichrysum*. Pages 128–131 in TG Tutin, VH Heywood, NA Burges, DM Moore, DH Valentine, SM Walters, DA Webb, eds. Flora Europaea. Vol 4. Cambridge University Press, London.



Derkach AI, Komissarenko NF, Chernobai VT. [Coumarins of the Inflorescences of *Calendula officinalis* and *Helichrysum arenarium*]. Khimija Prirodykh Soedinenii, 1986, No. 6, 778. [Russian] (abstract, English)

Dombrowicz E, Świątek L, Kopycki W. Phenolic acids in Inflorescentia *Helichrysi* and *Hieracii pilosellae*. Pharmazie, 1992, Vol. 47, No 6, 469-470.

Eroğlu HE, Budak Ü, Hamzaoğlu E, Aksoy A and Albayrak S. *In vitro* cytotoxic effects of methanol extracts of six *Helichrysum* taxa used in traditional medicine. Pak. J. Bot. 2010, 42(5): 3229-3237.

Farmakopea Polska III, Państwowy Zakład Wydawnictw Lekarskich. Warszawa 1954. Inflorescentia *Helichrysi*, 330-331. [Polish]

Farmakopea Polska III, Państwowy Zakład Wydawnictw Lekarskich. Warszawa 1954. Species Cholagogae, 569. [Polish]

Farmakopea Polska Wydanie IX, Warszawa 2011, Tom II. *Helichrysi Flos* 3558-3559.

Farmakopea Polska X, Prezes Urzędu Rejestracji Produktów Leczniczych, Wyrobów Medycznych i Produktów Biobójczych. Warszawa 2014, Tom II. Species Cholagogae, 4056.

Farmakopea Polska X, Prezes Urzędu Rejestracji Produktów Leczniczych, Wyrobów Medycznych i Produktów Biobójczych. Warszawa 2014, Tom II. *Helichrysi Flos*, 4039-4040.

Galbany-Casals M, Garcia-Jacas N, Saez L, Benedí C, and Susanna A. Phylogeny, biogeography, and character evolution in Mediterranean, Asiatic, and Macaronesian *Helichrysum* (Asteraceae, Gnaphalieae) inferred from nuclear phylogenetic analyses. Int. J. Plant Sci. 170(3):365-380. 2009.

Gradinaru AC, Silion M, Trifan A, Miron Anca and Aprotosoaie AC. *Helichrysum arenarium* subsp. *arenarium*: phenolic composition and antibacterial activity against lower respiratory tract pathogens. Natural Product Research: Formerly Natural Product Letters, Vol. 28, Issue 22, 2014, 2076-2080.

Gruenwald J, Brendler T, Jaenicke C, editors. PDR for Herbal Medicines. 4th ed. Thomson Healthcare Inc., Montvalle, 2007. Immortelle 465-466.

Jerzmanowska Z. Acta Pol. Pharm. XIII, 301, 1956.

Jerzmanowska Z, Grzybowska J. Flavonoidy w kwiatach kocanki. Acta Pol. Pharm. 1958, 15(1): 13-14. [Polish]

Jerzmanowska ZI, Grzybowska JT. Flavonoid Compounds in the Inflorescence of *Helichrysum arenarium*. Nature 1960, 186: 807-808. (Letters to Nature, abstract)

Judzentiene A. and Butkiene R. Chemical Composition of the Essential Oils of Wild.

Helichrysum arenarium (L.) with Differently Colored Inflorescences from Eastern Lithuania. J. Essent. Oil Res., 18, 80-83 (January/February 2006).

Kažemekaitis A. Änderungen des europäischen Bestandes an Arznei- und Heilpflanzen durch die Erweiterung der Europäischen Union: Einflussmöglichkeiten am Beispiel der baltischen Republik Litauen. Dissertation, Institut für Naturheilkunde, Direktor: Prof. Dr. med. R. Saller. Zürich 2010. (German)

Khristenko LA, Pertsev IM, Salo DP and Negrash AK. Possible use of Arenarin in medicated ophthalmological films. Khimiko-Farmatsevticheskii Zhurnal, Vol. 11, No 7, 123-127, July 1977. (abstract translation).

Kothavade PS, Nagmoti DM., Bulani V D, and Juvekar AR. Arzanol, a Potent mPGES-1 Inhibitor: Novel Anti-Inflammatory Agent. 2013, The ScientificWorld Journal, Vol. 2013 Oct 1; 2013:986429. doi: 10.1155/2013/986429. eCollection 2013.

Lemberkovics E, Czinner E, Szentmihalyi K, Balazs A, Szoke E. Comparative evaluation of Helichrysi flos herbal extracts as dietary sources of plant polyphenols, and macro- and microelements. Food Chemistry 78 (2002) 119-127.

Morikawa T, Wang Li-Bo Ninomiya, K, Nakamura S, Matsuda H, Muraoka O, Wu Li-Jun, and Yoshikawa Mi. Medicinal Flowers. XXX.1) Eight New Glycosides, Everlastosides F-M, from the Flowers of *Helichrysum arenarium*. *Chem. Pharm. Bull.* 2009, 57(8) 853-859.

Muszyński J. Ziołolecznictwo i leki roślinne (Fitoterapia). Wyd. 4. Państwowy Zakład Wydawnictw Lekarskich. Warszawa 1954, p. 68 Flos Stoechados, Inflorescentia Helichrysi (F.P.III).[Polish]

Pharmacopoea Helvetica 11 édition. Edition française. Ed. Swissmedic, CH-3000 Berne 9. 2012. Immortelle jaune (fleur d') Helichrysi flos, 11.0/CH 128, 313-314.

Radušienė J, Judžentienė A. Volatile composition of *Helichrysum arenarium* field accessions with differently coloured inflorescences. Biologija. 2008. vol. 54. No. 2. 116-120.

Rancic A, Sokovic M, Djokovic D. Chemical Composition and Antimicrobial Activities of Essential Oils of *Myrrhis odorata* (L.) Scop, *Hypericum perforatum* L and *Helichrysum arenarium* (L.) Moench. *J. Essent. Oil Res.*, 17, (May/June 2005).

Roeske W. Zarys Fitoterapii (Farmakologia i Receptura Ziół Leczniczych). Państwowy Zakład Wydawnictw Lekarskich. Warszawa 1955. Flos Helichrysi (Flos Stoechados), 106.[Polish]

Rozporządzenie Ministra Opieki Społecznej z dnia 24 czerwca 1938 r. o określeniu cen aptecznych. [Polish]

Sani AM. Inhibitory Effect of *Helichrysum arenarium* Essential Oil on the Growth of Food Contaminated Microorganisms. International Journal of Biological, Veterinary, Agricultural and Food Engineering Vol 8, No 8, 2014, 795-799.

Sroka Z, Kuta I, Cisowski W, and Drys A. Antiradical Activity of Hydrolyzed and Non-hydrolyzed Extracts from *Helichrysi inflorescentia* and its Phenolic Contents. *Z. Naturforsch.* 59c (2004), 363-367.

Szadowska A. [Pharmacological action of galenicals and flavonoids isolated from *Helichrysum arenarium* L]. *Acta Poloniae Pharmaceutica*, 1962, Vol. 19, No 6, 465-479. [Polish], (abstr. English).

Turova AD, Sapozhnikova EN. Lekarstvennyje rastenija SSSR i ich primenenije. Ed 4. Moskva-Medicina-1984, 200-201.[Russian]

Vrkoč J, Dolejš L, Sedmera P, Vašičkova S, Šorm F. The structure of Arenol and Homoarenol , α-Pyrone Derivatives from *Helichrysum arenarium* (L.) Moench. *Tetrahedron Letters* No 3, 1971, 247-250.

Vrkoč J, Herout V, Šorm F. Über pflanzenstoffe X. Isolierung der kristallinen bestandteile der sandstrohblume (*Helichrysum arenarium* Mch). 1959 Collection Czechoslov. Chem. Commun., 3938.

Wang Li-Bo, Gao Hui-Yuan, Morikawa T, Sun Bo-Hang, Huang Jiang,

Yoshikawa Masayuki, Wu Li-Jun. Flavonones from *Helichrysi flos* syn. *Chin J Nat Med Sep.* 2009a Vol. 7 No. 5, 357-360.

Wang Li-Bo, Morikawa T, Gao HY, Huang J, Yoshikawa M, Wu Li-jun. Isolation and identification of chemical constituents of flavones from *Helichrysi arenarii*. Journal of Shenyang Pharmaceutical University. 2009b, 10 (abstr.).

Web page: www.webvidal.ru, browser Vidal-Ekspert on the page

WHO monographs on medicinal plants commonly used in the Newly Independent States (NIS). World Health Organisation 2010. *Flos Helichrysi arenarii*, 175-185.

Wichtl M. Ed. *Herbal drugs and Phytopharmaceuticals: a handbook for practice on scientific basis*. Medpharm Scientific Publishers GmbH, Roca Baton, Am. Arbor, London, Tokyo, 2002, 282-285.