



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

1 July 2014
EMA/HMPC/55810/2011
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Matricaria recutita* L., flos and *Matricaria recutita* L., aetheroleum

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Achterrath-Tuckermann U, Kunde R, Flaskamp E, Isaac O, Thiemer K. Pharmacological investigations with compounds of chamomile. V. Investigations on the spasmolytic effect of compounds of chamomile and Kamillosan on the isolated guinea pig ileum. *Planta Med* 1980, 39(1):38-50 [Article in German]

Aertgeerts J. Erfahrungen mit Kamillosan., einem standardisierten Kamilleextrakt in der dermatologischen Praxis. *Ärztliche Kosmetologie* 1984, 14:502-504

Aertgeerts P, Albring M, Klaschka F, Nasemann T, Patzelt-Wenczler R et al.. Vergleichende Prüfung von Kamillosan®-Creme gegenüber steroidal (0,25% Hydrocortison, 0,75% Fluocortinbutylester) und nichtsteroidal (5% Bufexamac) Externa in der Erhaltungstherapie von Ekzemerkrankungen. *Z. Hautkr* 1985, 60(3):270-277

Aggag ME, Yousef RT. Study of antimicrobial activity of chamomile oil. *Planta Med* 1972, 22(2):140-144

Albring M, Albrecht H, Alcorn G, Lücker PW. The measuring of the anti-inflammatory effect of a compound on the skin of volunteers. *Meth and Find Exptl Clin Pharmacol* 1983, 5:575-577

Al-Hindawi MK, Al-Deen IH, Nabi MH, Ismail MA. Anti-inflammatory activity of some Iraqi plants using intact rats. *J Ethnopharmacol* 1989, 26(2):163-168

Al-Ismail KM, Talal A. A Study of the effect of water and alcohol extracts of some plants as antioxidants and antimicrobial on long-term storage of anhydrous butter fat. *Dirasat Agric Sci* 2003, 30:330-337

Amsterdam JD, Yimei Li, Söller I, Rockwell K, Mao JJ, Shults J. A Randomized, Double-Blind, Placebo-controlled Trial of Oral *Matricaria recutita* (Chamomile) Extract Therapy for Generalized Anxiety Disorder. *J Clin Psychopharmacol* 2009, 29:378-382



- Anter J, Romero-Jiménez M, Fernández-Bedmar Z, Villatoro-Pulido M, Analla M, Alonso-Moraga A, Muñoz-Serrano A. Antigenotoxicity, cytotoxicity, and apoptosis induction by apigenin, bisabolol, and protocatechuic acid. *J Med Food*. 2011, 14(3):276-283
- Arzneimittelverzeichnis der DDR 1983, VEB Verlag Volk und Gesundheit Berlin 1983
- Avallone R, Zanolì P, Corsi L, Cannazza G, Baraldi M. Benzodiazepine like compounds and GABA in flower heads of *Matricaria chamomilla*. *Phytother Res* 1996, 10:177-179
- Avallone R, Zanolì P, Puia G, Kleinschnitz M, Schreier P, Baraldi M. Pharmacological profile of apigenin, a flavonoid isolated from *Matricaria chamomilla*. *Biochem Pharmacol* 2000, 59(11):1387-1394
- Barene I, Daberte I, Zvirgzdina L, Iriste V. The complex technology on products of German Chamomile. *Medicina* 2003, 39:127-131
- Barnes J, Anderson L, Phillipson JD Herbal Medicines 3rd ed. Pharmaceutical Press, London, Chicago 2007
- Becker B, Kuhn U, Hardewig-Budny B. Double-blind, randomized evaluation of clinical efficacy and tolerability of an applepectin-chamomile extract in children with unspecific diarrhea. *Arzneimittelforschung* 2006, 56:387-393
- Benedum J, Loew D. *Matricariae flos – Kamillenblüten*. In Benedum J, Loew D, Schilcher H (Eds.) *Arzneipflanzen in der Traditionellen Medizin* Verlag Kooperation Phytopharmaka Bonn 2006, 4:137-138
- Benner MH, Lee HJ. Anaphylactic reaction to chamomile tea. *J Allergy Clin Immunol* 1973, 52(5):307-308
- Bishop JL, Northstone K, Green JR, Thompson EA. The use of Complementary and Alternative Medicine in pregnancy: Data from the Avon Longitudinal Study of Parents and Children (ALSPAC). *Complementary Therapies in Medicine* 2011, 19:303-310
- Blaschek W, Hilgenfeldt U, Holzgrabe U, Reichling J, Ruth P, Schulz V, editors. Carle R in HagerROM 2011. *Hagers Enzyklopädie der Arzneistoffe und Drogen*. Wissenschaftliche Verlagsgesellschaft Stuttgart, Springer Medizin Verlag Heidelberg, 2011
- Budzinski JW., Foster BC., Vandenhoeck S., Arnason JT. An in vitro evaluation of human cytochrome 450 3A4 inhibition by selected commercial herbal extracts and tinctures. *Phytomedicine* 2000, 7:273-282
- Capasso R, Savino F, Capasso F. Effects of the herbal formulation ColiMil on upper gastrointestinal transit in mice in vivo. *Phytother Res*. 2007, 21(10):999-1101
- Carl W, Emrich LS. Management of oral mucositis during local radiation and systemic chemotherapy. A study of 98 patients. *Journal of Prosthetic Dentistry* 1991, 66(3):361-369
- Carle R. Pflanzliche Antiphlogistika und Spasmolytika, Zwischen Anspruch und Wirklichkeit. *Deutsche Apotheker Zeitung* 1987; 127(43):2206-2208
- Carle R, Gomaa K. Technologische Einflüsse auf die Qualität von Kamillenblüten und Kamillenöl. *Pharmazeutische Zeitung*, 1992a ; 2(5):71-77
- Carle R, Gomaa K. Chamomile: A pharmacological and clinical profile. *Drugs of Today* 1992b,28(8): 559-565
- Cemek M, Yilmaz E, Büyükkuroğlu ME. Protective effect of *Matricaria chamomilla* on ethanol-induced acute gastric mucosal injury in rats. *Pharm Biol*. 2010, 48(7): 757-763

- Cuzzolin L, Francini-Pesenti F, Verlato G, Joppi M, Baldelli P, Benoni G. Use of herbal products among 392 Italian women: focus on pregnancy outcome. *PDS* 2010, 19:1151-1158
- De La Motte S, Bose-O'Reilly S, Heinisch M, Harrison F. Double-blind comparison of a preparation of pectin/chamomile extract and placebo in children with diarrhea. *Arzneimittelforschung* 1997, 47:1247–1249 [German]
- De la Torre Morin F, Sanchez Macin I, Garcia Robaina JC, Fernandez-Caldas E, Sanchez Trivino M. Clinical cross-reactivity Between *Artemisia vulgaris* and *Matricaria chamomilla* (Chamomile). *J Invest Allergol Clin Immunol* 2001, 11(2):118-122
- Della Loggia R, Traverse U, Scarcia V, Tubaro A. Depressive effects of *Chamomilla recutita* (L.)Rausch., tubular flowers, on central nervous system in mice. *Pharmacological Research Communications* 1982, 14(2):153-162
- Della Loggia R, Traverse U, Scarcia V, Tubaro A. Evaluation of the anti-inflammatory activity of chamomile (*Chamomilla recutita*) preparations. *Planta med* 1990, 56:657-658
- Di Carlo G, Autore G, Izzo AA, Maiolino P, Mascolo N, Viola P et al.. Inhibition of intestinal motility and secretion by flavonoids in mice and rats: structure-activity relationships. *J Pharm Pharmacol* 1993, 45(12):1054-1059
- Dorsch W, Loew D, Meyer E, Schilcher H. Empfehlungen zu Kinderdosierungen von monographierten Arzneidrogen und ihren Zubereitungen. Editor: Kooperation Phytopharmaka 1993
- ESCOP Monographs Vol. 2 second edition Thieme Verlag Stuttgart 2003
- Facchinetti F, Pedrielli G, Benoni G, Joppi M, Verlato G, Dante G, et al.. Herbal supplements in pregnancy: unexpected results from a multicenter study. *Hum Rep* 2012, 27(11):3161-3167
- Fidler P, Loprinzi CL, O'Fallon JR, Leitch JM, Lee JK, Hayes DL, Novotny P, Clemens-Schutjer D, Bartel J, Michalak JC. Prospective evaluation of a chamomile mouthwash for prevention of 5-FU-induced oral mucositis. *Cancer* 1996, 77:522-525
- Förster CF. Proktologische Operationen. Kamille fördert die Heilung. *Ärztliche Praxis* 1987, 74:2122-2123
- Forster DA, Denning A, Wills G, Bolger M, McCarthy E. Herbal Medicine use during pregnancy in a group of Australian women. *BMC Pregnancy and Childbirth* 2006, 6:21-30
- Forster HB, Niklas H, Lutz S. Antispasmodic effects of some medicinal plants. *Planta Med* 1980, 40(4):309-319
- Ganzera M, Schneider P, Stuppner H. Inhibitory effects of the essential oil of chamomile (*Matricaria recutita* L.) and its major constituents on human cytochrome P450 enzymes. *Life Sci* 2006, 78:856-861
- Gerritsen ME, Carley WW, Ranges GE, Shen CP, Phan SA, Ligon GF et al.. Flavonoids inhibit cytokine-induced endothelial cell adhesion protein gene expression. *Am J Pathol.* 1995, 147(2):278-292
- Gomes-Carneiro MR, Dias DM, De-Oliveira AC, Paumgartten FJ. Evaluation of mutagenic and antimutagenic activities of alpha-bisabolol in the Salmonella/microsome assay. *Mutat Res.* 2005, 585(1-2):105-112
- Hänsel R, Sticher O. Pharmakognosie – Phytopharmazie. 8. Ausgabe, Springer Verlag. 2007
- Hausen BM. A 6-year experience with compositae mix. *Am J Contact Dermat* 1996, 7(2):94-99

- Hempel B, Hirschelmann R. Kamille- Entzündungshemmende Wirkung von Inhaltsstoffen und Zubereitungen in vivo. *Deutsche Apotheker Zeitung* 1998, 138(44):43-48
- Holst L, Wright D, Haavik S, Nordeng H. Safety and efficacy of herbal remedies in obstetrics – review and clinical implications. *Midwifery* 2011, 27:80-86
- Jablonska S, Rudzki E. Kamillosan Konzentrat – ein nicht allergisierender Extrakt aus Kamille. *Haut- und Geschlechtskrankheiten* 1996, 71:542-546
- Jarrahi M. An experimental study of the effects of *Matricaria chamomilla* extract on cutaneous burn wound healing in albino rats. *Nat Prod Res.* 2008, 22(5):422-427
- Jensen-Jarolim E, Reider N, Fritsch R, Breiteneder H. Fatal outcome of anaphylaxis to camomile-containing enema during labour: A case study. *J Allerg Clin Immunol.* 1998, 102:1041-1042
- Jeschke E, Ostermann T, Lüke C, Tabali M, Kröz M, Bockelbrink A. *et al.* Remedies containing Asteraceae extracts A Prospective Observational Study of Prescribing Patterns and Adverse Drug Reactions in German Primary Care. *Drug Safety* 2009, 32(8):691-706
- Kalantari H, Dashtearjandi AA, Kalantar E. Genotoxicity study of Hypiran and Chamomilla herbal drugs determined by in vivo supervital micronucleus assay with mouse peripheral reticulocytes. *Acta Biol Hung.* 2009, 60(2):177-183
- Kerscher MJ. Influence of liposomal encapsulation on the activity of a herbal non-steroidal anti-inflammatory drug. *Liposome Dermatics, Griesbach Conf.* 1992, 329-337
- Kobayashi Y, Takahashi R, Ogino F. Antipruritic effect of the single oral administration of German chamomile flower extract and its combined effect with antiallergic agents in ddY mice. *J Ethnopharmacol* 2005, 101(1-3):308-312
- Korting HC, Schäfer-Korting M, Hart H, Laux P, Schmid M. Anti-inflammatory activity of hamamelis distillate applied topically to the skin. Influence of vehicle and dose *Eur J Clin Pharmacol* 1993, 44:315-318
- Lauber B. Inhalationstherapie mit Kamillosan Konzentrat In: Klaschka F. *et al.* (Herausgeber): Wirkungsweise und Anwendungsformen der Kamille. Interdisziplinäres Kamillen-Symposium Frankfurt/Main 1987, Grosse Verlag Berlin
- Le Cahiers de l'Agence Nr.3 Médicament à base de plantes Ed. Agence du Médicaments Paris 1998
- Lepley DM, Pelling JC. Induction of p21/WAF1 and G1 cellcycle arrest by the agent apigenin. *Mol Carcinog* 1997, 19: 74-82
- Liang YC, Huang YT, Tsai SH, Lin-Shiau SY, Chen CF, Lin JK. Suppression of inducible cyclooxygenase and inducible nitric oxide synthase by apigenin and related flavonoids in mouse macrophages. *Carcinogenesis* 1999, 20(10):1945-1952
- Lis-Balchin M, Deans SG, Eaglesham E. Relationship between bioactivity and chemical composition of commercial essential oils. *Flavour Fragrance* 1998, 13:98-104
- Lundh K, Gruvberger B, Möller H, Persson L, Hindsén M, Zimerson E *et al.*. Patch testing with thin-layer chromatograms of chamomile tea in patients allergic to sesquiterpene lactones. *Contact Dermatitis* 2007, 57(4):218-223
- Lundh K, Hindsén M, Gruvberger B, Möller H, Svensson A, Bruze M. Contact allergy to herbal teas derived from Asteraceae plants. *Contact Dermatitis* 2006, 54(4):196-201

Madaus G. Lehrbuch der biologischen Heilmittel 3 Bde; Georg Olms Verlag Hildesheim, New York 1938, 2. Nachdruck, 1979

Maiche AG, Gröhn P, Mäki-Hokkonen H. Effect of chamomile cream and almond ointment on acute radiation skin reaction. Effect of chamomile cream and almond ointment on acute radiation skin reaction. *Acta Oncol* 1991, 30:395-396

Maliakal PP, Wanwimolruk S. Effect of herbal teas on hepatic drug metabolizing enzymes in rats. *J Pharm Pharmacol*. 2001, 53(10):1323-1329

Mann C, Staba EJ. The chemistry, pharmacology and commercial formulations of Chamomile. In *Herbs, Spices and Medicinal Plants: Recent Advances in Botany, Horticulture and Pharmacology Vol. 1* Craker LE, Simon JE (eds.) Oryx press: Phoenix 1986, 235-280

Marti MC. Die Analfissuren. Heilung durch einen einfachen operativen Eingriff. *Moderne Therapie* 1977, 7:94-103

Martins MD, Marques MM, Bussadori SK, Martins MA, Pavesi VC, Mesquita-Ferrari RA, et al.. Comparative Analysis between Chamomilla recutita and Corticosteroids on Wound Healing. An In vitro and invivo study. *Phytother Res* 2009, 23:274-278

Maschi O, Cero ED, Galli GV, Caruso D, Bosisio E, Dell'Agli M. Inhibition of human cAMP-phosphodiesterase as a mechanism of the spasmolytic effect of Matricaria recutita L. *J Agric Food Chem*. 2008, 56(13):5015-5020

Matos FJA, Machado MIL, Alencar LW, Craveiro AA. Constituents of Brazilian Chamomile Oil. *J Essent Oil Res* 1993, 5:337-339

Medina JH, Viola H, Wolfman C, Marder M, Wasowski C, Calvo D, Paladini AC. Neuroactive flavonoids: new ligands for the Benzodiazepine receptors. *Phytomedicine*. 1998, 5(3):235-243

Miller T, Wittstock U, Lindequist U, Teuscher E. Effects of some components of the essential oil of chamomile, Chamomilla recutita, on histamine release from rat mast cells. *Planta Med* 1996, 62(1):60-61

Mimica-Dukic N, Likic V, Pavkov R, Gesic O. Study of chemical composition and microbiological contamination of chamomile tea. *Acta hort* 1993, 333:137-141

Moussally K, Bérard A. Exposure to Specific Herbal Products During Pregnancy and the Risk of Low Birth Weight. *Alt Ther* 2012, 18(2):36-43

Moussally K, Oraichi D, Bérard A. Herbal products use during pregnancy: prevalence and predictors. *PDS* 2009, 18:454-461

Mulinacci N, Romani A, Pinelli P, Vincieri FF, Prucher D. Characterization of Matricaria recutita L. Flower Extracts by HPLC-MS and HPLC-DAD. *Chromatografia* 2000, 51(5/6):301-307

Nasemann T. Kamillosan-Behandlung in der Dermatologie. *Allgemeinmedizin* 1975a; 51:1105-1106

Nasemann T, Menzel I. Kamillosan in der Dermatologie. In: Demling, et al.: Erfahrungstherapie – späte Rechtfertigung. *Internationales Symposium Wien*, 30.-31.Mai 1975b, Verlag G. Braun Karlsruhe

Nayak BS, Raju SS, Rao AV. Wound healing activity of Matricaria recutita L. extract. *J Wound Care*. 2007, 16(7):298-302

Nissen HP, Biltz H, Kreysel HW. Profilometrie, eine Methode zur Beurteilung der therapeutischen Wirksamkeit von Kamillosan®-Salbe. *Zschr Hautkrankheiten* 1988, 63:184-190

- Nordeng H, Havnen GC. Use of herbal drugs in pregnancy: a survey among 400 Norwegian women. *PDS* 2004, 13: 371-380
- Nowack R, Nowak B. Herbal teas interfere with cyclosporin levels in renal transplant patients. *Nephrol Dial Transplant*. 2005, 20(11):2554-2556
- Panés J, Gerritsen ME, Anderson DC, Miyasaka M, Granger DN. Apigenin inhibits tumor necrosis factor-induced intercellular adhesion molecule-1 upregulation in vivo. *Microcirculation* 1996, 3(3): 279-286
- Patzelt-Wenzler R, Ponce-Pöschl E. Proof of efficacy of Kamilloosan cream in atopic eczema. *Eur J Med Res* 2000, 5: 171-175
- Paulsen E, Chistensen LP., Andersen KE. Cosmetics and herbal remedies with Compositae plant extracts - are they tolerated by Compositae-allergic patients? *Contact Dermatitis* 2008, 58(1):15-23
- Paulsen E. Contact sensitization from Compositae-containing herbal remedies and cosmetics. *Contact Dermatitis* 2002, 47(4):189-198
- Pereira F, Santos R, Pereira A. Contact dermatitis from chamomile tea. *Contact Dermatitis* 1997, 36:307
- Peters H. Suchdiät und Neurodermitis In: Klaschka F., Maiwald L., Patzelt-Wenzler R.: Wirkungsweise und Anwendungsformen der Kamille, Grosse Verlag 1987, 45 ff
- Pino JA, Bayat F, Marbot R, Aguero J. Essential oil of Chamomile (*Chamomilla recutita* (L.) Rausch from Iran. *JEssent Oil Res* 2002, 14: 407-408
- Pino JA, Marbot R, Agliero J, Fuentes V. Essential oil of Chamomile (*Chamomilla recutita* (L.) Rausch from Cuba. *J Essent Oil-Bear Plants* 2003, 3: 1-3
- Reider N, Sepp N, Fritsch P, Weinlich G, Jensen-Jarolim E. Anaphylaxis to camomile: clinical features and allergen cross-reactivity. *Clin Exp Allergy* 2000, 30(10): 1436-1443
- Remme JJ, de Wit RFE. Kamilloosan bei der Behandlung von Beingeschwüren. Bericht über eine Untersuchung (Übersetzung aus dem Niederländischen) *Recept* 1984, 4:57-58
- Rocha NF, Rios ER, Carvalho AM, Cerqueira GS, Lopes Ade A, Leal LK *et al.*. Anti-nociceptive and anti-inflammatory activities of (-)- α -bisabolol in rodents. *Naunyn Schmiedebergs Arch Pharmacol*. 2011, 384(6):525-533
- Romero-Jiménez M, Campos-Sánchez J, Analla M, Muñoz-Serrano A, Alonso-Moraga A. Genotoxicity and anti-genotoxicity of some traditional medicinal herbs. *Mutat Res*. 2005, 585(1-2):147-155
- Rudzki E, Jalblonska S. Kamilloosan is a safe product of chamomile for topical application: results of patch testing consecutive patients with contact dermatitis. *J Dermatol Treatment* 2000, 11:161-163
- Rycroft RJG. Recurrent facial dermatitis from chamomile tea. *Contact Dermatitis* 2003, 48:229
- Safayhi H, Sabieraj J, Sailer ER, Ammon HP. Chamazulene: an antioxidant-type inhibitor of leukotriene B4 formation. *Planta Med* 1994, 60(5):410-413
- Salgueiro JB, Ardenghi P, Dias M, Ferreira MB, Izquierdo I, Medina JH. Anxiolytic natural and synthetic flavonoid ligands of the central benzodiazepine receptor have no effect on memory tasks in rats. *Pharmacol Biochem Behav* 1997, 58(4):887-891
- Sauer H. Zur Wirksamkeit von Kamilloosan® nach operativen Eingriffen/konservativer Behandlung von Nasennebenhöhlenerkrankungen. *Giatros HNO* 1990, 5 11:4-5

- Savino F, Cresi F, Castagno E, Silvestro L, Oggero R. A randomized double-blind placebo controlled trial of a standardized extract of *Matricaria recutita*, *Foeniculum vulgare* and *Melissa officinalis* (ColiMil) in the treatment of breastfed colicky infants. *Phytother Res* 2005, 19:335-340
- Scala G. Acute, short-lasting rhinitis due to chamomile-scented toilet paper in patients allergic to compositae. *Int Arch Allergy Immunol*. 2006, 139(4):330-331
- Schmidt OP. Erfolge der Phytotherapie in der Pulmologie. In: Demling et al.: Erfahrungstherapie – späte Rechtfertigung. Internationales Symposium Wien, 30.-31.Mai 1975, Verlag G. Braun Karlsruhe
- Segal R, Pilote L. Warfarin interaction with *Matricaria chamomilla* *CMAJ*. 2006, 174(9):1281-1282
- Shinomiya K, Inoue T, Utsu Y, Tokunaga S, Masuoka T, Ohmori A, Kamei C. Hypnotic activities of chamomile and passiflora extracts in sleep-disturbed rats. *Biol Pharm Bull*. 2005, 28(5): 808-810
- Shipochliev T, Dimitrov A, Aleksandrova E. [Anti-inflammatory action of a group of plant extracts] *Vet Med Nauki* 1981, 18(6):87-94 [Bulgarian]
- Smolinski AT, Pestka JJ. Modulation of lipopolysaccharide-induced proinflammatory cytokine production in vitro and in vivo by the herbal constituents apigenin (chamomile), ginsenoside Rb(1) (ginseng) and parthenolide (feverfew). *Food Chem Toxicol*. 2003, 41(10):1381-1390
- Soliman KM, Badeaa RI. Effect of oil extracted from some medicinal plants on different mycotoxigenic fungi. *Food Chem Toxicol* 2002, 40:1669-1675
- Stanev S, Zheljzakov V, Janculoff Y. Variation of chemical compounds in the essential oil from some native forms of chamomile (*Chamomilla recutita* L.). *Beitr Zuchtungsforchung* 1996, 2:214-217
- Stechele U in Nasemann T and Patzelt-Wenczler R: Kamillosan im Spiegel der Literatur PMI Verlag 1991;21
- Stiegelmeier H. Therapie unspezifischer Magenbeschwerden mit Kamillosan *Der Kassenarzt* 1978, 18:3605-3606
- Subiza J, Subiza JL, Hinojosa M, Garcia R, Jerez M, Valvidieso R, Subiza E. Anaphylactic reaction after the ingestion of chamomile tea: A study of crossreactivity with other composite pollens. *J Allergy Clin Immunol* 1989, 84:353-358
- Szelenyi I, Isaac O, Thiemer K. [Pharmacological experiments with compounds of chamomile. III. Experimental studies of the ulcerprotective effect of chamomile (author's transl)]. *Planta Med* 1979, 35(3):218-227 [German]
- Thien FC. Chamomile tea enema anaphylaxis. *Med J Aust*. 2001,175(1):54
- Troll W. Kamillosan-Therapie bei Erkrankungen im HNO-Bereich *Giatros HNO* 1990, 5:3-8
- Tubaro A, Zilli C, Redaelli C, Loggia RD. Evaluation of antiinflammatory activity of a chamomile extract after topical application. *Planta Med* 1984; 50(4):359
- Viegas D, Vaz FC, da Costa M. Utilizacao do extrato etanólico de flor de camomila em base cremosa no tratamento das dermatitis amoniacaís. *Pediatrica Moderna* 1996, 32:443-448
- Vilagines P, Delaveau P, Vilagines R. Inhibition of poliovirus growth by *Matricaria chamomilla* (L.) extract. *C R Acad Sci III-Vie* 1985, 301:289
- Viola H, Wasowski C, Levi de Stein M, Wolfman C, Silveira R, Dajas Fet al.. Apigenin, a component of *Matricaria recutita* flowers, is a central benzodiazepine receptors-ligand with anxiolytic effects. *Planta Med* 1995, 61(3):213-216

Wagner H, Wiesenauer M. Phytotherapie. Gustav-Fischer Verlag Stuttgart, Jena, New York 1995

Weizman Z, Alkrinawi S, Goldfarb D, Britain C. Efficacy of herbal tea preparation in infantile colic. *J Pediatr* 1993, 122:650-652

WHO monographs on selected medicinal plants Vol.2 World Health Organization Geneva 1999

Wichtl M. (Ed.) Teedrogen und Phytopharmaka. Wissenschaftliche Verlagsgesellschaft Stuttgart 2002

Yamada K, Miura T, Mimaki Y, Sashida Y. Effect of inhalation of chamomile oil vapour on plasma ACTH level in ovariectomized-rat under restriction stress. *Biol Pharm Bull* 1996, 19(9):1244-1246

Evaluated but not used

(to be integrated according to the recommendations for references):

Al-Hashem FH. Gastroprotective effects of aqueous extract of *Chamomilla recutita* against ethanol-induced gastric ulcers. *Saudi Med J.* 2010, 31(11): 1211-1216

Abebe W, Herbal medication: potential for adverse interactions with analgesic drugs. *J Clin Pharm Ther.* 2002, 27(6):391-401

Adam B, Liebrechts T, Saadat-Gilani K, Vinson B, Holtmann G. Validation of the gastrointestinal symptom score for the assessment of symptoms in patients with functional dyspepsia. *Aliment Pharmacol Ther.* 2005, 22(4):357-363.

Adam KP, Thiel R, Zapp J. Incorporation of 1-[1-(13)C]Deoxy-D-xylulose in chamomile sesquiterpenes. *Archives of biochemistry and biophysics* 1999, 369 (1):127-132

Ahmad A, Misra LN. Isolation of Herniarin and other Constituents from *Matricaria Chamomilla* Flowers *Int J Pharmacog* 1997, 35(2):121-125

Ahmed AA, Abou Elela M. Highly oxygenated bisabolenes and an acetylene from *Matricaria aurea*. *Phytochemistry* 1999, 51 (4):551-554

Allescher HD. Functional dyspepsia-a multicausal disease and its therapy. *Phytomedicine.* 2006, 13 Suppl 5:2-11. Epub 2006 Jul 20.

Allescher HD, Wagner H. STW 5/Iberogast: multi-target-action for treatment of functional dyspepsia and irritable bowel syndrome. *Wien Med Wochenschr.* 2007, 157(13-14):301-307. Review. German.

Ammon HP, Kelber O, Okpanyi SN. Spasmolytic and tonic effect of Iberogast (STW 5) in intestinal smooth muscle. *Phytomedicine.* 2006, 13 Suppl 5:67-74. Epub 2006 Sep 15.

Ammon HTP, Kaul R. Pharmacology of Chamomile and its Components. *DAZ* 1992, 132(41)Suppl. 27:3-27

Ammon HTP, Sabieraj J, Kaul R. Kamille Mechanismus der antiphlogistischen Wirkung von Kamillenextrakten und –inhaltsstoffen. *DAZ* 1996, 136(22):1821-1834

Andreev VC. Anwendung von sebamed compact mit 2% Kamillenextrakt bei verschiedenen Dermatosen. *Ärztliche Kosmetologie,* 1987, 17:452-456

Anderson C, Lis-Balchin M. The Effect of Essential Oils on Childhood Atopic Eczema, 29th International Symposium on Essential Oils, Sept 6-9, 1998 Institut für Lebensmittelchemie Johann-Wolfgang-Goethe-Universität, Frankfurt/Main 1998, Abstract: 2-9

Apotheker Pahlow M. Das große Buch der Heilpflanzen. Bechtermünz Verlag München 2001

Appel K. Potenzielle Allergene in Kamillentee gefunden. *Act Dermatol* 2008, 34:203

Appelt GD. Pharmacological Aspect of selected herbs employed in hispanic folk medicine in the San Luis valley of Colorado, USA: I. *Ligusticum Porteri* (Osha) And *Matricaria Chamomilla* (Manzanilla).

Journal of Ethnopharmacology 1985, 13:51-55

Arnold Dr. W. Über Kamille, Pfefferminz und Fenchel: Eine vergleichend , experimentell-pharmakologische und klinische Untersuchung. *Archiv f. experiment. Path.u. Pharmacol.* 1927,Bd.123 , 129-159

- Ashida Y, Nishimoto M, Matsushima A, Watanabe J, Hirata T. Molecular cloning and mRNA expression of geraniol-inducible genes in cultured shoot primordia of *Matricaria chamomilla*. *Bioscience, biotechnology, and biochemistry*, 2002, 66 (11):2511-2514
- Babenko NA, Shakhova EG. Effects of *Chamomilla recutita* flavonoids on age-related liver sphingolipid turnover in rats. *Experimental Gerontology* 2006, 41:32-39
- Bhaskaran N, Shukla S, Srivastava JK, Gupta S. Chamomile, an anti-inflammatory agent inhibits inducible nitric oxide synthase expression by blocking RelA/p65 activity. *Int J Mol Med*. 2010, 26(6):935–940
- Bauer K, Biller A, Verspohl EJ. Untersuchungen von Bestandteilen eines pflanzlichen Antidiarrhoikums auf spasmolytische Effekte. *Z. Phytother.* 2008, 29:169-172
- Bauer R, Feldmann HU. *Matricaria Chamomilla*. *Der deutsche Apotheker* 1980, (32),5
- Bauer R, Feldmann HU. *Matricaria chamomilla*. *Notabene medici* 1980, 10, 3, 137-139
- Becker H, Reichling J. Ist die Phytotherapie mit Baldrian und Kamille noch zeitgemäß. *Zeitschrift für Phytotherapie* 1982, II:2-19
- Becker H, Reichling J. Ist die Phytotherapie mit Baldrian und Kamille noch zeitgemäß?. *Deutsche Apotheker Zeitung*. 1981, 121(23):1185-1190
- Bedard M. Chamomile: More than a Fragrance? *Alternative Medicine* 2003, 136(1):14-15
- Berger F. Kapitel: *Chamomilla* Synonyma-Lexikon der Heil- und Nutzpflanzen, Österreichische Apotheker Verlags GmbH Wien, 1981, 1955 Reprintdruck 1981, 190, 354, 728
- Berger F. Kapitel: *Flores Chamomillae Vulgaris*. *Handbuch der Drogenkunde*, Maudrich Verlag Wien, 1954, 342-343
- Bianco MI, Luquez C, de Jong LIT, Fernandez RA. Presence of *Clostridium botulinum* spores in *Matricaria chamomilla* (chamomile) and its relationship with infant botulism. *International Journal of Food Microbiology* 2008, 121: 357-360
- Biller A. Immer trifft es die Kleinen: Pflanzliche Therapie kindlicher Durchfallerkrankungen. *Wien Med Wochenschr* 2007, 157(13-14):308-311
- Birt DF, Walker B, Tibbels MG, Bresnick E. Anti-mutagenesis and anti-promotion by apigenin, robinetin and indole-3-carbinol. *Carcinogenesis* 1986, 7(6):959-963
- Bisson W, Beiderbeck ; Reichling J. Die Produktion ätherischer Öle durch Zellsuspensionen der Kamille in einem Zweiphasensystem. Production of Essential Oils by Cell-Suspensions of *Matricaria chamomilla* in a Two Phase System. *Planta medica* 1983, 47 (3):164-168
- Bleimann H, Hartmann R. Therapie gastrointestinaler Funktionsstörungen mit Iberogast. *Kassenarzt* 1983, 23, 25, 52-59
- Böhme H, Hartke K. Kapitel: Kamillenblüten. *Deutsches Arzneibuch*, Wissenschaftliche Verlagsgesellschaft mgB Stuttgart 1968, 7. Ausgabe, 933-938
- Braun H, Frohne D. Kapitel: *Matricaria chamomilla*. In: *Heilpflanzen Lexikon für Ärzte und Apotheker*, Gustav Fischer Verlag, Stuttgart 1987, 5. Auflage, 155-156
- Breinlich J, Scharnagel K. Pharmakologische Eigenschaften des EN-IN-Dicycloäthers aus *Matricaria Chamomilla*. Untersuchungen der entzündungshemmenden, antianaphylaktischen, spasmolytischen und bakteriostatischen Wirkung, *Arzneim.-Forsch.* 1968, 18. Jahrgang, 429-431

- Bremer W, Fischer F, Nicolay K. Gastrointestinale Erkrankungen. *Z. Allgemeinmed.* 1983, 59, 30, 1706-1709
- British Herbal Pharmacopoeia. *Matricaria.* 2008, Vol II, 1376-1377
- British Pharmacopoeia. *Matricaria Flowers.* 2008, 1376-1377
- Broussard CS, Louik C, Honein MA, Mitchell AA. The National Birth Defect Prevention Study. Herbal use before and during pregnancy. *Am J Obstet Gynecol* 2010, 202,443 e1-6
- Brückel MH, Gisevius G. Bei funktionellen Magenbeschwerden hilft *Iberis amara*. *Ärztliche Praxis* 1984, 36, 21, 494
- Buchert D. Wirkung einer fixen Kombination bei gesicherter Non-Ulcus-Dyspepsie. *Z. Phytother.* 1994, 15, 24-25
- Buck G. Kamillobad - ein Kamillenextrakt zur äußeren Anwendung, *Z. Allg. Med.* 1988, 64:112-113
- Buckle J. Use of aromatherapy as a complementary treatment for chronic pain *Alternative therapies in health and medicine* 1999, 5(5):42-51
- Carle R. Kamillenöl - Gewinnung und Qualitätsbeurteilung. *Deutsche Apotheker Zeitung* 1996, 136(26):17-28
- Carle R. Pflanzliche Antiphlogistika und Spasmolytika. *Zeitschrift für Phytotherapie* 1988, 9:67-76
- Carle R, Dölle B, Müller W, Baumeister U. Thermospray liquid chromatography/mass spectrometry (TSP LC/MS): Analysis of acetylated apigenin-7-glucosides from *Chamomilla recutita*. *Pharmazie* 1993, 48:304-306
- Carle R, Dölle B, Reinhard E. A New Approach to the Production of Chamomile Extracts. *Planta Med* 1989, 55:540-543
- Carle R, Fleischhauer I, Beyer J, Reinhard E. Studies on the Origin of (-)- α -Bisabolol and Chamazulene in Chamomile Preparations; Part I. Investigations by Isotope Ratio Mass Spectrometry (IHMS). *Planta Med* 1990, 56:455-460
- Carle R, Fleischhauer I, Fehr D. Qualitätsbeurteilung von Kamillenölen. *Deutsche Apotheker Zeitung* 1987, 47:2451-2457
- Carle R, Isaac O. Die Kamille - Wirkung und Wirksamkeit. *Zeitschrift für Phytotherapie* 1987, 8:67-77
- Carle R, Chamomilla In, Hansel R, Keller K, Rimpler H, Schneider G. editors. Hagers Handbuch der Pharmazeutischen Praxis, 5th ed. Volume 4: Orogen AD. Berlin Springer-Verlag 1992, 817-831
- Carle R. Chamomilla. HagerROM 2006
- Casterline CK. Allergy to Chamomile Tea. *JAMA* 1980, 244(4):330-331
- Cellarova E, Rycilova M, Seidelova A, Honcariv R. Comparison of Mitotic Activity and Growth in two Long Term Callus Cultures of *Matricaria recutita* L., *Acta Biotech* 1990, 10 (3):245-251
- Cemek M, Kağa S, Simşek N, Büyükkuroğlu ME, Konuk M. Antihyperglycemic and antioxidative potential of *Matricaria chamomilla* L. in streptozotocin-induced diabetic rats. *J Nat Med.* 2008; 62(3):284-293
- Ceska O, Chaudhary SK, Warrington PJ, Ashwood-Smith MJ. Coumarins of chamomile, *Chamomilla recutita*. *Fitoterapia* 1992, 63(5):387-394

- Charuluxananan S, Sumethawattana P, Kosawiboonpol R, Somboonviboon W, Werawataganon T. Effectiveness of Lubrication of Endotracheal Tube Cuff with Chamomile-Extract for Prevention of Postoperative Sore Throat and Hoarseness. *J Med Assoc Thai* 2004, 87(2): 185-189
- Chizzola R, Michitsch H, Mitteregger US. Extractability of selected mineral and trace elements in infusions of chamomile. *International Journal of Food Sciences and Nutrition* 2008, 59(6):451-456
- Cinco M, Banfi E, Tubaro A, Della Loggia R. A microbiological survey on the activity of a hydroalcoholic extract of camomile. *Int. J. Crude Drug Res.* 1983, 21(4):145-151
- Czczot H, Tudek B, Kuzstelak J. et al.. Isolation and studies of the mutagenic activity in the Ames test of flavonoids naturally occurring in medical herbs. *Mutation Res.* 1990, 240: 209-216
- Cérantola S, Kervarec N, Pichon R, Magné C, Bessieres MA, Deslandes E. NMR characterisation of inulin-type fructooligosaccharides as the major water-soluble carbohydrates from *Matricaria maritima* (L.). *Carbohydrate research* 2004, 339 (14): 2445-2449
- DAB 9.Kamillenblüten. 2:2061-2065
- DAB 7.Kamillenblüten. 933-938
- Damschun S. Erfassung und Beschreibung vorhandener Sorten und leistungsstarker Herkünfte im Heil- und Gewürzpflanzenanbau, *Drogenreport* 1996, 9(14):31-32
- De Jong NW, Vermeulen AM, Gerth van Wijk R, de Groot H. Occupational allergy caused by flowers. *Allergy* 1998, 53:204-209.
- De Pasquale R, Ragusa S, Iauk L, Barbera R, Galati EM. Effect of cadmium on germination, growth and active principle contents of *Matricaria recutita*, L. *Pharmacological research communications* 1988, 20 (5): 151-154
- Deiningner R. Eine neue Methode zum Nachweis der entzündungswidrigen Wirkung des Azulens. *Arzneim.-Forsch.* 1956, 6(7):394-395
- Della Loggia R. Lokale antiphlogistische Wirkung der Kamillen-Flavone. *Deutsche Apotheker Zeitung*, Suppl 1:9-11
- Della Loggia R, Tubaro A, Dri P, Zilli C, Del Negro P. The Role of Flavonoids in the antiinflammatory activity of *Chamomilla recutita*. *Plant Flavonoids in Biology and Medicine: Biochemical, Pharmacological and Structure-Activity Relationships* 1986, 213:481-484
- Demling L. Erfahrungstherapie - späte Rechtfertigung. In: Demling L, Nasemann T, Rosch W. editors. *Erfahrungstherapie - späte Rechtfertigung*. Verlag G. Braun, Karlsruhe 1975:1-8.
- Detter A. Keimhemmstoffe als Arzneimittel? *Pharmazeutische Zeitung* 1981, 126(23):1140-1142
- Dragland S, Senoo H, Wake K, Holta K, Blomhoff R. Several culinary and medicinal herbs are important sources of dietary antioxidants. *J Nutr* 2003, 133:128-190
- Eliasová A, Repcák M, Pastírová A. Quantitative changes of secondary metabolites of *Matricaria chamomilla* by abiotic stress. *Zeitschrift für Naturforschung. C, Journal of bioscience* 2004, 59 (7-8); 543-548
- EMA/Working Party on Herbal Medicinal Products Draft position statement on chamomilla containing herbal medicinal products. EMA/HMPWP/345/03, 2003 4 S
- ESCAP. Proposal for a European Monograph on the medicinal use of MATRICARIAE FLOS. European Scientific Cooperative for Phytotherapie 1990, I.2.1-I.2.9

- Europäisches Arzneibuch. Kamillenblüten. 2005, 2513-2514
- EuAB. Matricariae Flos. 5: 550-556
- European Pharmacopoeia: Matricariae extractum fluidum. Council of Europe 2008, 6th edition: 5012-5013
- Exner J, Reichling J, Cole TC, Becker H. Methylated flavonoid-aglycones from "matricariae flos", *Planta medica* 1981, 41 (2):198-200
- Farideh ZZ, Bagher M, Ashraf A, Akram A, Kazem M. Effects of chamomile extract on biochemical and clinical parameters in a rat model of polycystic ovary syndrome. *J Reprod Infertil*. 2010, 11(3):169-174.
- Fischer G. Kapitel: Kamille, gemeine Heilkräuter und Arzneipflanzen, Karl F. Haug Verlag Heidelberg 1978, 5. Auflage, 118-119
- Flaskamp E, Nonnenmacher G, Zimmermann G, Isaac O. Zur Stereochemie der Bisaboloide aus *Matricaria chamomilla*. *Planta medica* 1981, 42 (6):106-107
- Florido-Lopez JF, Gonzalez-Delgado P, Saenz de San Pedro B, Perez-Miranda C, Arias de Saavedra JM, Marin-Pozo J. Allergy to natural honeys and chamomile tea. *Int. Arch. Allergy Immunol*. 1995, 108: 170-174
- Fonseca FN, Tavares MF. Validation of a capillary electrophoresis method for the quantitative determination of free and total apigenin in extracts of *Chamomilla recutita*. *Phytochemical analysis*, PCA 2004, 15 (1):65-70
- Fonseca FN, Tavares MF, Horváth C. Capillary electrochromatography of selected phenolic compounds of *Chamomilla recutita*. *Journal of chromatography. A* 2007, 1154 (1-2):390-399
- Förster CF, Süßmann HE, Patzelt-Wenczler R. Optimierung der Barron-Ligaturbehandlung von Hämorrhoiden zweiten und dritten Grades durch therapeutische Troika. *Schweizerische Rundschau für Medizin (Praxis)* 1996, 85(46):1476-1481
- Foti K, Nettis E, Panebianco R, Cassano N, Diafero A, Pia DP. Contact Urticaria from *Matricaria chamomilla*. *Contact Dermatitis* 2000, 42:360-361
- Franz C, Fritz D, Ruhland E. Zur Qualität von Pfefferminz- und Kamillen-Teedroge aus dem Handel. *Planta medica* 1981, 42(6):132
- Frohne D, Pfänder HJ. Kapitel: Asteraceae. In: Giftpflanzen Ein Handbuch für Apotheker, Ärzte, Toxikologen und Biologen. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1987, 3. Auflage, 69-71
- Füller E, Sosa S, Tubaro A, Franz G, Della Loggia R. Anti-inflammatory activity of Chamomile polysaccharide. *Planta Med* 1993, 59:666-667
- Füller E, Sosa S, Tubaro A, Franz G, Della Loggia R. Anti-inflammatory activity of Chamomile polysaccharide. *Pharm Pharm.col Letters* 2000, 2:86-87
- Ganzer BM. Phytotherapie in der Kinderheilkunde hoch geschätzt. *PZ* 1990, 135(20):26
- Ganzer M, Guggenberger M, Stuppner H, Zidorn C. Altitudinal variation of secondary metabolite profiles in flowering heads of *Matricaria chamomilla* cv. BONA. *Planta medica* 2008, 74: 453-457
- Gardiner P. Complementary, Holistic, and Integrative Medicine: Chamomile. *Pediatr Rev* 2007, 28(4):e16-e18

- Gasic O, Lukic V, Adamovic D, Canak N. Variation in the content and the composition of the essential oils in flower heads of *Matricaria chamomilla* L. during its ontogenetical development. *Acta pharmaceutica Hungarica* 1986, 56 (6):283-288
- Germann I, Hagelauer D, Kelber O, Vinson B, Laufer S, Weiser D, Heinle H. Antioxidative properties of the gastrointestinal phytopharmaceutical remedy STW 5. *Phytomedicine* 2006, 13, S V, 45-50
- Gessner O, Orzechowski G. Gift und Arzneipflanzen von Mitteleuropa. Carl Winter Verlag, Heidelberg 1974, 3. Auflage, 187, 197, 232, 280-283
- Giligan NP. The palliation of nausea in hospice and palliative care patients with essential oils of *Pimpinella anisum* (aniseed), *Foeniculum vulgare* var. Dulce (sweet fennel), *Anthemis nobilis* (Roman chamomile) and *Mentha x piperita* (peppermint). *The International Journal of Aromatherapy* 2005, 15:163-167
- Giordano-Labadie F, Schwarze HP, Bazex J. Allergic contact dermatitis from camomile used in phytotherapy. *Contact Dermatitis* 2000, 42:247
- Glasl H, Wagner H. Gaschromatographische Untersuchung von Arzneibuchdrogen. *Deutsche Apotheker Zeitung* 1976, 116(3):45-50
- Glowania HJ, Raulin C, Swoboda M. Wirkung der Kamille in der Wundheilung – eine klinische Doppelblindstudie. *Z Hautkr* 1987, 62(17):1262-1271
- Goldstein LH, Elias M, Ron-Avraham G, Biniarishvili BZ, Madjar M, Kamargash I, Braunstein R, Berkovitch M, Golik A. Consumption of herbal remedies and dietary supplements amongst patients hospitalized in medical wards. *Br J Clin Pharmacol.* 2007, 64(3):373-80
- Gomaa A, Hashem T, Mohamed M, Ashry E. *Matricaria chamomilla* extract inhibits both development of morphine dependence and expression of abstinence syndrome in rats. *Journal of pharmacological sciences* 2003, 92(1):50-55
- Gould L, Reddy R, Gomprecht RF. Cardiac effects of chamomile tea. *J. Clin. Pharmacol.* 1973,475-479
- Graf J. Herbal anti-inflammatory agents for skin disease. *Skin therapy letter* 2000, 5(4):3-5
- Griffiths LA, Barrow A. Metabolism of flavonoid compounds in germ-free rats. *Biochem J* 1972, 130:1161-1162
- Grochulski A, Borkowski B. Einfluss on OI. *Chamomillae* in experimenteller Glomerulonephritis bei Kaninchen. *Planta med.* 1972, 21(3):289-292
- Gundermann KJ, Godehardt E, Ulbrich M. Efficacy of a herbal preparation in patients with functional dyspepsia: A meta-analysis of double-blind, randomized, clinical trials. *Adv. Ther.* 2003, 20, 43-49
- Gundermann KJ, Godehardt E, Ulbrich M. Wirksamkeit eines pflanzlichen Kombinationspräparates bei funktioneller Dyspepsie. Metaanalyse randomisierter Doppelblind-Studien auf Basis eines validen gastrointestinalen Symptomprofils. *MMW Orig.* 2004, 146:71-76
- Habersang S, Leuscher F, Isaac O, Thiemer K. Pharmakologische Untersuchungen von Kamillen-Inhaltsstoffen. IV. Untersuchungen zur Toxizität des (-)- α -Bisabolols. *Planta Med* 1979, 37:115-123
- Hagenström UH, Spitzkowski A, Winkler U. Kamillenblüten--eine heterogene Droge (Beitrag zur Herstellung von Teegemischen mit *Matricariae flos*) Chamomile blooms--a heterogenous drug (manufacture of mixed teas with *Matricariae flos*) *Die Pharmazie* 1990, 45(3):211-212
- Hager. Kapitel. Chamomilla. In: Hagers Handbuch der Pharmazeutischen Praxis, Springer Verlag, Berlin 1991, 5. Neuausgabe

Hager Kapitel. Chamomilla. In: Hagers Handbuch der Pharmazeutischen Praxis, Springer Verlag, Berlin 1992, 5. Neuauflage, 817-831

Hager Kapitel: Matricaria chamomilla. In: Hagers Handbuch der Pharmazeutischen Praxis, Springer Verlag, Berlin 1975, 4. Neuauflage, 5: 710-722

Hahn B, Hölzl J. Resorption, Verteilung und Metabolismus von 14-C-Levomentol in der Haut. *Arzneim.-Forsch./Drug Res.* 1987, 37 (I); (6):716-720

Hamon NW. The Chamomiles. CPJ-RPC 1989, 612-615

Hänsel R, Haas H. Kapitel. 12.4.4 Kamillenblüten. In: Therapie mit Phytopharmaka, Springer Verlag Berlin 1983, 146-147

Hänsel R, Haas H. Kamillenblüten. In: Therapie mit Phytopharmaka. Springer-Verlag, Berlin 1984:146-50, 270-271.

Hänsel R, Keller K, Rimpler H. Kapitel. Chamomilla. In: Hagers Handbuch der pharmazeutischen Praxis, 817-831

Harnischfeger G, Stolze H. Kamille. notabene medici, *Journal für Ärzte* 1982, Sonderdruck 12(10):831-840

Hartke K, Mutschler E. Kapitel: Kamillenblüten. DAB 9 1986, Band 2, 2061-2065

Hatzky K. Über die Anwendung der Kamille in der inneren Medizin als Chamomillysatum Bürger. *Medizinische Klinik* 1930, 22:819-820

Hausen BM. Sesquiterpene Lactones - Chamomilla recutita - Adverse Effects of Herbal Drugs, In: De Smet PAGM Springer Verlag 1992, 243-248

Hausen BM. Kapitel: Chamomilla recutita. In: Allergiepflanzen, Pflanzenallergene: Handbuch und Atlas der allergieinduzierenden Wild-und Kulturpflanzen.-Kontaktallergene 1988, Ecomed Landsberg, 89-91, 246

Hausen BM. Kompositen-Allergie. Eine Auswertung der Testergebnisse von 1985-1990. *Akt. Dermatol.* 1992, 18:96-101

Hausen BM. The sensitizing capacity of compositae plants. *Dermatologica* 1979, 159:1-11

Hausen BM, Busker E, Carle E. Über das Sensibilisierungsvermögen von Compositenarten: VII. Experimentelle Untersuchungen mit Auszügen und Inhaltsstoffen von Chamomilla recutita (L.) Rauschert und Anthemis corula L., , *Planta Med* 1984, 50(3):229-234

Heidari MR, Dadollahi Z, Mehrabani M, Mehrabi H, Pourzadeh-Hosseini M, Behravan E, Etemad L.

Study of antiseizure effects of Matricaria recutita extract in mice. *Ann N Y Acad Sci.* 2009 ,1171:300-304, doi: 10.1111/j.1749-6632.2009.04917.x.

Hegyí E, Dolezalová A, Danilla T, Manovská M, Gejdová M, Danyszová J, et al.. Inzidenz von Kontaktallergien in der West-Slowakei. *Dermatosen* 1994, 42:148-152

Hegyí E, Hudáková G. Inzidenz der Kontaktsensitivität auf Kontaktallergene der Standardreihe bei Patienten über 40 Jahre mit besonderer Berücksichtigung der Frauen. *Dermatosen Occup. Environ.* 1997, 45:6-11

Heilmann J, Merfort I, Hagedorn U, Lippold BC. In vivo skin penetration studies of Chamomille Flavonoids, *Planta Medica* 1993, 59:638

- Heinle H, Hagelauer D, Pascht U, Kelber O, Weiser D. Intestinal spasmolytic effects of STW 5 (Iberogast) and its components. *Phytomedicine* 2006, 13, S V, 75-79
- Heinrich U, Tronnier H. Hautglättungsstudie mit einem Hautfunktionsöl. *PZ* 1992, 137(25): 36-38
- Hempel B. Co2-extract from German Chamomile-proposed medicinal use. *Act Hort* 1999, 503:15-19
- Hernandez-Ceruelos A, Madrigal-Bujaidar E, de la Cruz C. Inhibitory effect of chamomile essential oil on the sister chromatid exchanges induced by daunorubicin and methyl methanesulfonate in mouse bone marrow. *Toxicol. Letters* 2002, 135:103-110
- Heuskin S, Godin B, Leroy P, Capella Q, Wathelet JP, Verheggen F, *et al.*. Fast gas chromatography characterisation of purified semiochemicals from essential oils of *Matricaria chamomilla* L. (Asteraceae) and *Nepeta cataria* L. (Lamiaceae). *Journal of chromatography A* 2009, 1216 (14): 2768-2775
- Hinz HL; Müller-Schärer H. Suitability of two root-mining weevils for the biological control of scentless chamomile, *Tripleurospermum perforatum*, with special regard to potential non-target effects. *Bulletin of entomological research* 2000, 90(6):497-508
- Hitziger T, Höll P, Ramadan M, Dettmering D, Imming P, Hempel B. Die alte junge Kamille. *Phytopharmazie* 2003, 5:22-30
- Hofmann HA. Kamillosan liquidum bei Dickdarmerkrankungen, *Fortschritte der Therapie* 1926, 5:156-157
- Hohenester B, Rühl A, Kelber O, Schemann M. The herbal preparation STW 5 (Iberogast) has potent and region-specific effects on gastric motility. *Neurogastroenterol. Motil.* 2004, 16:765-773
- Holtmann G, Adam B, Vinson B. Evidenz-basierte Medizin und Phytotherapie bei funktioneller Dyspepsie und Reizdarmsyndrom: Eine systematische Analyse der verfügbaren Evidenz zum Präparat Iberogast. *Wiener Med. Wochenschr.* 2004, 154:528-534
- Höltzel C. Tee und Teezubereitungen in der Apotheke. *Deutsche Apotheker Zeitung* 1984, 124(48):2479-248
- Holz W, Miething H. Wirkstoffe in wäßrigen Kamillenaufgüssen. *Pharmazie* 1994, 49(1):53-55
- Hölzl J, Hahn B. Präparation von [¹⁴C](⁻)- α -Bisabolol mit *Chamomilla recutita* (L.) Rauschert. *Deutsche Apotheker Zeitung Suppl. I* 1985, 31-38
- Hölzl J, Ghassemi N, Hahn B. Preparation of ¹⁴C-Spiro Ethers by Chamomile and their Use by an Investigation of Absorption. *Planta medica* 1986, 52 (6), 553
- Homöopathisches Arzneibuch. *Chamomilla recutita*. 1985, 4. Nachtrag, 131-133
- Hope MF. Kapitel: *Matricaria*. 692-694
- Hoppe HA. Kapitel: *Matricaria chamomilla*. In: *Drogenkunde*, Walter de Gruyter Verlag Berlin 1975, 8. Auflage 1:692-695
- Ianoli P, Avallone R, Baraldi M. Behavioral Characterisation of the flavonoids apigenin and chrysin. *Fitoterapia* 2000, 71 (Suppl 1):5117 -23.
- Illing G, Sajthy G. Zur antiemetischen Wirkung von Iberogast. *Kassenarzt* 1984, 17: 46-49
- Isaac O. Fortschritte in der Kamillenforschung. *Physikalische Medizin und Rehabilitation* 1975, 16(11):223-229

- Isaac O. Die Kamillentherapie - Erfahrung und Bestätigung. *Deutsche Apotheker Zeitung* 1980, 120(13):567-570
- Isaac O. Fortschritte in der Kamillenforschung. *Deutsche Apotheker Zeitung* 1974, Sonderdruck aus 114. Jahrg., Nr 7, 255-260
- Isaac O. Pharmakologische Untersuchungen von Kamillen-Inhaltsstoffen: I. Zur Pharmakologie des (-)-a-Bisabolols und der Bisabololoxide. *Planta Med* 1979, 35(2):118-124
- Isaac O, Kristen G. Alte und neue Wege der Kamillentherapie. Die Kamille als Beispiel für moderne Arzneipflanzenforschung. *Die Medizinischer Welt* 1980, 31(31-32):1145-1149
- Isaac O, Schimpke H. Wissenswertes für die pharmazeutische Praxis. *Mitteilungen der Deutschen Pharmazeutischen Gesellschaft* 1965, 35(8):133-147
- Isaac O, Schneider Dr. H, Eggenschwiller H. Beitrag zur Kenntnis des Kamillen-Bisabolols. *Deutsche Apotheker Zeitung* Sonderdruck aus 108. Jahrg. Nr.9 1968, 293-298
- Isar HJ. Alte und neue Anwendungsmöglichkeiten der deutschen Kamille in der dermatologischen und urologischen Praxis. *Dermatol Wschr* 1930, 21:712-5
- Izumi S, Takashima O, Hirata T. Geraniol is a potent inducer of apoptosis-like cell death in the cultured shoot primordia of *Matricaria chamomilla*. *Biochemical and biophysical research communications* 1999, 259(3):519-522
- Jakovlev V, Isaac O, Thiemer K, Kunde R. Pharmakologische Untersuchungen von Kamillen-Inhaltsstoffen: II. Neue Untersuchungen zur antiphlogistischen Wirkung des (-)-a Bisabolols und der Bisabololoxide. *Planta Medica* 1979, 35(2):125-140
- Jakovlev V, von Schlichtegroll A. Zur entzündungshemmenden Wirkung von(-)-a-Bisabolol, einem wesentlichen Bestandteil des Kamillenöls. *Arzneim.-Forsch./Drug Res.* 1969, 19:615-616
- Jakovlev V, Isaac O, Flaskamp E. Pharmakologische Untersuchungen von Kamillen-Inhaltsstoffen. VI. Untersuchungen zur antiphlogistischen Wirkung von Chamazulen und Matricin. Pharmacologic studies on chamomile compounds. VI. Studies on the antiphlogistic effect of chamazulene and matricine. *Planta med* 1983, 49:67-73
- Janmeja K, Srivastava, Gupta S. Antiproliferative and Apoptotic Effects of Chamomile Extract in Various Human Cancer Cells. *Journal of Agricultural and food Chemistry* 2007, 55:9470-9478
- Jarrahi M, Vafaei AA, Taherian AA, Miladi H, Rashidi Pour A. Evaluation of topical *Matricaria chamomilla* extract activity on linear incisional wound healing in albino rats. *Natural product research* 2008, 22(14):1197-1202
- Johri AK, Svrivastava LJ, Singh JM, Rana RC. Effect of Row Spacings and Nitrogen Levels of Flower and Essential Oil Yield in German Chamomile. *Indian Perfumer* 1991, 35(2):93-96
- Kai H, Kimoto A, Ishibashi A, Marsuzaki M, Takahama K, Miyara T. Involvement of divalent cation in the basal secretion of mucus glycoconjugates by rabbit trachea and dog gastric mucosa, *Europ J Pharmacology* 1990, 183(3):728-729
- Kaiser CS, Hömpp H, Schmidt PC. Supercritical Carbon Dioxide Extraction of Chamomile Flowers: Extraction Efficiency, Stability, and In-line Inclusion of Chamomile-Carbon Dioxide Extract in β -cyclodextrin, *Phytochem Anal* 2004, 15:249-256
- Kanda Y, Richards RG, Handwerker S. Apolipoprotein A-1 stimulates human placental lactogen release by activation of MAP Kinase. *Mol Cell Endocrinol* 1998, 143:125-131

- Karbalay-Doust S, Noorafshan A. Antiulcerogenic Effects of Matricaria Chamomilla Extract in Experimental Gastric Ulcer in Mice, *Iran J. Med Sci* 2009, 34(3):198-203
- Kato A, Minoshima Y, Yamamoto J, Adachi I, Watson AA, Nash RJ. Protective effects of dietary chamomile tea on diabetic complications. *J Agric Food Chem.* 2008, 56(17):8206-8211
- Katz R. Therapeutische Erfahrungen mit Kamillösen. *Fortschr Med* 1928, 46:388-391
- Kelber O, Wittwer A, Lapke C, Kroll U, Weiser D, Okpanyi SN, Heilmann J. Ex vivo/in vitro absorption of STW 5 (Iberogast) and its extract components. *Phytomedicine* 2006, 13, S V, 107-113
- Kesmati M, Barfinejad N, Moghadam HF. Effect of matricaria recutita on acute pain in the presence and absence of sex hormones, *Journal of Research in Medical Science* 2007, 12(4):190-197
- Kesmati M, Zadeh A, Moghaddam F. Study of Benzodiazepine-like effects of Matricaria recutita on Morphine withdrawal syndrome in adult male rats . *Pak J. Med Sci* 2008, 24(5):735-739
- Ketel WG. Allergy to Matricaria chamomilla, *Contact Dermatitis* 1987, 16(1):50-51
- Khayyal MT, Seif-El-Nasr M, El-Ghazaly MA, Okpanyi SN, Kelber O, Weiser D. Mechanisms involved in the gastro-protective effect of STW 5 (Iberogast) and its components against ulcers and rebound activity. *Phytomedicine* 2006, 13, S V, 56-66
- Kobayashi Y, Nakano Y, Inayama K, Sakai A, Kamiya T. Dietary intake of the flower extracts of German Chamomile (*Matricaria recutita* L.) inhibited compound 48/80-induced itch-scratch responses in mice, *Phytomedicine* 2003, 10:657-664
- Kobayashi Y, Suzuki A, Kohayashi A, Kasai A, Ogata Y, Kumada Y. Suppression of Sensory Irritation by Chamomile Essential Oil und Its Active Component - Bisabololoxide A, *Niigata University of Pharmacy and Applied Sciences* 2007,163-174
- Koch C, Reichling J, Kehm R, Scharaf MM, Zentgraf H, Schneelee J, Schnitzler P. Efficacy of anise oil, dwarf-pine oil and chamomile oil against thymidine-kinase-positive and thymidine-kinase-negative herpesviruses, *J of Pharmacy and Pharmacology* 2008, 60:1545-1550
- Koßowicz J, Siebert A, Fiedler W, Böhm R. Kamille und Schafgarbe "unter Beobachtung" *Therapiewoche* 1996, 34: 1857-1861
- Kovacik J, Backor M, Kadukova J. Physiological Responses of Matricaria chamomilla to Cadmium and Copper Excess, *Environmental Toxicology* 2007, 123-130
- Kovacik J, Backor M. Oxidative status of Matricaria chamomilla plants related to cadmium and copper uptake. *Ecotoxicology* 2008, 17:471-479
- Kovacik J, Backor M. Phenylalanine Ammonia-Lyase and Phenolic Compounds in Chamomile Tolerance to Cadmium and Copper Excess, *Water Air Soil Pollut* 2007, 185:185-193
- Kovacik J, Klejdus B, Backor M. Nitric oxide signals ROS scavenger-mediated enhancement of PAL activity in nitrogen-deficient Matricaria chamomilla roots: side effects of scavengers. *Free radical biology & medicine* 2009, 46 (12): 1686-93
- Kovacik J, Klejdus B. Dynamics of phenolic acids and lignin accumulation in metal-treated Matricaria chamomilla roots. *Plant Cell Rep* 2008, 27:605-615
- Kovacik J, Klejdus B, Hedbavny J, Backor M. Salicylic acid alleviates NaCl-induced changes in the metabolism of Matricaria chamomilla plants. *Ecotoxicology* (London, England) 2009, 18(5):544-554

- Kovacik J, Klejdus B, Kadukova J, Backor M. Physiology of *Matricaria chamomilla* exposed to nickel excess, *Ecotoxicology and Environmental Safety* 2009, 72:603-609
- Kovacik J, Gruz J, Backor M, Strnad M, Repcák M. Salicylic acid-induced changes to growth and phenolic metabolism in *Matricaria chamomilla* plants. *Plant cell reports* 2009, 28 (1): 135-143
- Kowalzig H. Erfahrungen mit "Kamillosan", einer neuen Anwendungsart der Kamille, *Münchener medizinische Wochenschrift* 1922, 2:49-50
- Kralova K, Masarovicov E. *Hypericum perforatum* L. and *Chamomilla recutita* (L.) Rausch.-- accumulators of some toxic metals. *Die Pharmazie* 2003, 58 (5); 359-360
- Kraft K. Aromatherapie - Was ist gesichert? *EHK* 2008, 57:273-278
- Kraft K. Wunden und stumpfe Traumen. *Z. Phytotherapie* 2008, 29: 178-180
- Kroon LA. Drug interactions with smoking. *Am J Health. Syst Pharm* 2007, 64 (18):1917–1921.
- Kunde R, Isaac O. Über die Flavone der Kamille und ein neues acetyliertes Apigenin-7-glucosid. *Planta Med* 1979, 37(2): 124-130
- Kupfersztain C, Rotem C, Fagot R, Kaplan B. The immediate effect of natural plant extract, *Angelica Sinensis* and *Matricaria Chamomilla* (Clirnex) for the treatment of hot flushes during menopause. A preliminary report *Clin Exp Obst Gyn* 2003, 30(4):203-206
- Kuo ML, Yang NC. Reversion of V-H-Ras-transformed NIH 3T3 cells by apigenin through inhibiting mitogen activated protein-kinase and its downstream oncogenes. *Biochem Biophys Res Commun* 1995, 212: 767-775
- Kurita N, Miyaji M, Kurane R, Takahara Y. Antifungal activity of components of essential oils. *Agric. Biol. Chem.* 1981, 45(4):945-952
- Kyokong O, Charuluxananan S, Muangmingsuk V, Rodanant O, Subornsug K, Punyasang W. Efficacy of chamomile-extract spray for prevention of post-operative sore throat. *J Med Assoc Thai.* 2002,85 (Suppl 1):S180-S185
- Lahijani MSS, Kateb HRR, Heady R, Yazdani D. The effect of German chamomile (*Matricaria recutita* L.) extract and tea tree (*Melaleuca alternifolia* L.) oil used as irrigants on removal of smear layer: a scanning electron microscopy study. *International Endodontic Journal* 2006, 39:190-195
- Latz B. Über meine Erfahrungen mit Kamille in besonderer Anwendungsform. *Fortschritte der Therapie* 1927, 22:796-799
- Lenk S. Behandlung mit Kamillenblütenextrakt, *TW Urologie Kompakt* 1996, 11-12
- Lepley DM, Li B, Birt DF, Pelling JC. The chemopreventive flavonoid apigenin induces G2/M arrest in keratinocytes. *Carcinogenesis* 1996, 17: 2367-2375
- Leslie GB, Salmon G. Repeated dose toxicity studies and reproductive studies on nine biostrath herbal remedies. *Swiss Med.* 1979, 1:43-45
- Linde H, Cramer G. (-)-alpha-Bisabolol und cis-2-[Hexadiin-(2,4)-yliden]-1,6-dioxaspiro-[4,4]-nonen-(3) in handelsüblichen Kamillen-Extrakten, *Arzneim.-Forsch./Drug Res.* 1972, 22:583-585
- List PH, Hörhammer L. Kapitel: *Matricaria* In: HAGERS HANDBUCH DER PHARMAZEUTISCHEN PRAXIS 1976, 710-720

- Liu CY, Müller MH, Glatzle J, Weiser D, Kelber O, Enck P *et al.* The herbal preparation STW 5 (Iberogast_) desensitizes intestinal afferents in the rat small intestine¹. *Neurogastroenterol Motil* 2004, 16: 759–764
- Liu JP, Yang M, Liu YX, Wei ML, Grimsgaard S. Herbal medicines for treatment of irritable bowel syndrome (Review). *Cochrane Database Syst Rev.* 2006, (1):CD004116.
- Lu T, Cantrell CL, Robbs SL, Franzblau SG, Fische NH. Antimycobacterial Matricaria Esters and Lactones from Astereae Species. *Planta Med* 1998, 64:665-667
- Luo LH, Kim HJ, Nguyen DH, Lee HB, Lee NH, Kim EK. Depigmentation of melanocytes by (2Z,8Z)-matricaria acid methyl ester isolated from *Erigeron breviscapus*. *Biological & pharmaceutical bulletin*, 2009, 32(6),1091-1094
- Luppold E. Matricaria Chamomilla-eine alte und neue Arzneipflanze, *Pharmazie in unserer Zeit* 1984, 13(3):65-70
- Ma CM, Winsor L, Daneshtalab M. Quantification of spiroether isomers and herniarin of different parts of *Matricaria matricarioides* and flowers of *Chamaemelum nobile*. *Phytochem Analysis. PCA* 2007, 18 (1): 42-49
- Mac Lean N, Hübner-Steiner U. Behandlung arzneimittelbedingter Magen-Darm-Beschwerden. *Fortschr. Med.* 1987, 105(12): 239-242
- Mac Lean N, Hübner-Steiner U. Behandlung gastrointestinaler Beschwerden aufgrund von Arzneimittelunverträglichkeit mit dem Phytotherapeutikum Iberogast. *Gastro-Entero-Hepato* 1985, 3(6):3-8
- Macander PJ. Flavonoids Affect Acetylcholine, Prostaglandin E2 and Antigen-Mediated Smooth Muscle Contraction. Plant Flavonoids in Biology and Medicine. *Biochemical, Pharmacological and Structure-Activity Relationships* 1986, 489-492
- Maday E, Marczal G, Lemberkovics E, Muskath Z, Szöke E. In vitro and in vivo study of the essential oil of chamomile, 46. Kongreß der Gesellschaft für Arzneipflanzeforschung "Quality of Medicinal Plants and Herbal Medicinal Products" Wien C08 1998
- Maday E, Szöke E, Muskath Z, Lemberkovics E. A study of the production of essential oils in chamomile hairy root cultures. *European journal of drug metabolism and pharmacokinetics* 1999 24(4):303-308
- Madisch A, Holtmann G, Mayr G, Vinson B, Hotz J. Treatment of Functional Dyspepsia with a Herbal Preparation *Digestion* 2004, 69: 45-52
- Madisch A, Holtmann G, Plein K, Hotz J. Treatment of irritable bowel syndrome with herbal preparations: results of a double-blind, randomized, placebo-controlled, multi-centre trial. *Aliment. Pharmacol. Ther.* 2004, 19: 271-279
- Madisch A, Melderis H, Mayr G, Sassin I, Hotz J. Ein Phytotherapeutikum und seine modifizierte Rezeptur bei funktioneller Dyspepsie. *Z. Gastroenterol.* 2001, 39: 511-517
- Magiatis P, Michaelakis A, Skaltsounis AL, Haroutounian SA. Volatile secondary metabolite pattern of callus cultures of *Chamomilla recutita*. *Natural product letters* 2001, 15(2):125-130
- Maier R, Carle R, Kreis W, Reinhard E. Purification and Characterization of a Flavone 7 -O-Glucoside-Specific Glucosidase from Ligulate Florets of *Chamomilla recutita*. *Planta Med* 1993, 59: 436-441
- Maier R, Kreis W, Carle R, Reinhard E. A Flavone-Glucoside-Cleaving beta-Glucosidase from *Chamomilla recutita*. *Planta medica* 1991, 57 (3): 297-298

- Mares D, Romagnoli C, Bruni A. Antidermatophytic Activity of Herniarin in Preparations of Chamomilla recutita (L.) Rauschert, *Plantae medicinales et phytotherapie* 1993, 26(2):91-100
- Martindale. Kapitel: 4668-r Matricaria Flowers Martindale, *The Pharmaceutical Press London* 1982, 28th edition
- Mayer JG, Uehlecke B, Saum K. OSB. Das große Handbuch der Klosterheilkunde. Weltbild Augsburg 2008, 290
- Mazokopakis EE, Vrentzos GE, Papadakis JA, Babalis DE, Ganotakis ES. Wild chamomile (*Matricaria recutita* L.) mouthwashes in methotrexate-induced oral mucositis. *Phytomedicine*. 2005, 12(1-2):25-27
- McGeorge BCL, Steele C. Allergie contact dermatitis of the nipple from Roman chamomile ointment, *Contact Dermatitis* 1991, 24:139-140
- Mc Kay DL, Blumberg JB. A Review of the Bioactivity and potential Health Benefits of Chamomile Tea (*Matricaria recutita* L.). *Phytother Res* 2006, 20:519-530
- Medic-Saric M, Stanic G, Bosnjak I. The use of information theory and numerical taxonomy methods for evaluating the quality of thin-layer chromatographic separations of flavonoid constituents of *Matricariae flos*. *Die Pharmazie* 2001, 56 (2):156-159
- Melzer J, Iten F, Reichling J, Saller R. Iberis amara L. and Iberogast – Results of a systematic review concerning functional dyspepsia. *J. Herbal Pharmacother*. 2004, 4: 51-59
- Melzer J, Rösch W, Reichling J, Brignoli R, Saller R. Meta-Analysis: phytotherapy of functional dyspepsia with the herbal drug preparation STW 5 (Iberogast). *Aliment Pharmacol. Ther*. 2004, 20: 1279-1287
- Melzig MF. Hemmung der neutrophilen Elastase durch ätherische Öle, *Zeitschrift für Phytotherapie* 2006, 27:227-230
- Merck. Kapitel: 5639, Matricaria, *Merck Index, Merck & Co., Inc. Rahway NJ USA* 1989, 11. Auflage, 902
- Messerschmidt W. Vergleichende Untersuchungen von wässrigen und äthanolisch-wässrigen Kamillenpräparaten des Handels. *Deutsche Apotheker Zeitung* 1973, 20:745-748
- Meyer A, Zimmermann S, Hempel B, Imming P. Anthecotulide: Purification, Analytical Data, Absence from Chamomile Preparations, Stability and Reactivity, and Anti-infective Testing. *Journal of Natural Products* 2005, 68: 432-434
- Michael S, Kelber O, Hauschildt S, Spanel-Borowski K, Nieber K. Inhibition of inflammation-induced alterations in rat small intestine by the herbal preparations STW 5 and STW 6. *Phytomedicine* 2009, 16:161-171
- Miething H, Holz W. Wirkstoffe in wässrigen Kamillenaufgüssen, 1. Mitteilung: Freisetzungskinetiken ausgewählter Flavonoidglycoside. *Pharmazie* 1989, 44:784-785
- Mohr T, Hecht H, Eichhorn H. Vergleichende Untersuchungen einer verbesserten Pflückmaschine zur Gewinnung von Blütendrogen der Echten Kamille, Ringelblume sowie Johanniskraut. *Drogenreport* 1996, 9(14):15-23
- Morck H. Kapitel: Kamillenblüten. In: *Drogenkunde*, Georg Thieme Verlag, Stuttgart 1996, 81-83
- Morgan N. Strategies for Colic. *Birth Gazette* 1996, 12(4): 18-23

- Moss M, Howarth R, Wilkinson L, Wesnes K. Expectancy and the aroma of Roman chamomile influence mood and cognition in healthy volunteers. *The International Journal of Aromatherapy* 2006,16:63-73
- Moussally K, Bérard A. Exposure to herbal products during pregnancy and the risk of preterm birth. (Letter to the editors) *Eur J Obstet Gynecol Reprod Biol* 2010, 150:102-108
- Müller MH, Liu CY, Glatzle J, Weiser D, Kelber O, Enck P, Grundy D, Kreis ME. STW 5 (Iberogast) reduces afferent sensitivity in the rat small intestine. *Phytomedicine* 2006, 13, S V, 100-106
- Münzel M. Okkulte Sinusitis des Kindes. *Selecta* 1975, 24:2258-2260.
- Mulinacci Neander KD, Hesse F. Kamillentees in der Mundpflege. *Pflege Aktuell* 2004, 58: ,350-351
- Nerseseyn AK. Influence of chamomile essential oil (CO) on SCE induced by two strong mutagens. Letter to the Editor, *Toxicology Letters* 2004, 150:229-230
- Newsholme SJ, Kellerman TS, Welman WG. Pathology of a nervous disorder (pushing disease or "stootsiekte") in cattle caused by the plant *Matricaria nigellifolia* DC. (Asteraceae). *The Onderstepoort journal of veterinary research* 1984, 51(2):119-127
- Nicolay K. Funktionelle Gastroenteropathien im therapeutischen Blindvergleich von Metoclopramid mit dem Phytopharmakon Iberogast. *Gastro-Entero-Hepato.* 1984, 2:24-28
- Niederhofer H. Erste Ergebnisse einer Anwendung von echter Kamille bei autistischen Patienten, *Zeitschrift für Phytotherapie* 2008, 29:275-276
- Niederhofer H. Observational study: *Matricaria chamomilla* may improve some symptoms of attention-deficit hyperactivity disorder. *Phytomedicine.* 2009, 16(4):284-286
- Nissen HP, Patzelt-Wenczler R, Hose ., Scavenger and antioxidant properties of special chamomile extracts 2nd Internat Congress Phytomed and the 7th Congress of the Society of Phytother in Coop with ESCOP , 1996
- Noonan K, Arensman R, Hoover JD. Herbal Medication Use in the pediatric Surgical patient. *J Pediatr Surg* 2004,39(3):500-503
- O'Hara M. et al.: A review of 12 commonly used medicinal herbs. *Arch Fam Med* 1998, 7(6):523-536. Comment in: *Arch Fam Med* 1999, 8(5):376
- Ohms P. Jeden Tag Tabletten: Wie lange macht der Magen mit. *Ärztliche Praxis* 1983, 35(99): 3109-3110
- Okpanyi SN, Mark M, Wahl MA. Gastrointestinal motility modulation with Iberogast. *Acta Horticulturae* 1993, 332:227-235
- Olivares M, Pizarro F, Hertrampf E, Fuenmayor G, Estevez E. Iron absorption from wheat flour: effects of lemonade and chamomile infusion *Nutrition* 2007, 23:296-300
- Ożarowski A, Łańcucki J, Gaşiorowska K, Azulan. Herbal medicines, Guidebook 1978
- Pauli A. a-Bisabolol from Chamomile - A specific ergosterol biosynthesis inhibitor?, *The International Journal of Aromatherapy* 2006, 16:21-25
- Paulsen E, Andersen KE, Hausen BM. Compositae dermatitis in a Danish dermatology department in one year. Results of routine patch testing with the sesquiterpene lactone mix supplemented with aimed patch testing with extracts and sesquiterpene lactones of Compositae plants. *Contact Dermatitis* 1993, 29: 6-10

- Pavesi VC, Lopez TC, Martins MA, Sant'Ana Filho M, Bussadori SK, Fernandes KP et al. Healing action of topical chamomile on 5-fluoracil induced oral mucositis in hamster. *Support Care Cancer*. 2011, 19(5):639-646
- Pavlovic A, Masarovicova E, Krallova K, Kubova J. Response of Chamomile Plants (*Matricaria recutita* L.) to Cadmium Treatment. *Environmental Contamination and Toxicology* 2006, 77:763-771
- Pereira RP, Fachilletto R, de Souza Prestes A, Puntel RL, Santos da Silva GN, Heinzmann BM et al. Antioxidant Effects of Different Extracts from *Melissa officinalis*, *Matricaria recutita* and *Cymbopogon citratus* *Neurochem Res*. 2009, 34:973-983
- Petroianu G, Szoke E, Kalz H, Szegi P, Laufer R, Benko B, Darvas F, Tekes K. Monitoring by HPLC of chamomile flavonoids exposed to rat liver microsomal metabolism. *The open medicinal chemistry journal* 2009, 3:1-7
- Pevny I. Kamillen -und Zitronenöl-Allergie. *Akt. Dermatol*. 1984, 10:56-57
- Pharmacopoea Helvetica. Kamillenblüten. 1993
- Pilichiewicz AN, Horowitz M, Russo A, Maddox AF, Jones KL, Schemann, M, Holtmann G, Feinle-Bisset C. Effects of Iberogast on proximal gastric volume, antropyloroduodenal motility and gastric emptying in healthy men. *Am. J. Gastroenterol*. 2007, 102:1-8
- Pinto SAG, Bohland E, de Paula Coelho C, Furuim de Azevedo Morgulis MS, Bonamin LV. An animal model for the study of Chamomilla in stress and depression. pilot study, *Homeopathy* 2008, 97:141-144
- Pirali-Kheirabadi K, Razzaghi-Abyaneh M. Biological activities of chamomile (*Matricaria chamomile*) flowers extract against the survival and egg laying of the cattle fever tick (*Acari Ixodidae*) *Journal of Zhejiang University* 2007, 8(9):693-696
- Pirzad A, Alyari H, Shakiba MR, Zehtab-Salrnasi S, Mohammadi A. Essential Oil Content and Composition of Gennan Chamomile (*Alatricaria chamomilla* L.) at Different Inigation Regimes, *Journal of Agronomy* 2006, 5(3):451-455
- Presibella MM, Santos CAM, Weffort-Santos AM. In Vitro Antichemotactic Activity of Chamomilla recutita Hydroethanol Extract. *Pharmaceutical Biology* 2007, 45(2):124-130
- Radaelli C, Formentini L, Santaniello E. Evaluation of Coumarins and Dicycloethers in *Matricaria chamomilla* Flowers and Chamomile Extracts by Reverse-Phase HPLC, Poster Intern. Res. Congr. on Nat Prod as Med. Agents, 1980
- Radaelli C, Formentini L, Santaniello E. Evaluation of Coumarins and Dicycloethers in *Matricaria chamomilla* Flowers and Chamomile Extracts by Reverse-Phase HPLC, , *Planta medica* 1981, 42 (6):130
- Raedsch R, Hanisch J, Bock P, Sibaevev A, Vinson B, Gundermann KJ. Wirksamkeit und Unbedenklichkeit des Phytopharmakons STW 5 versus Metoclopramid oral bei funktioneller Dyspepsie unter Praxisbedingungen. *Z. Gastroenterol*. 2007, 45:1041
- Ramirez-Dur R; Cenicerros-Almaguer L; Salazar-Aranda R; Salazar-Cavazos Mde L; Waksman de Torres N, Evaluation of thin-layer chromatography methods for quality control of commercial products containing *Aesculus hippocastanum*, *Turnera diffusa*, *Matricaria recutita*, *Passiflora incarnata*, and *Tilia occidentalis*. *Journal of AOAC International* 2007, 90(4):920-924
- Ramos-e-Silva M, Ferreira AF, Bibas R, Carneiro S. Clinical evaluation of fluid extract of Chamomilla recutita for oral aphthae. *J Drugs Dermatol*. 2006 , 5(7):612-617

- Razmjoo K, Heydarizadhe P, Sabzalian MR. Effect of Salinity and Drought Stresses on Growth Parameters and Essential Oil Content of *Matricaria chamomilla*. *INTERNATIONAL JOURNAL OF AGRICULTURE & BIOLOGY* 2008, 10(4): 451-454
- Redaelli C, Formentini L, Santaniello E. HPLC Determination of Coumarins in *Matricaria chamomilla*. , *Planta medica* 1981, 43 (12): 412-413
- Redaelli C, Formentini L, Santaniello E. Reversed-Phase High-Performance Liquid Chromatography Analysis of Apigenin and its Glucosides in Flowers of *Matricaria chamomilla* and Chamomile Extracts. , *Planta medica* 1981, 42(7):288-292
- Reicher K. Zur Therapie der akuten und chronischen Dysenterie, Kolitis, Sigmoiditis und Proktitis, *Münch Med Wschr* 1925, 7:261-262
- Reichling J, Bisson W, Becker H. Vergleichende Untersuchungen zur Bildung und Akkumulation von etherischem Öl in der intakten Pflanze und in der Calluskultur von *Matricaria chamomilla*. *Planta medica* 1984, 50(4):334-337
- Repcak M, Eliasova A, Ruscancinova A. Production of herniarin by diploid and tetraploid *Chamomilla recutita*, *Pharmazie* 1998, 53(4):278-279
- Repcak M, Smajda B, Kovik J, Eliasov A. Circadian rhythm of Z- and E-2-beta-D: -glucopyranosyloxy-4-methoxy cinnamic acids and herniarin in leaves of *Matricaria chamomilla*. *Plant cell reports* 2009, 28 (7): 1137-1143
- Reynolds JEF. Kapitel: Essential Oils and Aromatic Carminatives, *Matricaria* Flowers, MARTINDALE, The ExtraPharmacopoeia, Twenty-eighth Edition 1982, 678
- Riepelmeier F. Über das Kamillenpräparat Kamillosan und seine Brauchbarkeit in der Hals-, Nasen- und Ohrenheilkunde. *MonatsschrOhrenheilkunde LaryngoRhinol* 1933, 67: 483-487
- Rivera IG, Martins MT, Sanchez PS, Sato MIZ. et al.: Genotoxicity assessment through the Ames test of medicinal plants commonly used in Brazil. *Environm. Toxicol. Water Quality: Int. J.* 1994, 9:87-93
- Rodríguez-Serna M, Sanchez-Motilla JM, Ramon R, Aliaga A. Allergie and systemic contact dermatitis from *Matricaria chamomilla* tea, *Contact Dermatitis* 1998, 39:192-209
- Rodríguez-Serna M, Sánchez-Motilla JM, Ramón R, Aliaga A. Short Communications Allergic and systemic contact dermatitis from *Matricaria chamomilla* tea. *Contact Dermatitis*. 1998 Oct, 39:192-193
- Rösch W, Vinson B, Sassin I. A randomized clinical trial comparing the efficacy of a herbal preparation STW 5 with the prokinetic drug cisapride in patients with dysmotility type of functional dyspepsia. *Z. Gastroenterol.* 2002, 40:401-408
- Rösch W, Vinson BR, Gundermann KH, Holtmann G. Phytotherapy for functional dyspepsia. A review of the clinical evidence for the herbal preparation STW 5. *Phytomedicine* 2006, 13, S V, 114-121
- Ross SM, Chamomile: A Spoonful of Medicine, *Holist Nurs Pract* 2008, 22(1):56-57
- Rossmann H, Patzelt-Wenczler R. Prüfung der Wirksamkeit, Verträglichkeit und Akzeptanz von Kamillosan® Mundspray bei entzündlichen Erkrankungen in Mundhöhle und Rachenraum. In: Klaschka F, Maiwald L und Patzelt-Wenczler R Wirkungsweise und Anwendungsformen der Kamille Grosse Verlag 1987, 106-110.
- Roth L, Dauderer M, Kormann K. Kapitel. *Matricaria recutita*. In: Giftpflanzen-Pflanzengifte, Vorkommen Wirkung Therapie, ecomed Verlagsgesellschaft mbH, Landsberg 1984, 2. Auflage, 12-13

Roth L, Daunderer M, Kormann K. Kapitel. *Matricaria recutita*. In: Giftpflanzen-Pflanzengifte, Vorkommen Wirkung Therapie, ecomed Verlagsgesellschaft mbH, Landsberg 1984, 4. Auflage, 489-490

Rubiolo P, Belliardo F, Cordero C, Liberto E, Sgorbini B, Bicchi C. Headspace-solid-phase microextraction fast GC in combination with principal component analysis as a tool to classify different chemotypes of chamomile flower-heads (*Matricaria recutita* L.). *Phytochemical analysis*. PCA 2006, 17(4): 217-225

Rudzki E, Rebandel P. Positive patch test with Kamillosan® in a patient with hypersensitivity to chamomile, *Contact Dermatitis* 1998, 38:164-184

Rudzki E, Zawisza E, Rapiejko P, Rebandel P, Jaworski E. Oral allergy syndrome with contact urticaria from cosmetic creams, *Contact Dermatitis* 1999, 40: 326

Rücker G; Mayer R; Lee KR. Peroxide als Pflanzeninhaltsstoffe, 6. Mitt.: Hydroperoxide aus den Blütenköpfchen der Römischen Kamille, *Anthemis Nobilis* L. Peroxides as plant constituents. 6. Hydroperoxides from the blossoms of Roman chamomile, *Anthemis nobilis* L, *Archiv der Pharmazie*; 1989, 322 (11): 821-826

Sabieraj J. Zum Mechanismus der entzündungshemmenden Wirkung der Kamille, ihrer Extrakte und Inhaltsstoffe Bisaboloide, Chamazulen, Matricin, der Spiroether und Apigenin. Dissertation der Fakultät für Chemie und Pharmazie der Eberhard-Karls-Universität Tübingen 1993, 1-161

Saderi H, Owlia P, Hosseini A, Semiyari H. Antimicrobial Effects of Chamomile Extract and Essential Oil on Clinically Isolated *Porphyromonas gingivalis* from Periodontitis. *Proc. WOCMAP III* 2005, 6:145-146

Sadr Lahijani MS, Raof Kateb HR, Heady R, Yazdani D. The effect of German chamomile (*Matricaria recutita* L.) extract and tea tree (*Melaleuca alternifolia* L.) oil used as irrigants on removal of smear layer: a scanning electron microscopy study. *International Endodontic Journal* 2006, 39:190-195

Sato F, Matsukawa Y, Matsumoto K, Nishino H, Sakai T. Apigenin induces morphological differentiation and G2/M arrest in rat neuronal cells. *Biochem Biophys Res Commun* 1994, 204:578-584

Scalia S, Giuffreda L, Pallado P. Analytical and preparative supercritical fluid extraction of chamomile flowers and its comparison with conventional methods. *Journal of pharmaceutical and biomedical analysis* 1999, 21(3):549-558

Schemann M, Michel K, Hohenester B, Rühl A. Region-specific effects of STW 5 and its components in gastric fundus, corpus and antrum. *Phytomedicine* 2006, 13, S V, 90-99

Schempp H, Toth A, Weiser D, Elstner EF. Antioxidative properties of *Iberis amara* extracts in biochemical model reactions. *Arzneimittel Forsch. Drug Res.* 2003, 53:568-577

Schempp H, Weiser D, Kelber O, Elstner EF. Comparison of the inhibition of myeloperoxidase-catalyzed hypochlorite formation by different plant extracts contained in the drug Iberogast. *Arzneimittel Forsch. Drug Res.* 2004, 54:389-95

Schempp H, Weiser D, Kelber O, Elstner EF. Radical scavenging and anti-inflammatory properties of STW 5 and its components. *Phytomedicine* 2006, 13, S V, 36-44

Schilcher H. Standardisierte Kamillenzubereitungen – eine Voraussetzung für die medizinische Anwendung von Kamillenblüten. In: Klaschka F, Maiwald I, Patzelt – Wenzler R (Hrsg.) *Wirkungsweise und Anwendungsformen der Kamille*. Grosse Verlag, Berlin 1988., 13 – 18,

Schilcher H. Kamillenhandelsformen und pharmazeutische Beurteilung von Kamillenzubereitungen und Kamillenfertigarzneimitteln. *Die Kamille*, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1987, 22-30, 50-55, 129-139

- Schilcher H. Neuere Erkenntnisse bei der Qualitätsbeurteilung von Kamillenblüten bzw. Kamillenöl, 2. Teil des Referates anlässlich der 20. Vortragstagung der Gesellschaft für Arzneipflanzenforschung in Helsinki, 22.-29. Juli 1972, *PM (1972) 23/2*: 132-144
- Schilcher H. Phytopharmaka zur äußeren Anwendung in der Kinderheilkunde, *Phytopharmaka in der Kinderheilkunde*, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1991, 15-22, 44, 52
- Schilcher H, Die Kamille. In: *Handbuch für Ärzte, Apotheker und andere Naturwissenschaftler*. Wiss. Verlagsges. mbH Stuttgart, 1987.
- Schmid F. Kamillenwirkstoffe und deren Indikationen in der Kinderheilkunde aus Kamillentherapie - in der Praxis bewährt, naturwissenschaftlich begründet? „Erfahrungstherapie – späte Rechtfertigung. Internationales Symposium Wien 30.-31.05.1975, Karlsruhe Verlag G. Braun 1975
- Schmidt M. Die Kamille als Heilpflanze. *PTA heute* 1988, 2(10):312-315
- Schmidt PC. Soyke B. Entwicklung eines matricinreichen Kamillenpräparates, *Sci Pharm* 1991, 60: 111-123
- Schmidt PC, Weibler K, Soyke B. Kamillenblüten -und extrakte, *Deutsche Apotheker Zeitung* 1991, 131(5):175-81
- Schreiber A, Carle R, Reinhard E. On the Accumulation of Apigenin in Chamomile Flowers. *Planta Med* 1990, 56(2):179-181
- Schröder EM. Fenchel, Kamille und Anis - Klassiker der Kräutertees. *Deutsche Apotheker Zeitung* 2006, 146(35):58-59
- Schubert HJ. Allergie auf Asteraceae (Compositae) im Gartenbauggebiet Erfurt. *Dermatosen* 1995, 43(6):257-261
- Schultze W. Composition of the essential oil of the flower heads of *Matricaria perforata*. *Planta medica* 1996, 62(4): 332-325
- Schulz V. Apfelpektin-Kamillenextrakt im Placebovergleich wirksam bei akuter Diarrhoe, *Zeitschrift für Phytotherapie* 2006, 27:286-287
- Schulz V. Chamazulencarbonsäure (CHCS) aus Kamillenblüten, *Zeitschrift für Phytotherapie* 2007, 28:22-23
- Schulz V. Risiko von Arzneimittelinteraktionen durch Echte Kamille (*Matricaria recutita* L.) Z. *Phytotherapie* 2009, 30: 162-168
- Seidler-Lozykowska K. Determination of the ploidy level in chamomile (*Chamomilla recutita* (L.) Rausch.) strains rich in alpha-bisabolol. *Journal of applied genetics* 2003, 44(2): 151-155
- Senff H, Kuhlwein A, Kalveram KJ, Hausen BM. Asthma bronchiale durch Inhalation mit echter Kamille. *Allergologie* 1989, 12(2): 51-53
- Shabanloei R, Ahmadi F, Vaez J, Ansarin K, Hajizadeh E, Javadzadeh Y, Dolatkah R, Gholchin M. Alloporinol, Chamomile and Normal Saline Mouthwashes for the Prevention of Chemotherapy-Induced Stomatitis. *Journal of Clinical Diagnostc Research* 2009, 3:1537-1542
- Shamseer L, Charrois TL, Vohra S. CHAMOMILE: Practical management of adverse effects and drug interactions *Clinical Brief Peer Review* 2006, 139(6):1281-1282
- Shikov AN, Pozharitskaya ON, Makarov VG, Kvetnaya AS. Antibacterial Activity of *Chamomilla recutita* on Extract against *Helicobacter pylori*. *Phytotherapy Research* 2008, 22:252-253

- Shoukry IF. Toxicological deteriorations of two volatile oils of *Matricaria chamomilla* and *Clerodendron inerme* on the adult house fly *Musca domestica* L... *Journal of the Egyptian Society of Parasitology* 1997, 27(3):893-904
- Sibaev A, Yuce B, Kelber O, Weiser D, Schirra J, Göke B, Allescher HD, Storr M. STW 5 and its individual herbal components modulate intestinal electrophysiology of mice. *Phytomedicine* 2006, 13, S V, 80-89
- Simmen U, Kelber O, Okpanyi SN, Jaeggi R, Bueter B, Weiser D. Binding of STW 5 and its components to intestinal 5-HAT, muscarinic M3, and opioid receptors. *Phytomedicine* 2006, 51-55
- Skorska C, Sitkowska J, Krysinska-Traczyk E, Cholewa G, Dutkiewicz J. Exposure to Airborne Microorganisms, Dust and Endotoxin during Processing of Peppermint and Chamomile Herbs on Farms. *Ann Agric Environ Med* 2005, 12: 281-288
- Souza Lima de Souza Reis L, Frazatti-Gallina NM, de Lima Paoli P, Giuffrida R, Albas A, Oba E, Pardo PA. Efficiency of *Matricaria chamomilla* CH12 and number of doses of rabies vaccine on the humoral immune response in cattle. *Journal of Veterinary Science* 2008, 9(4): 433-435
- Souza Lima de Souza Reis L, Pardo PE, Oba E, Nascimento Kronka S, Frazatti-Gallina NM. *Matricaria chamomilla* CH12 decreases handling stress in Nelore calves. *Journal of Veterinary Science* 2006, 7(2): 189-192
- Spaich W. Kapitel. Chamomilla. In: *Moderne Phytotherapie*, Karl F Haug Verlag, Heidelberg, 1978, 141-145
- Srivastava JK, Gupta S. Antiproliferative and apoptotic effects of chamomile extract in various human cancer cells. *Journal of agricultural and food chemistry* 2007, 55(23): 9470-9478
- Srivastava JK, Gupta S. Health benefits of chamomile. *Recent Progress in Medicinal Plants* 2010, 27: 33-53
- Srivastava JK, Shankar E, Gupta S. Chamomile: a herbal medicine of the past with a bright future (review). *Molecular Medicine Reports* 2010, 3(6): 895-901
- Standen MD, Myers SP. The roles of essential oils in the modulation of immune function and inflammation: survey of aromatherapy educators. *The International Journal of Aromatherapy* 2004, 14: 150-161
- Steimer P. Iberogast-Therapie in der Gastroenterologie. *Krankenhausarzt* 1983, 56, 1005-1008
- Sticker A. Deutsche Kamillen, Kamillosan als Hilfsmittel in der Krebsbehandlung, *Med Welt* 1932, 37: 1320
- Subiza J, Subiza JL, Alonso M, Hinojosa M, Garcia R, Jerez M, Subiza E. Allergic conjunctivitis to chamomile tea. *Annals of allergy* 1990, 65: 127-32
- Svehlikov V, Bennett RN, Mellon FA, Needs PW, Piacente S, Kroon PA, Bao Y. Isolation, identification and stability of acylated derivatives of apigenin 7-O-glucoside from chamomile (*Chamomilla recutita* [L.] Rauschert). *Phytochemistry* 2004, 65(16): 2323-2332
- Swoboda M. Stark in der Wundheilung. *Pharm Rundschau* 1988, 4: 26
- Szöke E, Maday E, Tyihak E, Kuzokina IN, Lemberkovics E. New terpenoids in cultivated and wild chamomile (in vivo and in vitro), *Journal of Chromatography* 2004, 800: 231-238

Szöke E, Maday E, Kiss SA, Sonnewend L, Lemberkovics E. Effect of magnesium on essential oil formation of genetically transformed and non-transformed chamomile cultures. *Journal of the American College of Nutrition* 2004, 23(6):763S-767S

Szöke E, Mday E, Gershenzon J, Allen JL, Lemberkovics E. Beta-eudesmol, a new sesquiterpene component in intact and organized root of chamomile (*Chamomilla recutita*). *Journal of chromatographic science* 2004, 42 (5):229-233

Tamasdan S, Cristea E, Mihele D. The action upon gastric secretion of robiniae flores, chamomillae flores and strobuli lupuli extracts. *Farmacia* 1981, 29(2):71-75

Thiemer K, Stadler R, Isaac O. Biochemische Untersuchungen von Kamillen-Inhaltsstoffen II, *Arzneim.-Forsch./ Drug Res.* 1973, 23:756-759

Tissot H. Über Kamillosan und Kamillosept. *Schweiz Med Wschr* 1929, 39:992-993

Torrado S, Torrado S, Agis A, Jimenez ME, Cadorniga R. Effect of dissolution profile and (-)- alpha-Bisabolol on the gastrotoxicity of acetylsalicylic acid. *Pharmazie* 1995, 50(2):141-143

Tschiersch K, Hölzl J. "Resorption und Ausscheidung von Apigenin, Apigenin-7-glucosid und Herniarin nach peroraler Gabe eines Extraktes von *Matricaria recutita* L. syn. *Chamomilla recutita*" *Pharmazie* 1993, 48(7):554-555

Uda Y, Price KR, Williamson G, Rhodes MJ. Induction of the anticarcinogenic marker enzyme, quinone reductase, in murine hepatoma cells in vitro by flavonoids. *Cancer Lett* 1997, 120:213-216

Vanderplas O, Pirson F, D'Alapos V, Vander-Borghet T, Thimpont J, Filette C. Occupational asthma caused by chamomile. *Journal Compilation Allergy* 2008, 63:1090-1092

Vogelsang- Tschiersch K. Apigenin, Apigenin-7- glucosid und Acrylterivate aus *Matricaria recutita* L.: Analytik, 14C- Markierung und Beiträge zur Pharmakokinetik, Dissertation Inst. Pharm Biologie der Philipps- Universität Marburg 1994, 1-175

von Arnim U, Peitz U, Vinson B, Gundermann KJ, Malfertheiner P. STW 5, a phytopharmakon for patients with functional dyspepsia. Results of a multicenter, placebo-controlled double-blind study. *Am. J. Gastroenterol.* 2007, 102:1268-1275

Wagner C, Marquard R, Friedt W, Ordon F. Untersuchungen zur genetischen Diversität der Echten Kamille (*Chamomilla recutita* (L.) Rausch.) mittels PCRbasierter Markertechniken. Investigations on the genetic diversity of camomile (*Chamomilla recutita* (L.) Rausch.) by PCR-based marker techniques. *Z. Arzn.Gew.Pfl.* 2001, 6/4:216-221

Wagner H. Kapitel. Chamomillae (*Matricariae*) Flos. In: Pharmazeutische Biologie, Drogen und ihre Inhaltsstoffe, Gustav Fischer Verlag Stuttgart 1980, 2. Auflage, 41, 59-61

Wagner H. Multitarget therapy – the future of treatment for more than just functional dyspepsia. *Phytomedicine* 2006, 13, S V, 122-29

Wang Y, Tang H, Nicholson JK. et al.: Metabolomic strategy for the classification and quality control of phytomedicine: A case study of chamomile flower (*Matricaria recutita* L.). *Planta med.* 2004, 70:250-255

Wang Y, Tang H, Nicholson JK, Hylands PJ, Samson J, Holmes E. A metabolomic strategy for the detection of the metabolic effects of chamomile (*Matricaria recutita* L.) ingestion. *J Agric Food Chem* 2005, 53:191-196

- Weber- Stahl, K Kapitel 3: Flores Chamomillae - Echte Kamillenblüten. In: Lehrbuch der Pharmakognosie, Gustav Fischer Verlag, Stuttgart 1962, 9. Auflage, 354-359
- Wegener T, Wagner H. The active components and the pharmacological multi-target principle of STW 5 (Iberogast). *Phytomedicine* 2006, 13, S V, 20-35
- Wehba C, Fernandes F, Oppi EC. Application of the ointment of chamomile extract as adjunctive in reducing symptoms of the painful, ulcerated lesions of the oral mucosa. *RBM* 2008, 129-132
- Weinsheimer K. Über Kamillosan-Salbe.Sonderdruck *Klin. Wschr.* 1923, 2(5).
- Weiß RF. Kapitel. 1.1 Matricaria chamomilla, Lehrbuch der Phytotherapie, Hippokrates Verlag, Stuttgart 1985, 6. Auflage
- Weiß RF. Moderne Pflanzenheilkunde. Neues über Heilpflanzen und ihre Anwendung in der Medizin, 7th ed. Bad Worishofen: Kneipp-Verlag 1982, 15-21.
- Weiß RF. Matricaria chamomilla, Echte Kamille. In: Lehrbuch der Phytotherapie 1997, 8, 42-47
- Weiß, RF. Kamille- "Heilpflanze 1987". Kneipp-Blätter 1987, 1:4-8.
- Weitgasser H. Dermatologische Erfahrungen mit Kamillosan, *ZFA* 1979, 5:340-352
- Wichtl M. Kapitel. Kamillenblüten. In: Teedrogen, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart
- Wichtl M. Matricariae flos, Kamillenblüten. *Teedrogen und Phytopharmaka* 2009, 5:420-424
- Wiedemann B. Wenn's hinten juckt.... Nicht gleich an Mykosen denken und bloss keine Kamillebäder empfehlen! Gluteal pruritus... Not necessarily a mycotic etiology and especially don't recommend camomile baths! *MMW Fortschritte der Medizin* 2001, 143(37):6-8
- Williamson EM. Interactions between herbal and conventional medicines: the role of cytochrome P450 and P-Glycoprotein. *Pharmacologyonline* 2006, 2:200-205
- Willuhn G. Matricariaeflos- Kamillenblüten. In: Wichtl M, editor. Teedrogen und Phytopharmaka. Ein Handbuch für die Praxis auf wissenschaftlicher Grundlage, 4th ed. Stuttgart: Wissenschaftliche Verlagsgesellschaft 2002, 369-373.
- Wölle J, Hill RR, Ferguson E, Devall LJ, Trivedi BK, Newton RSet *al.*. Selective inhibition of tumor necrosis factor-induced vascular cell adhesion molecule-1 gene expression by a novel flavonoid. Lack of effect on transcription factor NF-kappa B. *Arterioscler Thromb Vasc Biol* 1996, 16(12):1501-1508
- Woollard AC et al. The influence of essential oils on the process of wound healing: a review of the current evidence. *Journal of Wound Care* 2007, 16(6):255-257.
- Wunderer H. Mund- und Rachentherapeutika, *Deutsche Apotheker Zeitung* 1986, 126(42):2281-2292
- Yoshinari T, Yaguchi A, Takahashi-Ando N, Kimura M, Takahashi H, Nakajima T, Sugita-Konishi Y, Nagasawa H, Sakuda S. Spiroethers of German chamomile inhibit production of aflatoxin C1 and trichothecene mycotoxin by inhibiting cytochrome P450 monooxygenases involved in their biosynthesis. *FEMS Microbial Letters* 2008, 284:184-190
- Zamani AA, Talebi A, Fathipour Y, Baniameri V. Effect of temperature on life history of *Aphidius colemani* and *Aphidius matricariae* (Hymenoptera: Braconidae), two parasitoids of *Aphis gossypii* and *Myzus persicae* (Homoptera: Aphididae). *Environmental entomology* 2007, 36(2):263-271
- Zander R. Kapitel. Chamomilla recutita. In: Handwörterbuch der Pflanzennamen, Eugen Ulmer Verlag, Stuttgart 1979, 174

Zepernick B, Langhammer L, Lüdcke JBP. Kapitel. Chamomilla. In: Lexikon der offizinellen Arzneipflanzen, Walter de Gruyter Verlag Berlin, 113-116

Zwaving JH. Echte en roomse kamille, hun verschil en overeenkomst in samenstelling en toepassing. *Pharm Weekbl* 1982, 117: 157-165