

31 March 2011
EMA/HMPC/560963/2010
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Pelargonium sidoides* DC and/or *Pelargonium reniforme* Curt., radix

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Agbabiaka TB, Guo R, Ernst E. Pelargonium sidoides for acute bronchitis: A systemic review and meta-analysis. *Phytomedicine* 2008, 15: 378-385.

Bachert C, Schapowal A, Funk P, Kieser M. Treatment of acute rhinosinusitis with the preparation from *Pelargonium sidoides* EPs® 7630: a randomized, double-blind, placebo-controlled trial. *Rhinology* 2009, 47:51-58.

Beil W, Kilian P. EPs® 7630, an extract from *Pelargonium sidoides* roots inhibits adherence of *Helicobacter pylori* to gastric epithelial cells. *Phytomedicine* 2007, 14:5-8.

Bereznoy VV, Riley DS, Wassmer G, Heger M. Efficacy of extract of *Pelargonium sidoides* in children with acute non-group A beta-haemolytic streptococcus tonsillopharyngitis: a randomized, double-blind, placebo-controlled trial. *Altern Ther Health Med* 2003, 9:68-78.

Bladt S, Wagner H. "Umckaloabo"-Droge der afrikanischen Volksmedizin. *Dtsch Apoth Ztg* 1977, 117:1655-1660.

Bladt S, Wagner H. Cumardrogen: Qualitätsprüfung der Umcka-Droge und ihrer Zubereitungen. *Dtsch Apoth Ztg* 1988, 128:292-296.

Bladt S, Wagner H. From the Zulu medicine to the European phytomedicine Umckaloabo®. *Phytomedicine* 2007, 14:2-4.

Blochin B, Haidvogl M, Heger M. Umckaloabo im Vergleich zu Acetylcystein bei Kindern mit acuter Bronchitis: prospektive, randomisierte, kontrollierte, offene Studie zur Wirksamkeit und Verträglichkeit. *Der Kassenarzt* 1999, 49:46-50.

Brendler T, van Wyk BE. A historical, scientific and commercial perspective on the medicinal use of *Pelargonium sidoides* (Geraniaceae). *J Ethnopharmacol* 2008, 119:420-433.



Chuchalin AG, Berman B, Lehmacher W. Treatment of acute bronchitis in adults with *Pelargonium sidoides* preparation (EPs® 7630): a randomized, double-blind, placebo-controlled trial. *Explore* 2005, 1:437-445.

Conrad A, Frank U. Extract of *Pelargonium sidoides* (EPs® 7630) displays anti-infective properties by enhanced phagocytosis and differential modulation of host-bacteria interactions. *Planta Med* 2008, 74:682-685.

Conrad A, Hansmann C, Engels I, Daschner FD, Frank U. Extract of *Pelargonium sidoides* (EPs® 7630) improves phagocytes, oxidative burst, and intracellular killing of human peripheral blood phagocytes in vitro. *Phytomedicine* 2007a, 14:46-51.

Conrad A, Jung I, Tioua D, Lallemand C, Carrapatoso F, Engels I, Daschner FD, Frank U. Extract of *Pelargonium sidoides* (EPs® 7630) inhibits the interaction of group A-streptococci and host epithelia in vitro. *Phytomedicine* 2007b, 14:52-59.

Conrad A, Kolodziej H, Schulz V. Pelargonium sidoides-Extrakt (EPs® 7630): Zulassung bestätigt Wirksamkeit und Verträglichkeit. *Wien Med Wochenschr* 2007c, 157:331-336.

Conrad A, Schulz V. Umckaloabo bei acuter Bronchitis. *Dtsch Apoth Ztg* 2007, 147:87-91.

De Boer HJ, Hagemann U, Bate J, Meyboom HB. Allergic reactions to medicines derived from *Pelargonium* species. *Drug Safety* 2007, 30:677-680.

Dorfmüller A, Jung I, Tioua D, Lallemand C, Engels I, Daschner FD, Frank U. Indirekte antibakterielle Wirkmechanismus des *Pelargonium sidoides*-Wurzelextraktes EPs® 7630: Hemmung des Interaktion von A-Streptokokken und HEp-2-Zellen. *Z Phytother* 2005, 26:S6-S7.

Egan D, O'Kennedy R, Moran E, Cox D, Prosser E, Thornes RD. The pharmacology, metabolism, analysis, and applications of coumarin and coumarin-related compounds. *Drug Metab Rev* 1990, 22:503-529.

European Pharmacopoeia 6th ed. *Pelargonium* root. Council of Europe. 01/2008: 2264; 2625.

Franco L, de Oliveira BH. Determination of umckalin in commercial tincture and phytopreparations containing *Pelargonium sidoides* by HPLC: Comparison of sample preparation procedure. *Talanta* 2010, 81:1368-1372.

Gödecke T, Kaloga M, Kolodziej H. A phenol glucoside, uncommon coumarins and flavonoids from *Pelargonium sidoides* DC. *Z Naturforsch B* 2005, 60:677-682.

Haidvogl M, Heger M. Treatment effect and safety of EPs® 7630-solution in acute bronchitis in childhood: Report of a multicentre observational study. *Phytomedicine* 2007, 14:60-64.

Heger M, Bereznov VV. Nicht-streptokokkenbedingte Tonsillopharyngitis bei Kindern: Wirksamkeit eines Extraktes aus *Pelargonium sidoides* (EPs® 7630) im Vergleich zu Placebo. In: Schulz V, Rietbrock N, Roots I, Loew D, editors. *Phytopharmaka VII-Forschung und klinische Anwendung*. Steinkopff-Verlag, Darmstadt 2002, 13-25.

Helmstädtner A. Umckaloabo – Late vindication of a secret remedy. *Pharm Historian* 1996, 26:2-4.

Jäggi R, Kreuter MH. Cytotoxicity studies with *Pelargonium sidoides* in vitro. Study 220305PP-AG performed by VitaPlant Report 220305PP-AG-1; 16.09.2005: 1-14, 2005.

Kamin W, Maydannik VG, Malek FA, Kieser M. Efficacy and tolerability of EPs 7630 in patients (aged 6-18 years old) with acute bronchitis. A randomized, double-blind, placebo-controlled clinical dose-finding study. *Acta Paediatr* 2010a, 99:537-543.

- Kamin W, Maydannik VG, Malek FA, Kieser M. Efficacy and tolerability of EPs 7630 in children and adolescents with acute bronchitis: a randomized, double-blind, placebo-controlled multi-center trial with a herbal drug preparation from *Pelargonium sidoides* roots. *J Clin Pharm Ther* 2010b, 48:184-191.
- Kayser O, Kolodziej H. Highly oxygenated coumarins from *Pelargonium sidoides*. *Phytochemistry* 1995, 39:1181-1185.
- Kayser O, Kolodziej H. Antibacterial activity of extract and constituents of *Pelargonium sidoides* and *Pelargonium reniforme*. *Planta Med* 1997, 63:508-510.
- Kayser O, Kolodziej H, Kiderlen AF. Immunomodulatory principles of *Pelargonium sidoides*. *Phytother Res* 2001, 15:122-126.
- Kim CE, Griffiths WJ, Taylor PW. Components derived from *Pelargonium* stimulate macrophage killing of *Mycobacterium* species. *J Appl Microbiol* 2009, 106:1184-1193.
- Koch E. Untersuchungen zu möglichen hepatotoxischen Effekten von Umckaloabo®. *Z Phytoter* 2006, 27:25.
- Koch E, Biber A. Treatment of rats with the *Pelargonium sidoides* extract EPs® 7630 has no effect on blood coagulation parameters or on the pharmacokinetics of warfarin. *Phytomedicine* 2007, 14:40-45.
- Koch E, Lanzendorfer-Gossen H, Wohn C. Stimulation of interferon (IFN)-beta synthesis and natural killer (NK) cell activity by an aqueous-ethanolic extract from roots of *Pelargonium sidoides* (Umckaloabo). *Naunyn Schmiedebergs Arch Pharmacol* 2002, 365(1):R75.
- Koch E, Wohn C. *Pelargonium sidoides* root extract EPs® 7630 stimulates release of antimicrobial peptides from neutrophil granulocytes in human whole blood. *Planta Med* 2007, 73:846.
- Kolodziej H. Traditionally used *Pelargonium* species: chemistry and biological activity of umckaloabo extracts and their constituents. *Curr Topic Phytochem* 2000, 3:77-93.
- Kolodziej H. *Pelargonium reniforme* and *Pelargonium sidoides* – their botany, chemistry and medicinal use. In: Lis-Balchin M, editor. Geranium and Pelargonium. Taylor & Francis, London 2002, 262-290.
- Kolodziej H. Fascinating metabolic pools of *Pelargonium sidoides* and *Pelargonium reniforme*, traditional and phytomedicinal sources of the herbal medicine Umckaloabo®. *Phytomedicine* 2007, 14:9-17.
- Kolodziej H. Aqueous ethanolic extract of the roots of *Pelargonium sidoides* – New scientific evidence for an old anti-infective phytopharmaceutical. *Planta Med* 2008, 74:661-666.
- Kolodziej H, Burmeister A, Trun V, Radtke OA, Kiderlen AF, Ito H, Hatano T, Yoshida T, Foo LY. Tannins and related compounds induce nitric oxide synthase and cytokines gene expressions in Leishmania mayor-infected macrophage-like RAW 264.7 cells. *Bioorg Med Chem* 2005, 13:6470-6476.
- Kolodziej H, Kayser O, Radtke OA, Kiderlen AF, Koch E. Pharmacological profile of extracts of *Pelargonium sidoides* and their constituents. *Phytomedicine* 2003, 10:18-24.
- Kolodziej H, Kayser O, Tan N. Novel coumarin sulphates from *Pelargonium sidoides*: isolation, structure and synthetic approach. In: Rauter A, Araujo E, Sales F, Justino J, Santos SP, editors. Natural Products in the New Millennium: Prospects and Industrial Application. Proceedings of the Phytochemical Society of Europe 2002, 59-64.
- Kolodziej H, Kiderlen AF. In vitro evaluation of antibacterial and immunomodulatory activities of *Pelargonium reniforme*, *Pelargonium sidoides* and the related herbal drug preparation EPs® 7630. *Phytomedicine* 2007, 14:18-26.

Lake BG. Coumarin metabolism, toxicity and carcinogenicity: relevance for human risk assessment. *Food Chem Toxicol* 1999, 37:423-453.

Latte KP, Kaloga M, Kolodziej H. Reniformin, a unique diterpene ester from the roots of *Pelargonium reniforme*. *Nat Prod Commun* 2007, 2:883-886.

Latte KP, Kayser O, Tan N, Kaloga M, Kolodziej H. Unusual coumarin patterns of *Pelargonium* species forming the origin of the traditional herbal medicine Umckaloabo. *Z Naturforsch B* 2000, 55:528-533.

Lewu FB, Grierson DS, Afolayan AJ. Extracts from *Pelargonium sidoides* inhibit the growth of bacteria and fungi. *Pharm Biol* 2006a, 44:279-282.

Lewu FB, Grierson DS, Afolayan AJ. The leaves of *Pelargonium sidoides* may substitute for its roots in the treatment of bacterial infections. *Biol Conserv* 2006b, 128:582-584.

Lizogub VG, Riley DS, Heger M. Efficacy of *Pelargonium sidoides* preparation in patients with the common cold: a randomized, double-blind, placebo-controlled clinical trial. *Explore* 2007, 3:573-584.

Loew D, Koch E. Coumarine- Differenzierte Risikobetrachtung mit bōdem Beispiel eines pflanzlichen Arzneimittels. *Z Phytother* 2008, 29:28-36.

Mativandlela S, Lall N, Meyer J. Antibacterial, antifungal and antitubercular activity of *Pelargonium reniforme* and *Pelargonium sidoides* root extracts. *S Afr J Bot* 2006, 72:232-237.

Matthys H, Eisebitt R, Seith B, Heger M. Efficacy and safety of an extract of *Pelargonium sidoides* (EPs® 7630) in adults with acute bronchitis. *Phytomedicine* 2003, 10:7-17.

Matthys H, Funk P. EPs® 7630 improves acute bronchitic symptoms and shortens time to remission. Results of a randomized, double-blind, placebo-controlled, multicentre trial. *Planta Med* 2008, 74:686-692.

Matthys H, Heger M. Treatment of acute bronchitis in adults with a liquid herbal drug preparation from *Pelargonium sidoides* (EPs® 7630): a randomized, double-blind, placebo-controlled, multicentre study. *Curr Med Res Opin* 2007a, 23:323-331.

Matthys H, Heger M. EPs® 7630 solution – an effective therapeutic option in acute and exacerbating bronchitis. *Phytomedicine* 2007b, 14:65-68.

Matthys H, Kamin W, Funk P, Heger M. *Pelargonium sidoides* preparation (EPs® 7630) in the treatment of acute bronchitis in adults and children. *Phytomedicine* 2007, 14:69-73.

Neugebauer P, Mickenhagen A, Siefer O, Walger M. A new approach to pharmacological effects on ciliary beat frequency in cell cultures – exemplary measurements under *Pelargonium sidoides* extract (EPs® 7630). *Phytomedicine* 2005, 12:46-51.

Niho N, Shibutani M, Tamura T, Toyoda K, Uneyama C, Takahashi N, Hirose M. Subchronic toxicity study of gallic acid by oral administration in F344 rats. *Food Chem Toxicol* 2001, 39:1063-1070.

Nöldner M, Schötz K. Inhibition of lipopolysaccharide-induced sickness behaviour by a dry extract from the roots of *Pelargonium sidoides* (EPs® 7630) in mice. *Phytomedicine* 2007, 14:27-31.

Patience S, Mativandlela N, Meyer JJM, Hussein AA, Lall N. Antitubercular activity of compounds isolated from *Pelargonium sidoides*. *Pharm Biol* 2007, 45:645-650.

Patrick G, Hickner J. This obscure herb works for the common cold. *J Fam Practice* 2008, 57:157-161.

Rajalakshmi K, Devaraj H, Devaraj SN. Assessment of the no-observed-adverse-effect level (NOAEL) of gallic acid in mice. *Food Chem Toxicol* 2001, 39:919-922.

- Schapowal A, Heger M. EPs® 7630 Lösung (Umckaloabo®) bei Sinusitis. *Z Phytother* 2007, 28:58-65.
- Schnitzler P, Schneider S, Stintzing FC, Carle R, Reichling J. Efficacy of an aqueous *Pelargonium sidoides* extract against herpes virus. *Phytomedicine* 2008, 15:1108-1116.
- Schötz K, Erdelmeier C, Germer S, Hauer H. A detailed view on the constituents of EPs® 7630. *Planta Med* 2008, 74:667-74.
- Schötz K, Nödler M. Mass spectroscopic characterization of oligomeric proanthocyanidins derived from an extract of Pelrgonium sidoides roots (EPs® 7630) and pharmacological screening in CNS models. *Phytomedicine* 2007, 14:32-39.
- Schulz V. Dosisfindinungstudie zur Wirksamkeit von *Pelargonium sidoides* extrakt (EPs® 7630 in neuer Tablettenform) bei 405 Erwachsenen mit acuter Bronchitis. *Z Phytother* 2008a, 29:37-38.
- Schulz V. Akute Bronchitis – Kongressbericht über zwei neue Doppelblindstudien zur Wirksamkeit und Vertraglichkeit von *Pelargonium sidoides* Extrakt (EPs® 7630) bei 420 Kindern and Jugendlichen. *Z Phytother* 2008b, 29:38-39.
- Seidel V, Taylor P. In vitro activity of extract and constituents of Pelargonium against rapidly growing mycobacteria. *Int J Antimicrob Agents* 2004, 23:613-619.
- Taylor P, Maalim S, Coleman S. The strange story of umckaloabo. *Pharm J* 2005, 275:790-792.
- Thäle C, Kiderlen A, Kolodziej H. Anti-infective mode of action of EPs® 7630 at the molecular level. *Planta Med* 2008, 74:675-681.
- Timmer A, Günther J, Rücker G, Motschall E, Antes G, Kern WV. *Pelargonium sidoides* extract for acute respiratory tract infections. *Cochrane Database Syst Rev* 2009, 3:CD006323.
- Trun W, Kiderlen AF, Kolodziej H. Nitric oxide synthase and cytokines gene expression analyses in Leishmania-infected RAW 264.7 cells treated with an extract of Pelargonium sidoides (EPs® 7630). *Phytomedicine* 2006, 13:570-575.
- Van Wyk BE. A broad review of commercially important southern African medicinal plants. *J Ethnopharmacol* 2008, 119:342-355.
- Wittschier N, Faller G, Hensel A. An extract of *Pelargonium sidoides* (EPs® 7630) inhibits *in situ* adhesion of *Helicobacter pylori* to human stomach. *Phytomedicine* 2007, 14:285-288.
- White AG, Davies-Coleman MT, Ripley BS. Measuring and optimising concentration in wild-harvest and cultivated Pelargonium sidoides (Geraniaceae). *S Afr J Bot* 2008, 74:260-267.