

25 November 2010
EMA/HMPC/437860/2010
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Plantago lanceolata L.*, folium

Draft

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abdin M. Possible role for *Plantago lanceolata* in the treatment of HIV infection. *Townsend Lett*, 2006, 275:92-93

Aktay G, Deliorman D, Ergun E, Ergun F, Yesilada E, Cevik C. Hepatoprotective effects of Turkish folk remedies on liver injury. *J Ethnopharm*, 2000, 73:121-129

Aktay G, Deliorman D, Yesilada E, Ergun F. Effects of some folk remedies on zinc, copper and iron levels in liver homogenates after hepatotoxin challenging. *J Fac Pharm Gazi*, 2001, 18(2):135-141

BGB (Bundesgesetzblatt) für die Republik Österreich 1, II, Nr. 122 vom 13.3.2004

Blaschek W, Ebel S, Hilgenfeldt U, Holzgrabe U, Reichling J, Schulz V, editors. HagerROM 2008: Hagers Enzyklopädie der Arzneistoffe und Drogen. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2008

Bond W, Davies G, Turner R. The biology and non-chemical control of Ribwort Plantain (*Plantago lanceolata* L.): <http://www.gardenorganic.org.uk/organicweeds>, 11/2007

Borovskaya TG, Udintsov SN, Zueva EP, Fornina TI, Neishtadt EL, Yaremenko KV. Amelioration of 5-fluorouracil toxicity in murine small intestine mucosa by plantain juice treatment. *Vopr Onkol*, 1987, 33:60-61

Bräutigam M, Franz G. Schleimpolysaccharide aus Spitzwegerichblättern. *Dtsch Apoth Ztg*, 1985, 125:58-62

Bräutigam M. Untersuchungen über die Schleimpolysaccharide aus *Plantaginis lanceolatae* folium und Versuche zur Gewebekultur von schleimbildenden pflanzlichen Geweben. Dissertation, Universität Regensburg 1985

Brøndegaard VJ. Wegerich als Wundheilmittel in der Volks- und Schulmedizin. *Sudhoffs Arch Geschichte Med Naturw*, 1963, 47:127-151



Büechi S, Wegener T. Spitzwegerich (*Plantago lanceolata*). Neue Erkenntnis zu einem alten Heilmittel. *Schweiz Zeitschr GanzheitsMedizin*, 2005, 17:167-170

Büechi S. Antivirale Gerbstoffe. *Dtsch Apoth Ztg*, 1998, 138:67-78

Büechi S. Antivirale Saponine. *Dtsch Apoth Ztg*, 1996, 136:19-28

Catapano AL. Antioxidant effect of flavonoids. *Angiology*, 1997, 48(1):39-44

Cáceres A, Girón LM, Alvarado SR, Torres MF. Screening of antimicrobial activity of plants popularly used in Guatemala for the treatment of dermatomucosal diseases. *J Ethnopharm*, 1987, 20:223-237

Celik T, Aslantürk ÖZ. Anti-mitotic and anti-genotoxic effects of *Plantago lanceolata* aqueous extract on *Allium cepa* root Tipp meristem cells. *Biologia*, Bratislava, 2006, 61(6):693-697

Chang HM, Yun HS. Plants with liver-protective activities: Pharmacology and toxicology of aucubin. In: Chang HM, Yeung WH, Tso WW, Koo A (Eds.), Advances in Chinese medicinal materials research, World Scientific, Singapore Philadelphia 1985, 269-285

Chang IM, Chang KS, Yun-Choi HS. Toxicological studies on aucubin (I). *Kor J Pharmacog* 1983, 14:95-101

Chang IM, Sook HS, Yan KH. Pharmacology and toxicology of aucubin. *J Pharm Soc Korea*, 1984, 28:35-48

Chang IM, Yun HS, Kim YS, Ahn JW. Aucubin: Potential antidote for alpha-amanitin poisoning. *Clin Toxcol*, 1984, 22:77-85

Chang IM. Antiviral activity of aucubin against hepatitis B virus replication. *Phytother Res*, 1997, 11:189-192

Chang IM, Yamaura Y. Aucubin: A new antidote for poisonous Amanita mushrooms. *Phytother Res*, 1993, 7: 53-56

Chattopadhyay D, Khan MTH. Ethnomedicines and ethnomedicinal phytophores against herpesviruses. *Biotechnol Annu Rev*, 2008, 14:297-348

Chiang LC, Chiang W, Ng LT, Lin CC. Antiviral activity of *Plantago major* extracts and related compounds in vitro. *Antiviral Res*, 2002, 55:53-62

Chiang LC, Ng LT, Chiang W, Chang MY, Lin CC. Immunomodulatory activities of flavonoids, monoterpenoids, triterpenoids, iridoid glycosides and phenolic compounds of *Plantago* species. *Planta Medica*, 2003, 69:600-604

Deliorman D, Ergun F, Yesilada E. A preliminary study on hepatoprotective activity of some Turkish folk remedies by using pentobarbital-induced hypnosis model in mice. *J Fac Pharm Gazi*, 1999, 16(2):77-81

Deutsches Arzneibuch 2005 (DAB 2005) Spitzwegerichkraut. Deutscher Apotheker Verlag, Stuttgart 2005

Ebringerová A, Kardosová A, Hromádkova Z, Hribalová V. Mitogenic and comitogenic activities of polysaccharides from some European herbaceous plants. *Fitoterapia*, 2003, 74:52-61

Elich J. Antibakterielle Aktivität einiger einheimischer *Plantago*-Arten. Dissertation, 1962, FU Berlin

Elich J. Die antibakterielle Aktivität einiger einheimischer *Plantago*-Arten. *Dtsch Apoth Ztg*, 1966, 106:428

Elich J. Das antibakterielle Prinzip unserer einheimischen Plantago-Arten. *Dtsch Apoth Ztg*, 1961, 101:1387

ESCOP (European Scientific Cooperative on Phytotherapy). 2nd ed. Monograph *Plantaginis lanceolatae* folium/herba. Thieme Verlag, Stuttgart 2003

European Pharmacopoeia. 6th ed. 2010 (6.7) Ribwort Plantain 01/2008: 1884

Felklova M: Antibacterial properties of *Plantago lanceolata* extracts. *Pharm Zentralhalle*, 1958, 97:61-65

Fleer H, Verspohl EJ, Nahrstedt A. In-vitro spasmolytic activity of Extracts from *Cynara scolymus* und *Plantago lanceolata*. Proceedings of the 8th Congress on Phytotherapy, Würzburg 27-28.11.1997

Fleer H, Verspohl EJ. Antispasmodic activity of an extract from *Plantago lanceolatae* and some isolated compounds. *Phytomedicine*, 2007, 14:409-415

Fraga C, Martino V, Ferraro G, Coussio J, Boveris A. Flavonoids as antioxidants evaluated by in vitro and in situ liver chemiluminescence. *Biochem Pharmac*, 1987, 36(5):717-720

Franz G. Polysaccharides in Pharmacy: current applications and future concepts. *Planta Medica*, 1989, 55:493-497

Freerksen E. Zufuhr antibakterieller Wirkstoffe durch Nahrung und Futter. *Die Naturwissenschaften* 1950, 37:56-565

Gálvez M, Martín-Cordero C, López-Lázaro M, Cortés F, Ayuso MJ. Cytotoxic effect of *Plantago* spp. on cancer cell lines. *J Ethnopharm*, 2003, 88:125-130

Gálvez M, Martín-Cordero C, Houghton PJ, Ayuso MJ. Antioxidant activity of methanol extracts obtained from *Plantago* species. *J Agric Food Chem*, 2005, 53:1927-1933

Garg HS, Bhandari SPS, Tripathi SC, Patnaik GK, Puri A, Saxena R, Saxena RP. Antihepatotoxic and immunostimulant properties of the iridoid glycosides of *Scrophularia koelzii*. *Phytother Res*, 1994, 8:224-228

German Commission E. Monographie *Plantaginis lanceolatae* herba. BAnz. Nr. 223; 30.11.1985

German standard registration Standardzulassung Spitzwegerichkraut. Reg. No. 12899.99.99; February 1996

Hänsel R. Glykosidische Bitterstoffe der Monoterpenreihe. *Dtsch Apoth Ztg*, 1966, 106:1761-1767

Hänsel R, Keller K, Rimpler H, Schneider G (eds). Hagers Handbuch der Pharmazeutischen Praxis. 5th ed. Vol 5. Springer-Verlag, Berlin 1994, 224-228

Hausmann M, Obermeier F, Paper DH, Balan K, Dunger N, Menzel K et al. In vivo treatment with the herbal phenylethanoid acteoside ameliorates intestinal inflammation in dextran sulphate sodium-induced colitis. *Clin Exp Immunol*, 2007, 148:373-381

Hayashi K, Nagamatsu T, Ito M, Hattori T, Suzuki Y. Acteoside, a component of *Stachys Sieboldii* MIQ, may be a promising antinephritic agent (2): Effect of acteoside on leucocyte accumulation in the glomeruli of nephritic rats. *Jpn J Pharmacol*, 1994, 66:47-52

Haznagy A. Recent results with *Plantaginis* folium. *Herba Hung*, 1970, 9:57-63

Heil BM, Kammerer E. Schleimhautdefekte heilen ab! *Natura Med*, 1993, 8(5):257-259

Herbert JM, Maffrand JP. Verbascoside isolated from *Lantana camara*, an inhibitor of protein kinase C. *J Nat Prod*, 1991, 54:1595-1600

Herold A, Cremer L, Calugaru A, Tamas V, Ionescu F, Manea S, Szegli G. Hydroalcoholic plant extracts with anti-inflammatory activity. *Rom Arch Microbiol Immunol*, 2003a, 62(1-2):117-129

Herold A, Cremer L, Calugaru A, Tamas V, Ionescu F, Manea S, Szegli G. Antioxidant properties of some hydroalcoholic plant extracts with anti-inflammatory activity. *Rom Arch Microbiol Immunol*, 2003b, 62(3-4):217-227

Hoppe HA. Drogenkunde. Band 1 Angiospermen. Walter de Gruyter, Berlin, New York 1975

Horak F, Jäger S. Die Bedeutung der verschiedenen Pollenarten als Ursache des Heufiebers. *Med Klein*, 1980, 75:532-538

Ji L, Wang PF, Zheng R, Liu Z, Jia Z. Protection of phenylpropanoid glycosides from pedicularis against oxidative hemolysis in vitro. *Planta Med*, 1993, 59:315-317

Jurisic R, Debeljak Z, Vladimir-Knezevic S, Vukovic J. Determination of aucubin and catalpol in *Plantago* species by micellar electrokinetic chromatography. *Z Naturforsch*, 2004, 59c:27-31

Kardosová A, Machová E. Antioxidant acitivity of medicinal plant polysaccharides. *Filoterapia*, 2006, 77:367-373

Keeser E. Untersuchung einiger Blutstillungsmittel. *Dtsch Med Wochenschr*, 1939, 65:375-376

Kernan MR, Amarquaye A, Chen JL, Chan J, Sesin DF, Parkinson N et al. Antiviral phenylpropanoid glycosides from the medicinal plant *Markhamia lutea*. *J Nat Prod*, 1998, 61:564-570

Kooperation Phytopharma. Kinderdosierungen von Phytopharma. 2nd revised ed. 1998

Kozan E, Küpeli E, Yesilada E. Evaluation of some plants used in Turkish folk medicine against parasitic infections for their in vivo anthelmintic activity. *J Ethnopharm*, 2006, 108:211-216

Kraft K. Therapeutisches Profil eines Spitzwegerichkraut-Fluidextraktes bei akuten respiratorischen Erkrankungen im Kindes- und Erwachsenenalter. In: Loew D und Rietbrock N (eds) Phytopharma III. Forschung und klinische Anwendung. Darmstadt 1997, 199-209

Kraft K. Spitzwegerichkraut-Fluidextrakt als Antitussivum. Anwendung bei unspezifischen respiratorischen Erkrankungen im Kindes- und Jugendalter. *Z Phytother*, 1998, 9:219

Kuppusamy UR, Khoo HE, Das NP. Structure-activity studies of flavonoids as inhibitors of hyaluronidase. *Biochem Pharmac*, 1990, 40(2):397-401

Kuppusamy UR, Das NP. Effects of flavonoids on cyclic AMP phosphodiesterase and lipid mobilization in rat adipocytes. *Biochem Pharmac*, 1992, 44(7):1307-1315

Li W, Zheng R, Su B, Jia Z, Li H, Jiang Y, Yao S, Lin N. Repair of dGMP hydroxyl radical adducts by verbascoside via electron transfer: a pulse radiolysis study. *Int J Radiat Biol*, 1996, 69:481-485

Loew D, Schrödter A, Schilcher H. Phytopharma bei katarrhalischen Erkrankungen der oberen und unteren Atemwege. In: Phytopharma III. Forschung und klinische Anwendung. Eds: Loew D, Rietbrock N., Darmstadt: Steinkopff 1997

Long C, Moulis C, Stanislas E, Fouraste I. L'aucuboside et le catapol dans les feuilles de *Plantago lanceolata* L., *Plantago major* L. et *Plantago media* L. *J Pharm Belg*, 1995, 50:484-488

Madaus G. Lehrbuch der biologischen Heilmittel III. Georg Olms Verlag, Hildesheim, New York. 1976

Marchesan M, Hose S, Paper DH, Franz G. Spitzwegerich. Neue Untersuchungen zur antiinflammatorischen Wirkung. *Dtsch Apoth Ztg*, 1998a, 138(32):39-44

Marchesan M, Hose S, Paper DH, Franz G. Investigation of the anti-inflammatory activity of liquid extracts of *Plantago lanceolata* L. *Phytother Res*, 1998b, 12:533-534

Mascolo N, Autore G, Capasso F. Biological screening of Italian medicinal plants for anti-inflammatory activity. *Phytother Res*, 1987, 1(1):28-31

Mascolo N, Pinto A, Capasso F. Flavonoids, leucocyte migration and eicosanoids. *J Pharm Pharmacol*, 1988, 40:293-295

Mehrotra R, Rawat S, Kulshreshtha DK, Patnaik GK, Dhawan BN. In vitro studies on the effect of certain natural products against hepatitis B virus. *Indian J Med Res*, 1990, 92:133-138

Mehta V, Wheeler AW. IgE-mediated sensitization to English Plantain pollen in seasonal respiratory allergy: identification and partial characterisation of its allergenic components. *Int Arch Allergy Appl Immunol*, 1991, 96:211-217

Middleton E, Fujiki H, Savliwala M, Drzewiecki G. Tumor promoter-induced basophil histamine release: effect of selected flavonoids. *Biochem Pharmacol*, 1987, 36(12):2048-2052

Molnàr J, Gunics G, Mucsi J, Koltai M, Petri I, Shoyama Y et al. Antimicrobial and immunomodulating effects of some phenolic glycosides. *Acta Microbiol Hun*, 1989, 36(4):425-432

Müller RS, Bettenay SV, Tideman L. Aero-allergens in canine atopic dermatitis in south-eastern Australia based on 1000 intradermal skin tests. *Aust Vet J*, 2000, 78:392-399

Müller-Limmroth W, Fröhlich HH. Wirkungsnachweis einiger phytotherapeutischer Expektorantien auf den mukoziliären Transport. *Fortschr Med*, 1980, 98(3):95-101

Murai M, Tamayama Y, Sansei N. Phenylethanoids in the herb of *Plantago lanceolatae* and inhibitory effects on arachidonic acid-induced mouse ear edema. *Planta Med*, 1995, 61:479-480

Österreichisches Arzneibuch, Amtliche Ausgabe, Verlag Österreich, 2009

Österreichisches Arzneibuch (ÖAB 90). Band II: Folium Plantaginis. Spitzwegerichblatt. Verlag der Österreichischen Staatsdruckereien, Wien 1991

Orhan D, Cirak M, Külah C, Ergun F. Antimicrobial activity screening of some Turkish medical plants. *J Fac Pharm Gazi*, 2002, 19(2):105-111

Pahlow M. Spitzwegerichkraut, Primelwurzeln und Schlüsselblumenblüten. *Dtsch Apoth Ztg*, 1984, 124:801

Paper DH, Marchesan M. Spitzwegerich (*Plantago lanceolatae* L.). Inhaltsstoffe, Analytik, Pharmakologie, Standardisierung. *Z Phytother*, 1999, 20:231-238

Pan N, Hori H. Antioxidant action of acteoside and its analogs on lipid peroxidation. *Redox Report*, 1996, 2(2):149-154

Pharmacopoeia Helvetica VII. Plantaginis folium. Eidgenössische Drucksachen- und Materialzentrale Bern, 1995

Plachcinska J, Matacz D, Kryztofik R, Dabrowa A, Brzosko WJ, Ozarowski A. Influence of medicinal herbs on the immune system. I. Induction of endogenous interferon. *Fitoterapia*, 1984, 55:346-348

Ravn H, Nishibe S, Sasahara M, Xuebo L. Phenolic compounds from *Plantago asiatica*. *Phytochemistry*, 1990, 29(11):3627-3631

Recio M, Giner RM, Manez S, Rios JL. Structural considerations on the iridoids as anti-inflammatory agents. *Planta Med*, 1994, 60:232-234

Ruiz R, De la Torre RA, Alonso N, Villaescusa A, Betancourt J, Vizoso A. Screening of medicinal plants for induction of somatic segregation in *Aspergillus nidulans*. *J Ethnopharmacol*, 1996, 52:123-127

Sagar GR, Harper JL. Biological Flora of the British Isles No. 95 *Plantago major* L., *P. media* L. and *P. lanceolata* L. *J Ecol*, 1964, 52:189-221

Sasaki H, Nishimura H, Morota T, Chin M, Mitsuhashi H, Komatsu Y et al. Immunosuppressive principles of *Rehmannia glutinosa* var. hueichigensis. *Planta Medica*, 1989, 55:458-462

Schapoval EE, Vargas MR, Chaves CG, Bridi R, Zuanazzi JA, Henriques AT. Antiinflammatory and antinociceptive activities of extracts and isolated compounds from *Stachytarpheta cayennensis*. *J Ethnopharmacol*, 1998, 60:53-59

Schimmer O, Krüger A, Paulini H, Haefele F. An evaluation of 55 commercial plant extracts in the Ames mutagenicity test. *Pharmazie*, 1994, 9:448-451

Schmidgall J, Schnetz E, Hensel A. Evidence for bioadhesive effects of polysaccharides and polysaccharide-containing herbs in an ex vivo bioadhesion assay on buccal membranes. *Planta Med*, 2000, 66:48-53

Sezik E, Ye E, Honda G, Takaishi Y, Takeda Y, Tanaka T. Traditional medicine in Turkey X. Folk medicine in Central Anatolia. *J Ethnopharmacol*, 2001, 75:95-115

Shipochliev T, Dimitrov A, Aleksandrova E. Study on the antiinflammatory effect of a group of plant extracts. *Vet Med Nauki*, 1981, 6:87-94

Spilkova J, Hubik J. Biologische Wirkungen von Flavonoiden. *PharmZ*, 1988, 1:1-9

Steffan B. Inhaltsstoffe aus Pflanzen der indonesischen Volksmedizin (Jamu): Isolierung, Identifikation und Charakterisierung der antioxidativen Eigenschaften. *Dissertation* 2005, Heinrich-Heine- Universität Düsseldorf

Strzelecka H, Glinkowska G, Skopínska-Rózewska E, Malkowska W, Zwierz W, Sikorska E, Sokolnicka I. Immunotropic activity of plant extracts. Influence of water extracts of chosen crude drugs on humoral and cellular immune response. *Herba Pol* 1995, 41:23-32

Suh NJ, Shim CK, Lee MH, Kim SK, Chang IM. Pharmakokinetic study of an iridoid glucoside: aucubin. *Pharm Res* 1991, 8:1059-1063

Tammaro T, Xepapadakis G. Plants used in Phytotherapy, cosmetics and dyeing in the Pramanda district (Epirus, North-West Greece). *J Ethnopharm* 1986, 16:167-174

Tarle D, Petricic J, Kupinic M. Antibiotic effect of aucubin, saponins and extract of plantain leaf – Herba or Folium *Plantaginis Lanceolatae*. *Farm Glas* 1981, 37:351-354

Teuscher E, Melzig MF, Lindequist U. Biogene Arzneimittel. Ein Lehrbuch der Pharmazeutischen Biologie. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2004

Tordera M, Ferrández ML, Alcaraz MJ. Influence of anti-inflammatory flavonoids on degranulation and arachidonic acid release in rat neutrophils. *Z Naturforsch*, 1994, 49c:235-240

Urbina AVO, Martin ML, Fernandez B, San Roman L, Cubilo L. In vitro antispasmodic activity of peracetylated penstermonoside, aucubin and catalpol. *Planta Medica*, 1994, 60:512-515

Van Acker S, de Groot MJ, van den Berg DJ, Tromp M, Donné-op den Kelder G, van der Vigh W, Bast A. A quantum explanation of the antioxidant activity of flavonoids. *Chem Res Toxicol*, 1996, 9:1305-1312

Vigo E, Cepeda A, Gualillo O, Perez-Fernandez R. In-vitro anti-inflammatory activity of *Pinus sylvestris* and *Plantago lanceolata* extracts: effect on inducible NOS, COX-1, COX-2 and their products in J774A.1 murine macrophages. *JPP*, 2005, 57:383-391

Wang P, Kang J, Zheng R, Yang Z, Lu J, Gao J, Jiao Z. Scavenging effects of phenylpropanoid glycosides from Pedicularis on superoxide anion and hydroxyl radical by the spin trapping method (95) 02255-4. *Biochem Pharmacol*, 1996, 51:687-691

Warwick SI, Briggs D. The genealogy of lawn weeds. III. Cultivation experiments with *Achillea millefolium* L., *Bellis perennis* L., *Plantago lanceolata* L., *Plantago major* L. and *Prunella vulgaris* L. collected from lawns and contrasting grassland habitats. *New Phytologist*, 1979, 85:275-288

Watzl B, Rechkemmer G. Flavonoide. *Ernährungs-Umschau*, 2001, 48:498-502

Wegener T, Kraft K. Der Spitzwegerich (*Plantago lanceolata* L.): Reizlinderung bei Infektionen der oberen Atemwege. *Wien Med Wschr*, 1999, 149:211-216

Wichtl M. Herbal drugs and Phytopharmaceuticals. 3rd ed. Medpharm Scientific Publishers GmbH, Stuttgart 2004, 456-460

Wichtl. M Teedrogen und Phytopharmaaka. 4th ed. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2002, 456-460

Wüthrich B, Much T, Kopper E. Zur Bedeutung von Spitzwegerich-, Beifuß- und Gänsefußpollen für die spezifische Diagnostik der Pollinosis: ein Vergleich zwischen RAST- und in-vivo-Tests. *Z Hautkr*, 1977, 52(3):87-94

Xiong Q, Hase K, Tezuka Y, Tani T, Namba T, Kadota S. Hepatoprotective activity of phenylethanoids from *Cistanche deserticola*. *Planta Med*, 1998, 64:120-125

Yamahara J, Kitani T, Kobayashi H, Kawahara Y. Studies on *Stachys sieboldii* MIQ. II. Antianoxia action and the active constituents. *Yagugaku Zashi*, 1990, 110:932-935

Zanon SM, Cerlatti FS, Rovera M, Sabini LJ, Ramos BA. Search for antiviral activity of certain medicinal plants from Córdoba, Argentina. *Rev Latinoamer Microbiol*, 1999, 41:59-62

Zueva EP, Yaremenko KV. Screening of drugs reducing the toxicity of cytostatics during experimental chemotherapy of tumors. *Farmacol Toksikol*, 2005, 52:74-77

References read but not included in the AR

- Adler LS, Schmitt J, Bowers MD. Genetic variation in defensive chemistry in *Plantago lanceolata* (Plantaginaceae) and its effect on the specialist herbivore *Junonia coenia* (Nymphalidae). *Oecologia*, 1995, 101: 75-85
- Aníbarro PC, Picón SJ, González FG, Gómez PA, Giménez RP, Carmona JB, Ten CR, Serrano JV, Bascones O. Allergenic pollens and pollinosis in the city of Burgos. *Allergol Immunol Clin*, 2005, 20: 90-94
- Asero R, Mistrello G, Roncarolo D, Casarini M. Detection of allergens in plantain (*Plantago lanceolata*) pollen. *Allergy*, 2000, 55: 1059-1062
- Baldo BA, Chensee QJ, Howden MEH, Sharp PJ. Allergens from Plantain (*Plantago lanceolata*). *Int Archs Allergy Appl Immun*, 1982, 68: 295-304
- Beer AM, Loew D. Arzneipflanzen bei Infekten der oberen und unteren Atemwege. Mit Spitzwegerich und Thymianöl in die Hustensaison. *MMW-Fortschr Med*, 2008, 41: 29-33
- Böcher TW. Studies on variation and biology in *Plantago lanceolata* L. *Dansk Bot Ark*, 1943, 11: 1-18
- Bowers MD, Stamp NE. Chemical variation within and between individuals of *Plantago lanceolatae* (Plantaginaceae). *J Chem Ecol*, 1992, 18: 985-995
- Bräutigam M, Franz G. Versuche zur Gewebekultur von schleimbildenden pflanzlichen Geweben. *Sci Pharm*, 1985, 53: 237-246
- Bräutigam M, Franz G. Structural features of *Plantago lanceolata* mucilage. *Planta Medica*, 1985, 51: 293-295
- Calabozo B, Barber D, Polo F. Studies on the carbohydrate moiety of Pla I 1 allergen. Identification of a major N-glycan and significance for the immunoglobulin E-binding activity. *Clin Exp Allergy*, 2002, 32: 1628-1634
- Calabozo B, Diaz-Perales A, Salcedo G, Barber D, Polo F. Structural and antigenic similarity between Pla L 1 and Ole E 1, the major allergens of English plantain and olive pollens. *J Clin Immunol*, 2001, 107(2): 15
- Chudnicka A, Matysik G. Research of enzymatic activities of fresh juice and water infusions from dry herbs. *J Ethnopharmacol*, 2005, 99: 281-286
- Doekes G, Gijsbers J. Occupational allergy to pollen of plantain (*Plantago* spp.) in an ecological research institute. *Europ Resp J*, 1998, 12(28): 32
- Egger M, Mutschlechner S, Wopfner N, Gadermaier G, Briza P, Ferreira F. Pollen-food syndromes associated with weed pollinosis: an update from the molecular point of view. *Allergy*, 2006, 61: 461-476
- Háznagy A, Tóth G, Bula E. Apigenin-7-O-monoglucosid im Kraut von *Plantago lanceolata*. *Pharmazie*, 1976, 31: 482-483
- Matthews PA, Baldo BA, Howden MEH. Cytochrome c allergens isolated from the pollens of the dicotyledons English plantain (*Plantago lanceolata*) and Paterson's curse (*Echium plantagineum*). *Mol Immunol*, 1988, 25: 63-68
- Nakamura Y, Maguchi S, Oridate N, Takagi D, Furuta Y, Fukuda S. *Plantago lanceolata* (English plantain) pollinosis in Japan. *Auris Nasus Larynx*, 2005, 32: 251-256

Orovito A, de Luque V, Rubiano C, Guardia P, de la Calle A, Conde J. Prevalence of hypersensitivity to different pollens in the population from Seville with pollinosis and their clinical characteristics. *Allergy*, 2007, 62(83):167-551

Polo F, Calabozo B, Duffort O, Barber D. Monoclonal antibody-based ELISA to quantify the major allergen of *Plantago lanceolata* Pollen, Pla I 1. *J Allergy Clin Immunol*, 2000, 105(1):334

Ramos A, Visozo A, Piloto J, García, Rodríguez A, Rivero R. *J Ethnopharmacol*, 2003, 87:241-246

Rischer M, Adamczyk M, Ratz H, Hose S, Marchesan M, Paper DH, Franz G, Wolf-Heuss E, Engel J. Quantitative determination of the iridoid glycosides aucubin and catapol in *Plantago lanceolata* L. extracts by HPTLC and HPLC. *JPC*, 1998, 11:374-378

Rønsted N, Göbel E, Franzyk H, Rosendal Jensen S, Olsen CE. Chemotaxonomy of Plantago. Iridoid glucosides and caffeoyl phenylethanoid glycosides. *Phytochemistry*, 2000, 55:337-348

Schmidt W, Steinbach S. Sensing Iron – a whole plant approach. *Ann Bot*, 2000, 86:589-593

Schmidt W, Schuck C. Pyridine nucleotide pool size changes in iron-deficient *Plantago lanceolata* roots during reduction of external oxidants. *Physiol Plant*, 1996, 98:215-221

Schmidt W, Janiesch P, Brüggemann W. Fe-EDTA reduction in roots of *Plantago lanceolata* by a NADH-dependent plasma membrane-bound redox system. *J Plant Physiol*, 1990, 136:51-55

Schmidt W, Bartels M. Orientation of NADH-linked ferric chelate (turbo) reductase in plasma membranes from roots of *Plantago lanceolata*. *Protoplasma*, 1998, 203:186-193

Schmidt W. Reduction of extracytoplasmatic acceptors by roots of *Plantago lanceolata* L. Evidence for enzyme heterogeneity. *Plant Sci*, 1994, 100:139-146

Suomi J, Wiedmer SK, Jussila M, Riekkola MJ. Determination of iridoid glycosides by micellar electrokinetic capillary chromatography-mass spectrometry with use of the partial filling technique. *Electrophoresis*, 2001, 22:2580-2587

Taskova R, Evstatieva L, Handjieva N, Popov S. Iridoid pattern of Plantago L and their systematic significance. *Z Naturforsch*, 2002, 57c:47-50

Weber B, Kahlert H, Petersen A, Fiebig H, Cromwell O. Purification of the plantain (*Plantago lanceolata*) allergen Pla I 1. *J Allerg Clin Immunol*, 1996, 97(1):209