



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

23 November 2022
EMA/HMPC/648117/2022
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Rosmarinus officinalis* L., aetheroleum and *Rosmarinus officinalis* L., folium

Draft – Revision 1

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abdul-Ghani AS, El-Lati SG, Sacaan AI, Suleiman MS, Amin RM. Anticonvulsant effects of some Arab medicinal plants. *Int J Crude Drug Res* 1987, 25(1):39-43

Abuashwashi MA, Palomino OM, Gómez-Serranillos MP. *Rosmarinus officinalis* L. essential oil protects astrocytes against oxidative damage. *J Pharmacol Clin Res* 2017, 2(5):555598. DOI: 10.19080/JPCR.2017.02.555598

Al-Hader AA, Hasan ZA, Aqel MB. Hyperglycemic and insulin release inhibitory effects of *Rosmarinus officinalis*. *J Ethnopharmacol* 1994, 43(3):217-21

Al-Sereiti MR, Abu-Amer KM, Sen P. Pharmacology of rosemary (*Rosmarinus officinalis* Linn.) and its therapeutic potentials. Abstract. *Indian J Exp Biol* 1999, 37(2):124-30

American Academy of Pediatrics. Camphor: who needs it? *Pediatrics* 1978, 62(3):404-406. 10.1542/peds.62.3.404

Anadón A, Martínez-Larrañaga MR, Martínez MA, Ares I, García-Risco MR, Señoráns FJ et al. Acute oral safety study of Rosemary extracts in rats. *J Food Prot* 2008, 71(4):790-795

Andrade JM, Faustino C, Garcia C, Ladeiras D, Reis CP, Rijo P. *Rosmarinus officinalis* L.: an update review of its phytochemistry and biological activity. *Future Sci OA*. 2018, 4(4):FSO283. doi: 10.4155/fsoa-2017-0124. eCollection

Aqel MB. Relaxant effect of the volatile oil of *Rosmarinus officinalis* on tracheal smooth muscle. *J Ethnopharm* 1991, 33:57-62

Aqel MB. A vascular smooth muscle relaxant effect of *Rosmarinus officinalis*. *Int J Pharmacog* 1992, 30(4):281-288



- Asai A, Nakagawa K, Miyazawa T. Antioxidative effects of turmeric, rosemary and capsicum extracts on membrane phospholipid peroxidation and liver lipid metabolism in mice. *Biosci Biotechnol Biochem* 1999, 63(12):2118-2122
- Babu US, Wiesenfeld PL, Jenkins MY. Effect of dietary rosemary extract on cell-mediated immunity of young rats. *Plant Foods Hum Nutr* 1998, 53(2):169-174
- Bao TQ, Li Y, Qu C, Zheng ZG, Yang H, Li P. Antidiabetic effects and mechanisms of Rosemary (*Rosmarinus officinalis* L.) and its phenolic components. *Am J Chin Med* 2020, 48(6):1353-1368. doi: 10.1142/S0192415X20500664
- Barceloux DG. Medical toxicology of natural substances. John Wiley & Sons Inc. 2008, 84:574-578
- Barnes J, Anderson L, Phillipson JD. Herbal Medicines. A guide for health-care professionals, 2nd ed. London, Pharmaceutical Press, 2002
- Benjlali B, Ettalibi M, Ismaili-Alaoui M. Méthode d'étude des propriétés antiseptiques des huiles essentielles par contact direct en milieu gélosé. *Plantes médicinales et phytothérapie* 1986, Tome XX 2:155-167
- Bisset NG, ed. (translated from Wichtl M, Teedrogen). Rosmarini folium. In: Herbal Drugs and Phytopharmaceuticals: A handbook for practice on a scientific basis. Boca Ramon-London; CRC Press, Stuttgart. Medpharm, 1994: 428-430
- Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T, Riggins CW et al., editors. The Complete German Commission E Monographs. The American Botanical Council, Austin Texas 1998, 197
- Blumenthal M, Goldberg A, Brinckmann J, editors. Herbal medicine. Expanded Commission E Monographs. The American Botanical Council, Austin Texas 2000, 389-393
- Boatto G, Pintore G, Palomba M. Composition and antibacterial activity of *Inula helenium* and *Rosmarinus officinalis* essential oils. *Fitoterapia* 1994, 65(3):279-280
- Bult H, Herman AG, Rampart M. Modification of endotoxin-induced haemodynamic and haematological changes in the rabbit by methylprednisolone, F(ab')₂, fragments and rosmarinic acid. *Br J Pharmac* 1985, 84:317-327
- British Herbal Pharmacopoeia, *Rosmarinus*. The British Herbal Medicine Association 1983, 180-181
- Cabo J, Crespo ME, Jimenez J, Zarzuelo A. The spasmolytic activity of various aromatic plants from the province of Granada. *Plantes Médicinales et Phytothérapie* 1986, 20(3):213-218
- Calabrese V, Scapagnini G, Catalano C, Dinotta F, Geraci D, Morganti P. Biochemical studies of a natural antioxidant isolated from rosemary and its application in cosmetic dermatology. *Int J Tissue React* 2000, 22(1):5-13. PMID: 10937349
- Chandler. Rosemary. *Clinical Edge*, 1985: 40-53
- Collins MA, Charles HP. Antimicrobial activity of Carnosol and Ursolic acid: two anti-oxidant constituents of *Rosmarinus officinalis* L. *Food Microbiol* 1987, 4:311-315
- Commission E Rosmarini folium Monographie BAnz., No. 223, 30.11.1985
- Commission E Rosmarini folium, Monographie BAnz. No. 221, 28.11.1986
- Commission E Rosmarini folium Monographie BAnz. No. 50, 13.03.1990
- Council of Europe, Committee of Experts on Flavouring Substances of the Council of Europe. 48th Meeting Strasbourg, 2001, 2-6 April

- Dhariwala MY, Ravikumar P. An overview of herbal alternatives in androgenetic alopecia. *J Cosmet Dermatol* 2019;18:966–975. <https://doi.org/10.1111/jocd.12930>
- de Oliveira JR, Camargo SEA & de Oliveira LD. *Rosmarinus officinalis* L. (rosemary) as therapeutic and prophylactic agent. *J Biomed Sci* 2019, 26(5). <https://doi.org/10.1186/s12929-019-0499-8>
- Debersac P, Heydel JM, Amiot MJ, Goudonnet H, Artur Y, Suschetet M, Siess MH. Induction of cytochrome P450 and/or detoxication enzymes by various extracts of rosemary: description of specific patterns. *Food Chem Toxicol* 2001 Sep;39(9):907-918. doi: 10.1016/s0278-6915(01)00034-5. PMID: 11498267
- del Baño MJ, Castillo J, Benavente-García O, Lorente J, Martín-Gil R, Acevedo C, Alcaraz M. Radioprotective-Antimutagenic Effects of Rosemary Phenolics against Chromosomal Damage Induced in Human Lymphocytes by γ -rays. *J Agric Food Chem* 2006, 54:2064-2068
- del Rio Hijas E. El uso de plantas medicinales en los distintos métodos terapéuticos. First Iberian Symposium on medicinal, aromatic plants and essential oils. Madrid, 1992: 399-407
- Dias PC, Foglio MA, Possenti A, de Carvalho JE. Antiulcerogenic activity of crude hydroalcoholic extract of *Rosmarinus officinalis* L. *J Ethnopharmacol* 2000, 69:57-62
- Diego MA, Jones NA, Field T, Hernandez-Reif M, Schanberg S, Kuhn C et al. Aromatherapy positively affects mood, EEG patterns of alertness and math computations. Abstract. *Int J Neurosci* 1998, 96(3-4):217-224
- Dorman, HJD, Peltoketo A, Hiltunen R, Tikkanen MJ. Characterisation of the antioxidant properties of de-odourised aqueous extracts from selected Lamiaceae herbs. *Food Chem* 2003, 83:255-262
- Drew BT, González-Gallegos JG, Xiang C-L, Kriebel R, Drummond CP, Walker JB et al. *Salvia* united: The greatest good for the greatest number. *Taxon* 66(1) 2017, 133-145
- Erenmemisoglu A, Saraymen R, Ustun S. Effect of a *Rosmarinus officinalis* leave extract on plasma glucose levels in normoglycaemic and diabetic mice. *Pharmazie* 1997, 52(8):645-6
- ESCOP Monographs on the medicinal uses of plant drugs. *Rosmarini folium cum flore* – Rosemary. European Scientific Cooperative on Phytotherapy. 1997, Fascicule 3
- EFSA (European Food Safety Authority). Scientific opinion of the Panel on Food Additives, Flavourings, Processing Aids and Materials in contact with Food (AFC) on a request from the Commission on Camphor in Flavourings and other food ingredients with flavourings properties. *The EFSA Journal* 2008a, 729:1-15
- EFSA (European Food Safety Authority). Scientific opinion of the Panel on Food Additives, Flavourings, Processing Aids and Materials in contact with Food (AFC) on a request from the Commission on the use of rosemary extracts as a food additive. *The EFSA Journal* 2008b, 721:1-29
- Fahim FA, Esmat AY, Fadel HM, Hassan KF. Allied studies on the effect of *Rosmarinus officinalis* L. on experimental hepatotoxicity and mutagenesis. Abstract. *Int J Food Sci Nutr* 1999, 50(6):413-427
- Fang X, Wada S. Enhancing the antioxidant effect of α -tocopherol with rosemary in inhibiting catalysed oxidation caused by Fe^{2+} and hemoprotein. *Food Res Intl* 1993, 26:405-411
- Felter HW & Lloyd JU. King's American dispensatory. Eclectic Medical Publications, Sandy, OR, 1983
- Fernandez L, Duque S, Sanchez I, Quiñones D, Rodriguez F, Garcia-Abujeta JL. Allergic contact dermatitis from rosemary (*Rosmarinus officinalis* L.). *Contact Dermatitis* 1997, 37(5):248-249. doi: 10.1111/j.1600-0536.1997.tb02455.x. PMID: 9412766

- Fleurentin J, Hoefler C, Mortier F, Pelt JM. Pharmacologie des extraits de jeunes pousses et de plante entière de *Rosmarinus officinalis*. *Phytotherapie* 1986, 20:19-30
- Forster HB, Niklas H. Antispasmodic Effects of Some Medicinal Plants. *Planta Med* 1980, 40(4):309-319
- Giachetti D, Taddei E, Taddei I. Pharmacological Activity of Essential oils on Oddi's Sphincter. *Planta Med* 1988, 389-392
- Gomes-Carneiro MR, Felzenszwalb I, Paumgarten FJ. Mutagenicity testing (+/-)-camphor, 1,8-cineole, citral, citronellal, (-)-menthol and terpineol with the *Salmonella*/microsome assay. *Mutat Res* 1998, 416(1-2):129-136. doi: 10.1016/s1383-5718(98)00077-1. PMID: 9725999
- Guerreiro M, Cunha A. Hydroxyl Scavenger Activity of *Rosmarinus Officinalis* L. XXI Congrès International de la Societé de Pharmacie de la Mediterranée 7/9-10-1994, Italy
- Haloui M, Louedec L, Michel JB, Lyoussi B. Experimental diuretic effects of *Rosmarinus officinalis* and *Centaureum erythraea*. *J Ethnopharmacol* 2000, 71:465-472
- Hänzel R. *Phytopharmaka*, 2nd ed. Berlin_Heidelberg, Springer-Verlag, 1991: 134-214
- Haraguchi H, Saito T, Okamura N, Yagi A. Inhibition of Lipid Peroxidation and Superoxide Generation by Diterpenoids from *Rosmarinus officinalis*. *Planta Med* 1995, 61:333-336
- Hasani FV, Shirani K, Hosseinzadeh H. Rosemary (*Rosmarinus officinalis*) as a potential therapeutic plant in metabolic syndrome: a review. *Naunyn-Schmiedeberg's Arch Pharmacol* 2016, 389:931-49. DOI 10.1007/s00210-016-1256-0
- Héthelyi É, Koczka I, Tétényi P. Phytochemical and antimicrobial analysis of essential oils. *Herba Hungaria* 1989, 28(1-2): ??
- Hjorth AB, Christophersen C, Hausen BM, Menné T. Occupational allergic contact dermatitis from carnosol, a naturally occurring compound present in rosemary. *Contact Dermatitis* 1997, 37:99-100
- Ho CT, Osawa T, Huang Mou-Tuan, Rosen RT. Food Phytochemicals for Cancer Prevention II, 1994, ACS Symposium Series 547, Chapter I
- Hoefler C, Fleurentin J, Mortier F, Pelt JM, Guillemain J. Comparative Choleric and Hepatoprotective Properties of Young Sprouts and Total Plant Extracts of *Rosmarinus Officinalis* in Rats. *J Ethnopharmacol* 1987, 19:133-143
- Hof S, Ammon HTP. Negative inotropic action of Rosemary oil, 1,8-cineole and bornyl acetate. *Planta Med* 1989, 55:106-107
- Hosseinzadeh H, Nourbakhsh M. Effect of *Rosmarinus officinalis* L. Aerial parts extract on morphine withdrawal syndrome in mice. *Phytother Res* 2003, 17:938-941
- Houlihan C, Ho CT, Chang S. The Structure of Rosmariquinone – a new antioxidant isolated from *Rosmarinus officinalis* L. *JAOCS* 1985, 62(1): ??
- Huang MT, Ho CT, Wang ZY, Ferraro T, Lou YR, Stauber K, et al. Inhibition of skin tumorigenesis by rosemary and its constituents carnosol and ursolic acid. *Cancer Res* 1994, 54(3):701-708. PMID: 8306331
- Ilarionova M, Todorov D, Burov P. Dimitrova N, Parvanova V. Cytotoxic effect on leukemic cells of the essential oils from rosemary, wild geranium and nettle and concret of royal Bulgarian rose. Abstracts of the Fourth International Conference of Anticancer Research, 1992, 21-25 October, Rethymnon, Crete, Greece

- Joyeux M, Rolland A, Fleurentin J, Mortier F, Dorfman P. Tert-Butyl Hydroperoxide-Induced Injury in Isolated Rat Hepatocytes: A Model for Studying Anti-Hepatotoxic Crude Drugs. *Planta Med* 1990, 56:171-173
- Karamarkovic AR, Djuranovic SP, Popovic NP, Bumbasirevic. VD, Sijacki AD, Blazic IV. Hepatic abscess secondary to a rosemary twig migrating from the stomach into the liver. *World J Gastroenterol* 2007, 13(41):5530-5532
- Khatib S, Alkofahi A, Hasan M, Najib N. The cardiovascular effects of *Rosmarinus officinalis* extract on the isolated intact rabbit heart. *Fitoterapia* 1998, 69(6):502-506
- Kimura Y, Okuda H. Studies on the activities of tannins and related compounds, X. Effects of caffeetannins and related compounds on arachidonate metabolism in human polymorphonuclear leukocytes. *J Nat Prod* 1987, 50(3):392-399
- Konstantopoulou I, Vassilopoulou L, Mavragani-Tsipidou P, Scouras ZG. Insecticidal effects of essential oils. A study of the effects of essential oils extracted from eleven Greek aromatic plants on *Drosophila auraria*. Research articles. *Experientia, Birkhäuser Verlag Basel*, 1992, 48(6):616-619
- Kovar KA, Gropper B, Friess D, Ammon HPT. Blood Levels of 1,8-Cineole and Locomotor Activity of Mice After Inhalation and Oral Administration of Rosemary Oil. *Planta Med* 1987, 53(4):315-318. doi: 10.1055/s-2006-96272
- Larrondo JV, Calvo M. Effect of essential oils on *Candida albicans*: a scanning electron microscope study. Faculty press, *Biomed Lett* 1991, 48:269-272
- Lemonica IP, Damasceno DC, Di-Stasi LC. Study of the embryotoxic effects of an extract of rosemary (*Rosmarinus officinalis* L). *Braz J Med Biol Res* 1996, 29:223-227
- Leuschner J. Reproductive Toxicity Studies of D-Camphor in Rats and Rabbits. *Arzneim.-Forsch./Drug Res* 1997, 47(1):124-128
- Makino T, Ono T, Muso E, Yoshida H, Honda G, Sasayama S. Inhibitory effects of rosmarinic acid on the proliferation of cultured murine mesangial cells. *Nephrol Dial Transplant* 2000, 15(8):1140-1145. doi: 10.1093/ndt/15.8.1140. PMID: 10910436
- McGuffin M, Hobbs C, Upton R, Goldberg A. American Herbal Products Association's Botanical Safety Handbook. CRC Press, Boca Raton, FL, 1997
- Minnunni M, Wolleb U, Mueller O, Pfeifer A, Aeshbacher HU. Natural antioxidants as inhibitors of oxygen species induced mutagenicity. *Mutat Res* 1992, 269:193-200
- Mongold JJ, Camillieri S, Susplugas P, Taillade C, Masse JP, Serrano JJ. Activité Cholagogue/Cholérétique d'un Extrait Lyophilisé de *Rosmarinus officinalis* L. *Plantes Médicinales et Phytothérapie* 1991, 25(1):6-11
- Moreno S, Scheyer T, Romano CS, Vojnov AA. Antioxidant and antimicrobial activities of rosemary extracts linked to their polyphenol composition. *Free Rad Res* 2006, 40(2):223-231
- Moss M, Smith E, Milner M, McCready J. Acute ingestion of rosemary water: Evidence of cognitive and cerebrovascular effects in healthy adults. *J Psychopharmacol* 2018, 32(12): 1319-1329
- Nadkarni's. Indian Materia Medica. Bombay, Popular Prakashan Pvt. Ltd. Reprinted 1999; Vol 1
- Nematollahi P, Mehrabani M, Karami-Mohajeri S, Dabaghzadeh F. Effects of *Rosmarinus officinalis* L. on memory performance, anxiety, depression, and sleep quality in university students: A randomized clinical trial. *Complement Ther Clin Pract* 2018, 30: 24-28

- Nusier MK, Bataineh HN, Daradkah HM. Adverse effects of Rosemary (*Rosmarinus officinalis* L.) on reproductive function in adult male rats. *Exp Biol Med (Maywood)* 2007, 232(6):809-813
- Offord EA, Macé K, Avanti O, Pfeifer AM. Mechanisms involved in the chemoprotective effects of rosemary extracts studied in human liver and bronchial cells. *Cancer Lett* 1997, 114:275-281
- Okamura N, Haraguchi H, Hashimoto K, Yagi A. Flavonoids in *Rosmarinus officinalis* leaves. *Phytochem* 1994, 37(5):1463-1466. doi: 10.1016/s0031-9422(00)90434-5. PMID: 7765765
- Panizzi L, Flamini G, Cioni PL, Morelli I. Composition and antimicrobial properties of essential oils of four Mediterranean Lamiaceae. *J Ethnopharmacol* 1993, 39:167-170
- Paris RR, Mouse H. Matière Medicale, Vol 3. Paris: Masson et Cie, 1971: 277-279
- Paris A, Strukelj B, Renko M, Turk V, Pukl M, Umek A, Korant BD. Inhibitory effect of carnosic acid on HIV-1 protease in cell-free assays [corrected]. *J Nat Prod* 1993, 56(8):1426-1430
- Parnham MJ, Kesselring K. Rosmarinic acid. *Drugs of the Future* 1985, 10(9):756-757
- Ph. Fr. - Pharmacopée Française. Rosmarin. 1989
- Ph. Fr. - Pharmacopée Française, 9^{ème} ed. Préparation Officinale, 1980 (Romarin)
- Ph. Eur. - European Pharmacopoeia 6th ed. Rosmarini folium. Council of Europe. 1/2008:1560
- Ph. Eur. - European Pharmacopoeia 6th ed. Rosmarini aetheroleum. Council of Europe. 1/2008:1846
- Puerto J. La fuerza de Fierabrás. Medicina, Ciencia y Terapéutica en tiempos del Quijote. Ed Just in Time, S.L. Madrid, Spain. 2005
- Ramadan KS, Khalil OA, Danial EN, Alnahdi HS, Ayaz NO. Hypoglycemic and hepatoprotective activity of *Rosmarinus officinalis* extract in diabetic rats. *J Physiol Biochem* 2013, 69(4):779-783. doi: 10.1007/s13105-013-0253-8. Epub 2013 Apr 28. PMID: 23625639.-783
- Rašković A, Milanović I, Pavlović N, Čebović T, Vukmirović S, Mikov M. Antioxidant activity of rosemary (*Rosmarinus officinalis* L.) essential oil and its hepatoprotective potential. *BMC Complement Altern Med* 2014;14:225. doi: 10.1186/1472-6882-14-225. PMID: 25002023; PMCID: PMC4227022
- Ritschel WA, Starzacher A, Sabouni A, Hussain AS, Koch HP. Percutaneous Absorption of Rosmarinic Acid in the Rat. *Exp Clin Pharmacol* 1989, 11(5):345-352
- Romero E, Tateo F, Debiaggi M. Antiviral Activity of a *Rosmarinus officinalis* L. Extract. *Mitt. Gebiet Lebensm Hyg* 1989, 80:113-119
- Rulffs W. Rosmarinöl-Badezusatz. Wirksamkeitsnachweis. *Münch Med Wschr* 1984, 126:207-208
- Schwarz K, Ternes W, Schmauderer. Antioxidative constituents of *Rosmarinus officinalis* and *Salvia officinalis*. *Lebensm Unters Forsch* 1992, 195:104-107
- Senorans FJ, Ibanez E, Cavero S, Tabera J, Reglero G. Liquid chromatographic-mass spectrometric analysis of supercritical-fluid extracts of rosemary plants. *J Chromatogr A* 2000, 870(1): 491-499
- Singletary K, MacDonald C, Wallig M. Inhibition by rosemary and carnosol of 7, 12-dimethylbenz[a]anthracene (DMBA)-induced rat mammary tumorigenesis and in vivo DNBA-DNA adduct formation. *Cancer Lett* 1986, 104:43-48
- Singletary K. Inhibition of DMBA-induced mammary tumorigenesis by rosemary extract. Abstracts of the Fourth International Conference of Anticancer Research, 1992, 21-25 October, Rethymnon, Crete, Greece

- Singletary KW, Rokusek JT. Tissue-specific enhancement of xenobiotic detoxification enzymes in mice by dietary rosemary extract. *Plant Foods for Human Nutrition* 1997, 50(1):47-53
- Stahl-Biskup E. *Rosmarinus*. In: Hänsel R, Keller K, Rimpler H, Schenider G, eds. Hagers Handbuch der Pharmazeutischen Praxis, 5th ed. Vol 6, Drogen P-Z. Berlin-Heidelberg; Springer-Verlag, 1994: 490-503
- Steinmetz MD, Vial M, Millet Y. Actions de l'huile essentielle de Romarin et de certains de ses constituants (Eucalyptol et Camphre) sur le cortex cérébral de rat in vitro. *J Toxicol Clin Exp* 1987, 7(4):259-271
- Stoner GD, Shimkin MB, Kniazeff AJ, Weisburger JH, Weisburger EK, Gori BG. Test for carcinogenicity of food additives and chemotherapeutic agents by the pulmonary tumor response in strain A mice. *Cancer Res* 1973, 33: 3069-3085
- Svodoba K. A Study on the Variability of Rosemary and Sage and their volatile oils on the British Market: their Antioxidative Properties. *Flavour Fragr J* 1992, 7:81-87
- Taddei I, Giachetti D. An interpretative research on the variability of the choleric action of the essence of *Rosmarinus officinalis* L. in rat. *Pharmacol Res* 1993, 27(1): ??
- Taddei I, Giachetti D, Taddei P, Mantovani P. Spasmolytic activity of Peppermint, Sage and Rosemary essences and their major constituents. *Fitoterapia* 1988, 59(6): ??
- Tateo F, Fellin M, Santamaria L, Bianchi A and Bianchi L. *Rosmarinus officinalis* L. Extract Production Antioxidant and Antimutagenic Activity. *Perfumer & Flavorist* 1988, 13:48-54
- Van Dyke TE, Braswell L, Offenbachers. Inhibition of gingivitis by topical application of ebselen and rosmarinic acid. *Inflamm Res* 1986, 19:5-6
- Velasco Negueruela A, Perez Alonso MJ, Bonet Carrasquilla C, Marcos Samaniego N. Datos sobre la composición química (terpenoides) de plantas aromáticas de la provincia de Toledo. In: Instituto Nacional de Investigación y Tecnología Agraria y Alimentaria, ed. I Jornadas Ibéricas de Plantas Medicinales, Aromáticas y Aceites Esenciales. Madrid, Ministerio de Agricultura, Pesca y Alimentación, 1992: 291-301
- Wada S, Fang S. Synergistic Antioxidant Effects of Rosemary and α -Tocopherol at Different Storage Temperatures and Its Application for Inhibiting Dried Sardine Meat Oxidation. *Yukagaku* 1994, 43(2):109-114
- Wang W, Wua N, Zu YG, Fua YJ. Antioxidative activity of *Rosmarinus officinalis* L. essential oil compared to its main components. *Food Chem* 2008, 108:1019-1022
- Weiß RF. Lehrbuch der Phytotherapie. Stuttgart: Hippokrates Verlag, 1991: 246-247
- Wichtl M. Herbal Drugs and Phytopharmaceuticals. Bisset NG, editor & translator. London, Medpharm Scientific Publishers 1994, 428-430
- Yesil-Celiktas O, Girgin G, Orhan H, Wichers H, Bedir E, Vardar-Sukan F. Screening of free radical scavenging capacity and antioxidant activities of *Rosmarinus officinalis* extracts with focus on location and harvesting times. *Eur Food Res Technol* 2007, 224:443-451
- Zhu BT, Loder D, Cai MX, Ho CT, Huang MT, Conney A. Dietary administration of an extract from rosemary leaves enhances the liver microsomal metabolism of endogenous estrogens and decreases their uterotrophic action in CD-1 mice. *Carcinogenesis* 1998, 19(10):1821-1827