



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

15 April 2013  
EMA/HMPC/892623/2011  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Eucalyptus globulus* Labill., folium

**The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Afssaps "Médicaments traditionnels à base de plantes: Liste des indications acceptées pour une mise devant le comptoir" July 2008, 1-5. Available at:

<http://www.afssaps.fr/content/search?SearchText=liste+des+indications+acceptees&ok=Valider>

Ahlem S, Khaled H, Wafa M, Sofiane B, Mohamed D *et al.* Oral administration of *Eucalyptus globulus* extract reduces the alloxan-induced-oxidative stress in rats. *Chem Biol Interact* 2009, 181: 71-76

Almeida IF, Fernandes E, Lima JL, Valentao P, Andrade PB *et al.* Oxygen and nitrogen reactive species are effectively scavenged by *Eucalyptus globulus* leaf water extract. *J Med Food* 2009, 12(1):175-183

Al-Saimary IE, Bakr SS, Jaffar T, Al-Samary AE, Salim H *et al.* Effects of some plant extracts and antibiotics on *Pseudomonas aeruginosa* isolated from various burn cases. *Saudi Med J* 2002, 23: 802-805

Amakura Y, Umino Y, Tsuji S, Ito H, Hatano T *et al.* Constituents and their antioxidative effects in eucalyptus leaf extract used as a natural food additive. *Food Chem* 2002, 77: 47-56

Aswal BB, Bhakuni DS, Goel AK, Kar K, Mehrotra BN *et al.* Screening of Indian plants for biological activity. *Indian J Exp Biol* 1984, 22: 312-332

Betts TJ. Solid phase microextraction of volatile constituents from individual fresh *Eucalyptus* leaves of three species. *Planta Med* 2000, 66: 193-195

Blaschek W, Ebel S, Hilgenfeldt U, Holzgrabe U, Keller K *et al.* editors. Hagers Enzyklopädie der Arzneistoffe und Drogen. *Eucalyptus*; Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2007

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T *et al.* The Expanded German Commission E Monographs. The American Botanical Council, Austin, Texas, 1998, *Eucalyptus* leaves

Böhlau V, Schildwächter G. Aerosol treatment of bronchitis. *ZFA* (Stuttgart) 1977, 53: 1885-1887 [German]

Bokaeian M, Nakhaee A, Moodi B, Ali Khazaei H. *Eucalyptus globulus* (eucalyptus) treatment of *Candida albicans* in normal and diabetic rats. *Iran Biomed J* 2010, 14(3): 121-126



- Bradley P. British Herbal Compendium - A handbook of scientific information on widely used plant drugs. Eucalyptus leaf. Vol 2. Companion to the British Herbal Pharmacopoeia. British Herbal Medicine Association, Bournemouth 2006, 142-146
- Brantner A, Grein E. Antibacterial activity of plant extracts used externally in traditional medicine. *J Ethnopharmacol* 1994, 44:35-40
- Braun R, Haffner F, Schultz OE, Schmid W. Normdosen gebräuchlicher Arzneistoffe und Drogen. 16<sup>th</sup> ed. Wissenschaftliche Verlagsgesellschaft, Stuttgart, 2011
- Brown JS, Marcy SA. The use of botanicals for health purposes by members of a prepaid health plan. *Res Nurs Health* 1991, 14:339-350
- Caceres A, Giron MA, Alvarado SR, Torres MF. Screening of antimicrobial activity of plants popularly used in Guatemala for the treatment of dermatomucosal diseases. *J Ethnopharmacol* 1987, 20:223-237
- Caceres A, Lopez BR, Giron MA, Logemann H. Plants used in Guatemala for the treatment of dermatophytic infections. 1. Screening for antimycotic activity of 44 plant extracts. *J Ethnopharmacol* 1991, 31:263-276
- Cahier No 3 de l'Agence du Médicament: Médicaments à base de plantes. Agence du Médicament, Paris 1998, 1-88
- Cimanga K, Kambu K, Tona L, Apers S, De Bruyne T *et al.* Correlation between chemical composition and antibacterial activity of essential oils of some aromatic medicinal plants growing in the Democratic Republic of Congo. *J Ethnopharmacol* 2002, 79: 213-220
- Clare S. *Eucalyptus* for Coughs, Cold and Flu. 2010. Available at: <http://sciencercay.com/biology/eucalyptus-for-cough-cold-and-flu>
- Clegg RJ, Middelton B, Bell DG, White DA. The mechanism of cyclic monoterpene inhibition of hepatic 3-hydroxy-3-methylglutaryl Coenzyme A reductase *in vivo* in the rat. *J Biol Chem* 1982, 257(5):2294-2299
- Clegg RJ, Middelton B, Bell DG, White DA. Inhibition of hepatic cholesterol synthesis and S-3-hydroxy-3-methylglutaryl-CoA reductase by mono and diterpenes administered *in vivo*. *Biochem Pharmacol* 1980, 29:2125-2127
- Cork SJ, Krockenberger AK. Methods and pitfalls of extracting condensed tannins and other phenolics from plants: Insights from investigations on *Eucalyptus* leaves. *J Chem Ecol* 1991, 17(1):123-134
- Daroui-Mokaddem H, Kabouche A, Bouacha M, Soumati B, El-Azzouny A *et al.* GC/MS analysis and antimicrobial activity of the essential oil of fresh leaves of *Eucalyptus globulus*, and leaves and stems of *Smyrniolobos olusatrum* from Constantine (Algeria). *Nat Prod Commun* 2010, 5:1669-1672
- Deutsches Arzneibuch, 6. Ausgabe 1926, Neudruck 1951, Deutscher Apotheker-Verlag, Stuttgart, 656
- Deutsches Arzneibuch (DAB), 6. Ausgabe (EB6: Ergänzungsbuch zum Deutschen Arzneibuch), 6th ed. Deutscher Apotheker-Verlag, Stuttgart 1953, S 490 und S 185 ff
- Deutsches Arzneibuch DAB 10, 10. Ausgabe 1991, Nachtrag 1993 Deutscher Apotheker-Verlag Stuttgart
- Deutscher Arzneimittel Codex (DAC), Bundesverband deutscher Arzneimittelverbände. (eds) Govi-Verlag Pharmazeutischer Verlag GmbH, Eschborn, Deutscher Apotheker Verlag Stuttgart 2004  
Eucalyptustinktur E-190

- De Vincenzi M, Silano M, DeVincenzi A, Maialetti F, Scazzocchio B. Constituents of aromatic plants: eucalyptol. *Fitoterapia* 2002, 73:269-275
- Diepenbrock F. Gehes Codex der pharmazeutischen Spezialpräparate mit Angaben über Zusammenstzung, Indikationen, Zubereitungsformen und Hersteller. Wissenschaftliche Verlagsgesellschaft M.B.H., Stuttgart, Schwarzeck-Verlag GmbH, München 1960 IX Auflage, 441
- Duke JA. CRC Handbook of medicinal herbs. Boca Raton Florida, CRC Press 1985, 185-186
- ESCOP monographs 2<sup>nd</sup> ed. Eucalyptus oil - Eucalypti aetheroleum. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2003, 150-156
- European Pharmacopoeia 7<sup>th</sup> ed. Eucalyptus leaf. Council of Europe. 01/2008:1320, 1122-1123
- Faulds G. Eucalyptus in the treatment of diabetes. *Glasgow Med J* 1902, 57:342-348
- German Standardzulassung Eucalyptusblätter Nr. 9299.99.99 published 02/1996
- Goldstein E, Cooper AD, Tarkington B. Effect of inhaling medication vapours from a colds preparation on murine pulmonary bacterial defense systems. *J Toxicol Environ Health* 1976, 2: 371-388
- Gomes-Carneiro MR, Felzenszwalb I, Paumgarten FJR. Mutagenicity testing of (±)-camphor, 1,8-cineole, citral, citronellal, (-)-menthol and terpineol with the *Salmonella*/microsome assay. *Mutat Res* 1998, 416:129-136
- Goodger JOD, Cao B, Jayadi I, Williams SJ, Woodrow IE. Non-volatile components of essential oil secretory cavities of *Eucalyptus* leaves: discovery of two glucose monoterpene esters, cuniloside B and froggattiside A. *Phytochemistry* 2009, 70:1187-1194
- Gray AM, Flatt PR. Antihyperglycaemic actions of *Eucalyptus globulus* (Eucalyptus) are associated with pancreatic and extra pancreatic effects in mice. *J Nutr* 1998, 1289:2319-2323
- Habich G, Regges R. Chronisch obstruktive Atemwegserkrankungen- Cineol als Medikation sinnvoll und bewährt! *Therapiewoche* 1994, 44(6):356-365 [German]
- Haen E. Expektoranzien, Antitussiva, Bronchospasmolytika. *Med Monatsschr Pharm* 1989, 11:344-355 [German]
- Hasegawa T, Takano F, Takata T, Niiyama M, Ohta T. Bioactive monoterpene glycosides conjugated with gallic acid from the leaves of *Eucalyptus globulus*. *Phytochemistry* 2008, 69:747-753
- Hohenwallner W, Klima J. *In vivo* activation of glucuronyl transferase in rat liver by eucalyptole. *Biochem Pharmacol* 1971, 20:3463-3472
- Hümer M, Scheller G, Kapellen T, Gebauer C, Schmidt H, Kiess W. Phytotherapie in der Kinderheilkunde. Prävalenz, Indikationen und Motivation. *Dtsch Med Wochenschr* 2010, 135:959-964 [German]
- Ikawati Z Wahyuono S, Maeyama K. Screening of several Indonesian medicinal plants for their inhibitory effect on histamine release from RBL-2H3 cells. *J Ethnopharmacol* 2001, 75:249-256
- Ilmberger J, Heuberger E, Mahrhofer C, Desovic H, Kowarik D *et al.* The influence of essential oils on human attention: Alertness. *Chem Senses* 2001, 26:239-245
- Jäger W, Nasel B, Nasel C, Binder R, Stimpfl T *et al.* Pharmacokinetic studies of the fragrance compound 1,8-cineol in humans during inhalation. *Chem Senses* 1996, 21:477-480
- Jenner PM, Hagan EC, Taylor JM, Cook EL, Fitzhugh OG. Food flavourings and compounds of related structure I. Acute oral toxicity. *Food Cosmet Toxicol* 1964, 2:327-343

- Jorch G. Auslösungsmechanismen des Kratschmer-Reflexes. *Arzneimittel-, Therapie-Kritik & Medizin und Umwelt* 2009, 41:384 [German]
- Jori A, Bianchetti A, Prestini PE. Effect of essential oils on drug metabolism. *Biochem Pharmacol* 1969, 18:2081-2085
- Jori A, Bianchetti A, Prestini PE, Garattini S. Effect of eucalyptol (1,8-cineol) on the metabolism of other drugs in rats and in man. *Eur J Pharmacol* 1970, 9:362-366
- Jori A, Di Sale E, Pescador R. On the inducing activity of eucalyptol. *J Pharm Pharmacol* 1972, 24:464-469
- Jori A, Briatico G. Effect of eucalyptol on microsomal enzyme activity of foetal and newborn rats. *Biochem Pharmacol* 1973, 22:543-544
- Juergens UR, Stöber M, Schmidt-Schilling I, Kleuver T, Vetter H. Anti-inflammatory effects of eucalyptol (1,8-cineole) in bronchial asthma: inhibition of arachidonic acid metabolism in human blood monocytes *ex vivo*. *Eur J Med Res* 1998a, 3:407-412
- Juergens UR, Stöber M, Vetter H. Inhibition of cytokine production and arachidonic acid metabolism by eucalyptol (1,8-cineole) in human blood monocytes *in vitro*. *Eur J Med Res* 1998b, 3:508-510
- Juergens UR. Wirkt Eukalyptusöl bei Asthma? *MMW Fortschr Med* 2001, 13:14 [German]
- Juergens UR, Dethlefsen U, Steinkamp G, Gillissen A, Repges R *et al*. Anti-inflammatory activity of 1,8-cineol (eucalyptol) in bronchial asthma: a double-blind placebo-controlled trial. *Respir Med* 2003, 97:250-256
- Juergens UR, Engelen T, Racke K, Gillissen A, Vetter H. Inhibitory activity of 1,8-cineol (eucalyptol) on cytokine production in cultured human lymphocytes and monocytes. *Pulm Pharmacol Ther* 2004, 17:281-287
- Kehrl W, Sonnemann U, Dethlefsen U. Therapy for acute non-purulent rhinosinusitis with cineole: results of a double-blind randomized, placebo-controlled trial. *Laryngoscope* 2004, 114:738-742
- Köhler H. Bericht über die neusten auf *Eucalyptus globulus* (Myrtaceae) bezüglichen Arbeiten. *Archiv der Pharmazie* 1873, 203(2):126-146 [German]
- Kohlert C, Van Rensen I, März R, Schindler G, Graefe EU *et al*. Bioavailability and pharmacokinetics of natural volatile terpenes in animals and humans. *Planta Med* 2000, 66:495-505
- Kristiansen E, Madsen C. Induction of protein droplet ( $\alpha_2\mu$ -globulin) nephropathy in male rats after short-term dosage with 1,8-cineole and *l*-limonene. *Toxicol Lett* 1995, 80:147-152
- Laude EA, Morice AH, Grattan TJ. The antitussive effects of menthol, camphor and cineol in conscious guinea-pigs. *Pulm Pharmacol* 1994, 7:179-184
- Liapi C, Anifantis G, Chinou I, Kourounakis AP, Theodosopoulos S *et al*. Antinociceptive properties of 1,8-cineole and  $\beta$ -pinene, from essential oil of *Eucalyptus camaldulensis* leaves, in rodents. *Planta Med* 2007, 73:1247-1254
- Lin YC, Huang JT, Hsiu HC. Studies on the hypoglycaemic activity of the medical herbs. Tsa Chih Gaoxiong Yi Xue Yuan Tong Xue Hui, 1964, 63:400-404 [English]
- Madaus. Lehrbuch der biologischen Heilmittel. Georg Thieme Verlag Leipzig, Band 2, 1938, 1302-1309 [German]

- Madyastha K, Chadha A. Metabolism of 1,8-cineol in rat: its effects on liver and lung microsomal cytochrome P-450 systems. *Bull Environ Contam Toxicol* 1986, 37:759-766
- Mahmoudzadeh-Sagheb H, Heidari Z, Bokaeian M, Moudi B. Antidiabetic effects of *Eucalyptus globulus* on pancreatic islets: A stereological study. *Folia Morphol* 2010, 69(2):112-118
- May G, Willuhn G. Antivirale Wirkung wäßriger Pflanzenextrakte in Gewebekulturen. *Arzneim-Forsch/Drug Res* 1978, 28(1):1-7 [German]
- McLean S, Boyle RR, Brandon NS, Davies NW, Sorensen JS. Pharmacokinetics of 1,8-cineole, a dietary toxin, in the brushtail possum (*Trichosurus vulpecula*): Significance for feeding. *Xenobiotica* 2007, 37(9):903-922
- Melis K, Janssens G, Bochner A. Accidental nasal eucalyptol and menthol instillation. *Acta Clin Belg Suppl* 1990, 13:101-102
- Miyazawa M, Kameoka H, Morinaga K, Negoro K, Mura N. Hydroxycineole: Four new metabolites of 1,8-cineole in rabbits. *J Agric Food Chem* 1989, 37:222-226
- Miyazawa M, Shindo M. Biotransformation of 1,8-cineole by human liver microsomes. *Nat Prod Lett* 2001, 15(1):49-53
- Nagata H, Inagaki Y, Yamamoto Y, Maeda K, Kataoka K *et al.* Inhibitory effects of macrocarpals on the biological activity of *Porphyromonas gingivalis* and other periodontopathic bacteria. *Oral Microbiol Immunol* 2006, 21:159-163
- Navarro V, Villarreal ML, Rojas G, Lozoya X. Antimicrobial evaluation of some plants used in Mexican traditional medicine for the treatment of infectious diseases. *J Ethnopharmacol* 1996, 53:143-147
- OECD Guideline for testing of chemicals, No 471, 1997
- Opdyke DLJ. Eucalyptol. *Food Cosmet Toxicol* 1975, 13:105-106
- Osawa K, Yasuda H, Morita H, Takeya K, Itokawa H. Eucalyptone from *Eucalyptus globulus*. *Phytochemistry* 1995, 40:183-184
- Otoom SA, Al-Safi SA, Kerem ZK, Alkofahi A. The use of medicinal herbs by diabetic Jordanian patients. *J Herb Pharmacother* 2006, 6:31-41
- Pass GJ, McLean S, Stupans I, Davies N. Microsomal metabolism of terpene 1,8-cineole in the common brushtail possum (*Trichosurus vulpecula*), koala (*Phascolarctos cinereus*), rat and human. *Xenobiotica* 2001, 31(4):205-221
- Penso G. Piante medicinali nella terapia medica, Formulario pratico per medici e farmacisti. Organizzazione Editoriale Medico-Farmaceutica Milano, 1980, 89-90 [Italian]
- Perez RM, Ocegueda A, Munoz JL, Avila JG, Morrow WW. A study of the hypoglycaemic effect of some Mexican plants. *J Ethnopharmacol* 1984, 12:253-262
- Pharmacopée Belge V, Tinctura Eucalypti (Teinture d'Eucalyptus) (1:5), 1962, III-205 [French]
- Pharmacopée Française: IX ed. Paris: Commission Permanente de la Pharmacopée, Eucalyptus - Teinture d'eucalyptus (1:5), 1976 [French]
- Pharmacopée Française: IX ed. Paris: Commission Permanente de la Pharmacopée, Eucalyptus – Gommier bleu, 1978 [French]

Pharmacopée Française: X ed. Paris: Commission Permanente de la Pharmacopée, *Eucalyptus globulus*; Tisanes, 1989 [French]

Real Farmacopea Espanola, 2<sup>nd</sup> ed. Eucalipto. Hoja de, 2002 [Spanish]

Saify ZS, Ahsan O, Dayo A. Cineole as skin penetration enhancer. *Pak J Pharm Sci* 2000, 13:29-32

Salari MH, Amine G, Shirazi MH, Hafezi R, Mohannaddypour M. Antibacterial effects of *Eucalyptus globulus* leaf extract on pathogenic bacteria isolated from specimens of patients with respiratory tract disorders. *Clin Microbial Infect* 2006, 12:194-196

Saller R, Hellstern A, Hellenbrecht D. Klinische Pharmakologie und therapeutische Anwendung von Cineol (Eucalyptusöl) und Menthol als Bestandteile ätherischer Öle. *Intern Praxis* 1988, 28:355-364 [German]

Santos FA, Rao VSN. Anti-inflammatory and antinociceptive effects of 1,8-cineole a terpenoid oxide present in many plant essential oils. *Phytother Res* 2000, 14:240-244

Sasaki YF, Imanishi H, Ohta T, Shirasu Y. Modifying effects of components of plant essence on the induction of sister-chromatid exchange in cultured Chinese hamster ovary cells. *Mutat Res* 1989, 226:103-110

Sato S, Yoshinuma N, Ito K, Tokumoto T, Takiguchi T *et al.* The inhibitory effect of funoran and eucalyptus extract containing chewing gum on plaque formation. *J Oral Sci* 1998, 40(3):115-117

Schimmer O, Krüger A, Paulini H, Haefele F. An evaluation of 55 commercial plant extracts in the Ames mutagenicity test. *Pharmazie* 1994, 49:448-451

Schmid W, Schultz OE, Haffner F. Normdosen der gebräuchlichen Arzneimittel. 4<sup>th</sup> ed. Wissenschaftliche Verlagsgesellschaft M.B.H., Stuttgart, 1963

Sherry E, Boeck H, Warnke PH. Percutaneous treatment of chronic MRSA osteomyelitis with a novel plant-derived antiseptic. *BMC Surgery* 2001, 1:1-3

Silvestre AJD, Cavaleiro JA, Delmond B, Filliatre C, Bourgeois G. Analysis of the variation of the essential oil composition of *Eucalyptus globulus* Labill. from Portugal using multivariate statistical analysis. *Ind Crop Prod* 1997, 6:27-33

Southwell IA, Flynn TM. Metabolism of  $\alpha$ -pinene and  $\beta$ -pinene, p-cymene and 1,8-cineole in brushtail possum, *Trichosurus vulpecula*. *Xenobiotica* 1980, 10(1):17-23

Stimpfl T, Našel B, Našel Ch, Binder R, Vycudilik W *et al.* Concentration of 1,8-cineol in human blood during prolonged inhalation. *Chem Senses* 1995, 20:349-350

Stoner GD, Shimkin MB, Kniazeff AJ, Weisburger JH, Weisburger EK *et al.* Test for carcinogenicity of food additives and chemotherapeutic agents by the pulmonary tumor response in strain A mice. *Cancer Res* 1973, 33(12):3069-3085

Sugimoto K, Hosotani T, Kawasaki T, Nakagawa K, Hayashi S *et al.* Eucalyptus leaf extract suppresses the postprandial elevation of portal, cardiac and peripheral concentration after sucrose ingestion in rats. *J Clin Biochem Nutr* 2010, 46:205-211

Sugimoto K, Suzuli J, Nakagawa K, Hayashi S, Enomoto T *et al.* *Eucalyptus* leaf extract inhibits intestinal fructose absorption, and suppresses adiposity due to dietary sucrose in rats. *Br J Nutr* 2005, 93:957-963

Sur SV, Tuljupa FM, Sur LI. Gas chromatographic determination of monoterpenes in essential oil medicinal plants. *J Chromatogr* 1991, 542:451-458

- Swanston-Flatt SK, Day C, Bailey CJ, Flatt PR. Traditional plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice. *Diabetologia* 1990, 33:462-464
- Sweetman SC. Martindale: the complete drug reference. Eucalyptus leaf. 35<sup>th</sup> ed. London Pharmaceutical Press, 2007
- Swenberg JA, Short B, Borghoff S, Strasser J, Charbonneau M. The comparative pathobiology of  $\alpha_2\mu$ -globulin nephropathy. *Toxicol Appl Pharmacol* 1989, 97:35-46
- Takasaki M, Konoshima T, Fujitani K, Yoshida S, Nishimura H *et al.* Inhibitors of skin-tumour promotion. VIII inhibitory effects of Euglobins and their related compounds on Epstein-Barr virus activation. *Chem Pharm Bull* 1990, 28(10):2737-2739
- Takasaki M, Konoshima T, Kozuka M, Tokuda H. Anti-tumour-promoting activities of Euglobins from Eucalyptus plants. *Biol Pharm Bull* 1995, 18(3):435-438
- Tesche S, Metternich F, Sonnemann U, Engelke JC, Dethlefsen U. The value of herbal medicines in the treatment of acute non-purulent rhinosinuitis. *Eur Arch Otorhinolaryngol* 2008, 265: 1355-1359
- Vidal C, Cabeza N. Contact urticaria due to eucalyptus pollen. *Contact Dermatitis* 1992, 26:265
- Vigo E, Cepeda A, Gualillo O, Perez-Fernandez R. In-vitro anti-inflammatory effect of *Eucalyptus globulus* and *Thymus vulgaris*: nitric oxide inhibition in J774A-1 murine macrophages. *J Pharm Pharmacol* 2004, 56:257-263
- Whitman BW, Ghazizadeh H. Eucalyptus oil: therapeutic and toxic aspects of pharmacology in humans and animals. *J Paediatr Child Health* 1994, 30:190-191
- WHO monographs on selected medicinal plants. Vol. 2. Folium Eucalypti. World Health Organization. Geneva 2002, 106-113
- Wichtl M. Editor. Teedrogen und Phytopharmaka. Eucalyptusblätter. 3<sup>rd</sup> ed. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2004
- Wichtl M. Teedrogen. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 1984
- Wittmann M, Petro W, Kasper P, Reppes R, Dethlefsen U. Zur Therapie chronisch obstruktiver Atemwegserkrankungen mit Sekretolytika. *Atemwegser- und Lungenerkrankungen* 1998, 24(2):67-74 [German]
- Worth H, Schacher C, Dethlefsen U. Concomitant therapy with cineole (Eucalyptole) reduces exacerbations in COPD: A placebo-controlled double-blind trial. *Respir Med* 2009, 10:69-75
- Zänker KS, Tölle W, Blümel G, Probst J. Evaluation of surfactant-like effects of commonly used remedies for colds. *Respiratory* 1980, 39:150-157
- Zimmermann T, Seiberling M, Thomann P, Karabelnik D. Untersuchungen zur relativen Bioverfügbarkeit und zur Pharmakokinetik von Myrtol standardisiert. *Arzneim-Forsch/Drug Res* 1995, 45(II):1198-1201 [German]