

20 September 2016
EMA/HMPC/277151/2015
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Salvia officinalis* L., folium and *Salvia officinalis* L., aetheroleum Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Barnes J, Anderson LA, Phillipson DJ. Sage. Herbal Medicines. 2nd ed. The Pharmaceutical Press, London 2002, 408-411

Barnes J, Anderson LA, Phillipson DJ. Sage. Herbal Medicines. 3rd ed. The Pharmaceutical Press, London 2007, 512-514

Blumenthal M, Goldberg A, Brinckmann J, editors. Herbal Medicine. Expanded Commission E Monographs. American Botanical Council, Austin 2000, 330-334

Bommer S, Klein P, Suter A. First time proof of sage's tolerability and efficacy in menopausal women with hot flushes. *Adv Ther* 2011, 28:490-500

Centini F, Laurini GP, Barni Comparini I. Una intossicazione da olio di salvia. [A case of sage-oil poisoning]. *Zacchia* 1987, 60:263-274

Croteau R, Felton M, Karp F, Kjonaas R. Relationship of Camphor Biosynthesis to Leaf Development in Sage (*Salvia officinalis*). *Plant Physiol* 1981, 67:820-824

Culpeper N. Culpeper's Complete Herbal & English Physician. Applewood Books, Bedford, Massachusetts 2006. Originally published in 1653

Deutsches Arzneibuch 6. Ausgabe 1926

EFSA. Camphor in flavourings and other food ingredients with flavouring properties. *The EFSA Journal* 2008a, 729:1-15

EFSA. Use of rosemary extracts as a food additive. *The EFSA Journal* 2008b, 721:1-29

Ehrnhöfer-Ressler MM, Fricke K, Pignitter M, Walker JM, Walker J, Rychlik M, et al. Identification of 1,8-Cineole, Borneol, Camphor, and Thujone as Anti-inflammatory Compounds in a *Salvia officinalis* L. Infusion Using Human Gingival Fibroblasts. *J Agric Food Chem* 2013, 61(14):3451-3459



Ergänzungsbuch zum Deutschen Arzneibuch (Erg. B. 6). Stuttgart 1953

ESCOP Monographs 2nd ed. *Salviae folium - Sage leaf*. The Scientific Foundation for Herbal Medicinal Products. Thieme, Stuttgart 2003, 452-455

European Pharmacopoeia 8th ed. *Sage leaf - Salviae officinalis folium*. Council of Europe. 01/2015:1370

European Pharmacopoeia 8th ed. *Sage tincture - Salviae tincture*. Council of Europe. 01/2008:1889

European Pharmacopoeia 8th ed. *Sage leaf, three lobed - Salviae trilobae folium*. Council of Europe. 01/2014:1561

Fleming T. PDR for Herbal Medicines. 2nd ed. Medical Economics, Montvale 2000, 656

Futrell JM, Rietschel RL. Spice allergy evaluated by results of patch tests. *Cutis* 1993, 52(5):288-290

Gerard J. *The Herbal or General History of Plants: The Complete 1633 Edition as Revised and Enlarged by Thomas Johnson*. Courier Dover Publications, China 2015. Originally published in 1633.

Gruzunov K, Mastelic J, Ruzic N. Identification of aglycones of β-D-glucosides from the leaves of Dalmatian sage (*Salvia off.*). *Acta Pharm Jugosl* 1984, 35:175-179

Halicioglu O, Astarcioglu G, Yaprak I, Aydinlioglu H. Toxicity of *Salvia officinalis* in a newborn and a child: an alarming report. *Pediatr Neurol* 2011, 45(4):259-260

Harborne JB, Baxter H, Moss GP. *Dictionary of Plant Toxins*. John Wiley & Sons, Chichester 1996, 87

Hellum BH, Nilsen OG. The in vitro Inhibitory Potential of Trade herbal Products on Human CYP2D6-Mediated Metabolism and the Influence of Ethanol. *Basic Clin Pharmacol Toxicol* 2007, 101:350-358

Hirono I. *Naturally Occurring Carcinogens of Plant Origin, Toxicology, Pathology and Biochemistry*. Kodansha LTD, Tokyo 1987, 2:76

Hold KM, Sirisoma NS, Sparks SE, Quistad GB, Casida JE. α-Thujone and absinthe: Structural and metabolic aspects of neurotoxic action. Book of Abstracts 2000, Vol 23

Horiuchi K, Shiota S, Hatano T, Yoshida T, Kuroda T, Tsuchiya T. Antimicrobial Activity of Oleanolic Acid from *Salvia officinalis* and Related Compounds on Vancomycin-Resistant Enterococci (VRE). *Biol Pharm Bull* 2007, 30(6):1147-1149

Hubbert M, Sievers H, Lehnfeld R, Kehrl W. Efficacy and Tolerability of a Spray with *Salvia officinalis* in the Treatment of Acute Pharyngitis-A Randomised, Double-Blind, Placebo-Controlled Study with Adaptive Design and Interim Analysis. *Eur J Med Res* 2006, 11:20-26

Kennedy DO, Pace S, Haskell C, Okello EJ, Milne A, Scholey AB. Effects of Cholinesterase Inhibiting Sage (*Salvia officinalis*) on Mood, Anxiety and Performance on a Psychological Stressor Battery. *Neuropsychopharmacology* 2006, 31(4):845-852

Kianbakht S, Abasi B, Perham M, Hashem Dabaghian F. Antihyperlipidemic effects of *Salvia officinalis* L. leaf extract in patients with hyperlipidemia: a randomized double-blind placebo-controlled clinical trial. *Phytother Res* 2011, 25(12):1849-1853

Kianbakht S, Dabaghian FH. Improved glycemic control and lipid profile in hyperlipidemic type 2 diabetic patients consuming *Salvia officinalis* L. leaf extract: a randomized placebo. Controlled clinical trial. *Complement Ther Med* 2013, 21(5):441-446

Länger R, Mechtler CH, Jurenitsch J. Composition of the Essential Oils of Commercial Samples of *Salvia officinalis* L. and *S. fruticosa* Miller: A Comparison of Oils Obtained by Extraction and Steam Distillation. *Phytochem Anal* 1996, 7:289-293

Madaus G. Lehrbuch der Biologischen Heilmittel, Band III. Georg Thieme Verlag, Leipzig 1938
Available at: <http://www.henlettesherbal.com/eclectic/madaus/salvia.html> Accessed: 04/06/2008

Marder M, Paladini AC. GABA A-Receptor Ligands of Flavonoid Structure. *Curr Top Med Chem* 2002, 2:853-867

Millet Y, Jouglard J, Steinmetz MD, Tognetti P, Joanny P, Arditti J. Toxicity of Some Essential Plant Oils. Clinical and Experimental Study *Clinical Toxicology* 1981, 18(12):1485

Newall CA, Anderson LA, Phillipson JD. Herbal Medicines a Guide for Health-care Professionals. The Pharmaceutical Press, London 1996, 231-232

Patenkovic A, Stamenkovic-Radak M, Banjanac T, Andjelkovic M. Antimutagenic effect of sage tea in the wing spot test of *Drosophila melanogaster*. *Food Chem Toxicol* 2009, 47(1):180-183

Schimmer O, Krüger A, Paulini H, Haefele F. An evaluation of 55 commercial plant extracts in the Ames mutagenicity test. *Pharmazie* 1994, 49:448-451

Scholey AB, Tildesley NTJ, Ballard CG, Wesnes KA, Tasker A, Perry ELK, et al. An extract of *Salvia* (sage) with anticholinesterase properties improves memory and attention in healthy older volunteers. *Psychopharmacology* 2008, 198:127-139

Scientific Committee on Food. Opinion of the Scientific Committee on Food on Thujone. European Commission health & consumer protection directorate – general. 2003. Available at: http://ec.europa.eu/food/fs/sc/scf/out162_en.pdf Accessed: 04/06/2008

Scifinder. Available at: <http://www.ub.uio.no/umn/SciFinder/> (this is not available without an account)
Accessed: 16/06/2008

Sutovska M, Nosalova G, Franova S, Capek P, Hribalova V. The antitussive and immunomodulatory activities of pectin and hemicellulose polysaccharides originated from *Salvia officinalis* L. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* 2007, 151:107-108

Taddei I, Giachetti D, Taddei E, Mantovani P. Spasmolytic activity of Peppermint, Sage and Rosemary essences and their major constituents. *Fitoterapia* 1988, 59(6):463-468

The Cochrane Library. Available at:

http://mrw.interscience.wiley.com/cochrane/cochrane_search_fs.html. Accessed 16/06/2008

Todorov S, Philianos S, Pelkov V, Harvala C, Zamfirova R, Olimpiou H. Experimental Pharmacological Study of Three Species from Genus *Salvia*. *Acta Physiol Pharmacol Bulg* 1984, 10(2):13-19

Tong T, Schneir AB, Williams SR, Ly BT, Richardson WR. Sage Tea Related Convulsions in a Pediatric Patient. *J Toxicol Clin Toxicol* 2003, 41(5):727-728

ToxLine. Available at: <http://toxnet.nlm.nih.gov/cgi-bin/sis/search>. Accessed 16/06/2008. Accessed 10/02/2015

Van Dyke TE, Braswell, Offenbacher S. Inhibition of gingivitis by topical application of ebselen and rosmarinic acid. *Agents Actions* 1986, 19(5-6):376-377

Verweij-van Vught AM, Appelmelk BJ, Groeneveld ABJ, Sparrius M, Thijs LG, MacLaren DM. Influence of rosmarinic acid on opsonization and intracellular killing of *Escherichia coli* and *Staphylococcus aureus* by porcine and human polymorphonuclear leucocytes. *Agents Actions* 1987, 22(3-4):289-294

Vujosevic M, Blagojevic J. Antimutagenic effects of extracts from sage (*Salvia officinalis*) in mammalian system in vivo. *Acta Vet Hung* 2004, 52(4):439-443

Wichtl M. *Salvia officinalis* folium. In Wichtl M, editor. *Herbal Drugs and Phytopharmaceuticals. A Handbook for Practice on a Scientific Basis.* 3rd ed. Medpharm, Stuttgart 2004, 538-542

Zani F, Massimo G, Benvenuti S, Bianchi A, Albasini A, Melegari M et al. Studies on the genotoxic properties of essential oils with *Bacillus subtilis* rec-assay and *Salmonella/ microsome* reversion assay. *Planta Med* 1991, 57:237-241

References assessed, but not cited in the Assessment Report

Akhondzadeh S, Noroozian M, Mohammadi M, Ohadinia S, Jamshidi AH, Khani M. *Salvia officinalis* extract in the treatment of patients with mild to moderate Alzheimer's disease: a double blind, randomized and placebo-controlled trial. *J Clin Pharm Ther* 2003, 28:53-59

Bisset NG, Wichtl M. *Salvia officinalis* folium. *Herbal Drugs and Phytopharmaceuticals. A Handbook for Practice on a Scientific Basis With Reference to German Commision E Monographs.* 2nd ed. Medpharm, Stuttgart 2001, 440-443

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. *HagerROM 2006: Hagers Handbuch der Drogen und Arzneistoffe.* Version 5.0. Springer Medizin Verlag, Heidelberg 2006

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, editors. *The Complete German Commission E Monographs.* American Botanical Council, Austin Texas 1998, 197

Bradley PR, editor. *British Herbal Compendium. Vol 2.* British Herbal Medicine Association, Bournemouth 2006, 270-275

Bradley P. *Sage Leaf.* *British Herbal Compendium, a handbook of scientific information on widely used plant drugs. Companion to the British Herbal Pharmacopoeia. Vol 2.* Bournemouth 2006, 339-344

British Herbal Pharmacopoeia. 4th ed. British Herbal Medicine Association, Bournemouth 1996, 164-165

British Herbal Pharmacopoeia. 4th ed. British Herbal Medicine Association, Exeter 1996, 75

Bruneton J. *Toxic plants Dangerous to Humans and Animals.* Lavoisier, Paris 1999, 324

Chang SS, Ostric-Imatijasevic B, Hsieh OAL, Huangz CL. Natural Antioxidants from Rosemary and Sage. *J Food Sci* 1977, 42(4):1102-1106

Dapkevicius A, Venskutonis R, van Beek TA, Linssen JPH. Antioxidant Activity of Extracts Obtained by Different Isolation Procedures from some Aromatic Herbs Grown in Lithuania. *J Sci Food Agric* 1998, 77:140-146

Dettling A, Grass H, Schuff A, Skopp G, Strohbeck-Kuehner P, Haffner HT. Absinthe: Attention Performance and Mood under the Influence of Thujone. *J Stud Alcohol* 2004, 65:573-581

Dorsch W, Loew D, Meyer-Buchtela E, Schilcher H. *Kinderdosierungen von Phytopharmaka. Vol 1.* 3rd ed. Kooperation Phytopharmaka, Bonn 2002, 70-71

El-Desouki Hala M, Al-Omair, Mouhamed A. *b-Sitosterol.* Trade Science Inc. Biochemistry Department, Faculty of Science, Ain Shams University, Egypt 2007

Funk C, Croteau R. Induction and Characterization of a Cytochrome P-450-Dependent Camphor Hydroxylase in Tissue Cultures of Common Sage (*Salvia officinalis*). *Plant Physiol* 1993, 101:1231-1237

Gruenwald J, Brendler T, Jaenicke C, editors. *PDR for herbal medicines.* 3rd ed. Thomson PDR, Montvale 2004, 679-81

Gomes-Carneiro MR, Felzenszwab I, Paumgartten FJ. Mutagenicity testing (+/-)-camphor, 1,8-cineole, citral, citronellal, (-)-menthol and terpineol with the Salmonella/microsome assay. *Mutat Res* 1998, 416:129-136

Grundmann O, Phipps SM, Zadezensky I, Butterweck V. *Salvia divinorum* and salvinorin A: an update on pharmacology and analytical methodology. *Planta Med* 2007, 73(10):1039-1046

Hänsel R, Keller K, Rimpler H, Schneider G, editors. *Hagers Handbuch der Pharmazeutischen Praxis*. 5th ed. Vol 5. Springer-Verlag, Berlin 1993, 367-384

Hänsel R, Keller K, Rimpler H. *Hagers Handbuch der Pharmazeutischen Praxis. Drogen P-Z*. Vol 6. 5th ed. Springer Verlag, Berlin 1994, 548-559

Madaus G. *Lehrbuch der biologischen Heilmittel*. Vol 2. Georg Olms Verlag. Hildesheim-New York 1976 (reprint), 1354-61

Martindale W, Reynolds JEF, Parfitt K. *Martindale The Extra Pharmacopoeia*. 31st ed. London Royal Pharmaceutical Society, London 1996, 1749

Martindale The Complete Drug Reference. Available at:

http://www.thomsonhc.com/hcs/librarian/ND_T/HCS/ND_PR/Main/CS/147420/DUPLICATIONSHIELDSYNC/89FE13/ND_PG/PRIH/ND_B/HCS/SBK/1/ND_P/Main/PFPUI/uiY1rv2tSssiK/PFActionId/hcs.common.RetrieveDocumentCommon/DocId/4704s/ContentSetId/30/SearchTerm/Salvia/SearchOption/BeginWithh. Accessed: 04/06/2008

The Merck Index. Available at:

https://themerckindex.cambridgesoft.com/TheMerckIndex/default.asp?formgroup=basenp_form_group&dataaction=db&dbname=TheMerckIndex. Accessed 04/06/2008

Viuda-Martos M, Ruiz-Navajas Y, Fernandez-Lopez J, Angel Perez-Alvarez J. Antibacterial activity of different essential oils obtained from spices widely used in Mediterranean diet. *Int J Food Sci Tech* 2008, 43:526-531

Wang M, Kikuzaki H, Zhu N, Sang S, Nakatani N, Ho CT. Isolation and Structural Elucidation of Two New Glycosides from Sage (*Salvia officinalis* L.). *J Agric Food Chem* 2000, 48:235-238

Wang M, Shao Y, Li J, Zhu N, Rangarajan M, La Voie EJ, et al. Antioxidative Phenolic Glycosides from Sage (*Salvia officinalis*). *J Nat Prod* 1999, 62:454-456

Weiss RF, Fintelmann V. *Herbal Medicine*. 2nd ed. Thieme, Stuttgart 2000, 422

Wichtl M. *Herbal drugs and Phytopharmaceuticals*. 3rd ed. Medpharm Scientific Publishers GmbH, Stuttgart 2004, 45-47

Wichtl M. *Teedrogen und Phytopharmaka*. 4th ed. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2002, 45-47

Zimna D, Grzybowski J, Piekos R. Extraction of Some Essential Elements from the Leaves of Sage (*Salvia officinalis* L.). *Sci Pharm* 1984, 52:131-141