



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

13 September 2011  
EMA/HMPC/534948/2010  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Syzygium aromaticum* (L.) Merrill et L.M. Perry, flos and *Syzygium aromaticum* (L.) Merrill et L.M. Perry, floris aetheroleum

Final

**The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Abraham SK. Anti-genotoxicity of trans-anethole and eugenol in mice. *Food Chem Toxicol* 2001, 39: 493-498

Agbaje EO. Gastrointestinal effects of *Syzygium aromaticum* (Myrtaceae) in animal models. *Nig Q J Hosp Med* 2008, 18: 137-141

Agbaje EO, Adeneye AA, Daramola AO. Biochemical and toxicological studies of aqueous extract of *Syzygium aromaticum* (Myrtaceae) in rodents. *Afr J Trad CAM* 2009, 6(3): 241-254

Ali SM, Khan AA, Ahmed I, Musaddiq M, Ahmed KS, Polasa H, Rao LV, Habibullah CM, Sechi LA, Ahmed N. Antimicrobial activities of Eugenol and Cinnamaldehyde against the human gastric pathogen *Helicobacter pylori*. *Ann Clin Microbiol Antimicrobials* 2005, 4:20

Allen K, Cornforth D. Effect of chelating agents and spice-derived antioxidants on myoglobin oxidation in a lipid-free model system. *J Food Sci* 2009, 74(5): 375-379

Alqareer A, Alyahya A, Andersson L. The effect of clove and benzocaine versus placebo as topical anesthetics. *J Dent* 2006, 34: 747-750

Anton R, Patri F, Silano V. Plants in cosmetics. Vol 2. Council of Europe Publishing, Strasbourg 2001

Astani A, Reichling J, Schnitzler P. Screening for antiviral activities of isolated compounds from essential oil. *Evid Based Complement Alternat Med* 2009. Available at: <http://www.ecam.oxfordjournals.org/cgi/reprint/ne>. Accessed 09/01/2010

Auerbach SS, Shah RR, Mav D, Smith CS, Walker NJ, Vallant MK, Boorman GA, Irwin RD. Predicting the hepatocarcinogenic potential of alkenylbenzene flavouring agents using toxicogenomics and machine learning. *Toxicol Appl Pharmacol* 2010, 243: 300-314



- Banerjee S, Das S. Anticarcinogenic effects of an aqueous infusion of cloves on skin carcinogenesis. *Asian Pacific J Cancer Prev* 2005, 6: 304-308
- Banerjee S, Panda CK, Das S. Clove (*Syzygium aromaticum* L.), a potential chemopreventive agent for lung cancer. *Carcinogenesis* 2006, 27(8): 1645-1654
- Barnes J, Anderson LA, Phillipson JD. Herbal Medicines. 2<sup>nd</sup> ed. Pharmaceutical Press, London 2002
- Benedum J, Loew D, Schilcher H. Arzneipflanzen in der Traditionellen Medizin. 4<sup>th</sup> ed. Kooperation Phytopharmaka, Bonn 2006
- Betoni JEC, Mantovani RP, Barbosa LN, Di Stasi LC, Fernandes A. Synergism between plant extract and antimicrobial drugs used on *Staphylococcus aureus* diseases. *Mem Inst Oswaldo Cruz* 2006, 101(4): 387-390
- Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V. HagerROM 2008: Hagers Handbuch der Drogen und Arzneistoffe. Wissenschaftl. VerlagsgesmbH, Stuttgart 2008
- Bluma RV, Etcheverry MG. Application of essential oils in maize grain: Impact on *Aspergillus section Flavi* growth parameters and aflatoxin accumulation. *Food Microbiol* 2008, 25: 324-334
- Blumenthal M, Busse WR, Goldberg A, Gruenwald J, et al., editors. The Complete German Commission E Monographs. American Botanical Council, Austin Texas 1998, 221
- Bouhlal K, Meynadier J, Peyron JL, Meynadier J. The cutaneous effects of the common concretes and absolutes used in the perfume industry. *J Essent Oil Res* 1989, 1: 169-195
- Briozzo J, Nunez L, Chirife J, Herszage L, D'Aquino M. Antimicrobial activity of clove oil dispersed in a concentrated sugar solution. *J Appl Bacteriol* 1989, 66: 69-75
- Brown SA, Biggerstaff J, Savidge GF. Disseminated intravascular coagulation and hepatocellular necrosis due to clove oil. *Blood Coagul Fibrinol* 1992, 3: 665-668
- Bullerman LB, Lieu FY, Seier SA. Inhibition of growth and aflatoxin production by cinnamon and clove oils. Cinnamic aldehyde and eugenol. *J Food Sci* 1977, 42: 1107-1109
- Burkey JL, Sauer JM, McQueen CA, Sipes IG. Cytotoxicity and genotoxicity of methyleugenol and related congeners – a mechanism of activation for methyleugenol. *Mut Res* 2000, 453: 25-33
- Cai L, Wu CD. Compounds from *Syzygium aromaticum* possessing growth inhibitory activity against oral pathogens. *J Nat Prod* 1996, 59: 987-990
- Carrasco FR, Schmidt G, Romero AL, Sartoretto JL, Caparroz-Assef SM, Bersani-Amado CA, Cuman RK. Immunomodulatory activity of *Zingiber officinale* Roscoe, *Salvia officinalis* L. and *Syzygium aromaticum* L. essential oils: evidence for humor- and cell-mediated responses. *J Pharm Pharmacol* 2009, 61(7): 961-7
- Chaieb K, Hajlaoui H, Zmantar T, Kahl-Nakbi AB, Rouabhia M, Mahdouani K, Bakhrouf A. The chemical composition and biological activity of clove essential oil, *Eugenia caryophyllata* (*Syzygium aromaticum* L. Myrtaceae): a short review. *Phytother Res* 2007, 21: 501-506
- Chami N, Chami F, Bennis S, Truillas J, Remmal A. Antifungal treatment with carvacrol and eugenol of oral candidiasis in immunosuppressed rats. *Braz J Infect Diseases* 2004, 8: 217-226
- Chami F, Chami N, Bennis S, Truillas J, Remmal A. Evaluation of carvacrol and eugenol as prophylaxis and treatment of vaginal candidiasis in an immunosuppressed rat model. *J Antimicrob Chemother* 2004a, 54: 909-914

- Chen HH, Sun CC, Tseng MP, Hsu CJ. A patch test study of 27 crude drugs commonly used in Chinese topical medicaments. *Contact Dermatitis* 2003, 49: 8-14
- Devi KP, Nisha SA, Sakthivel R, Pandian SK. Eugenol (an essential oil of clove) acts as an antibacterial agent against *Salmonella typhi* by disrupting the cellular membrane. *J Ethnopharmacol* 2010, 130: 107-115
- De Vincenzi M, Silano M, Stacchini P, Scazzocchio B. Constituents of aromatic plants: I. Methyleugenol. *Fitoterapia* 2000, 71: 216-221
- Dingermann T, Hiller K, Schneider G, Zündorf I. *Arzneidrogen*. 5<sup>th</sup> ed. Elsevier, München 2004
- Domaracký M, Reháč P, Juhás Š, Koppel J. Effects of selected plant essential oils on the growth and development of mouse preimplantation embryos in vivo. *Physiol Res* 2007, 56: 97-104
- Dorman HJD, Deans SG. Antimicrobial agents from plants: antibacterial activity of plant volatile oils. *J Appl Microbiol* 2000, 88: 308-316
- Dorsch W, Loew D, Meyer-Buchtela E, Schilcher H. *Kinderdosierungen von Phytopharmaka*. 3<sup>rd</sup> ed. Kooperation Phytopharmaka, Bonn 2002
- Eamsobhana P, Yoolek A, Kongkaew W, Lerdthusnee K, Khlaimanee N, Parsartvit A, Malainui N, Yong HS. Laboratory evaluation of aromatic essential oils from thirteen plant species as candidate repellents against *Leptotrombidium chiggers* (Acari: Trombiculidae), the vector of scrub typhus. *Exp Appl Acarol* 2009, 47: 257-262
- Eisen JS, Koren G, Juurlink DN, Ng VL. N-acetylcysteine for the treatment of clove oil-induced fulminant hepatic failure. *J Toxicol Clin Toxicol* 2004, 42: 89-92
- El Hag EA, El Nadi AH, Zaitoon AA. Toxic and growth retarding effects of three plant extracts on *Culex pipiens* larvae (Diptera: Culicidae). *Phytother Research* 1999, 13: 388-392
- Ellahuene MF, Pérez-Alzola LP, Orellana-Valdebenito M, Muñoz C, Lafuente-Indo N. Genotoxic evaluation of eugenol using the bone marrow micronucleus assay. *Mutat Res* 1994, 320: 175-180
- European Pharmacopoeia. 7<sup>th</sup> ed. Clove oil – *Caryophylli floris aetheroleum*. Council of Europe. 1/2008:1091
- Fabian D, Sabol M, Domaracká K, Bujňáková D. Essential oils - their antimicrobial activity against *Escherichia coli* and effect on intestinal cell viability. *Toxicol in vitro* 2006, 20: 1435-1445
- Fischer IU, Unruh GE, Dengler HJ. The metabolism of eugenol. *Xenobiotica* 1990, 20: 209-222
- Frerichs G, Arends G, Zörnig H. *Hagers Handbuch der Pharmazeutischen Praxis*. Vol 1. Verlag von Julius Springer, Berlin 1938
- Fu YJ, Chen LY, Shi XG, Wang Z, Sun S, Efferth T. Antimicrobial activity of clove and rosemary essential oils alone and in combination. *Phytother Res* 2007, 21: 989-994
- Ghosh R, Nadiminty N, Fitzpatrick JE, Alworth WL, Slaga TJ, Kumar AP. Eugenol causes melanoma growth suppression through inhibition of E2F1 transcriptional activity. *J Biol Chem* 2005, 280: 5812-5819
- Gildemeister E, Hoffmann FR. *Die ätherischen Öle*. Verlag von Julius Springer, Berlin 1899
- Grade AC, Martens BPM. Chronic urticaria due to dental eugenol. *Dermatologica* 1989, 178: 217-22

- Gruenwald J, Brendler T, Jaenicke C, LaGow B, editors. PDR for Herbal Medicines. 3<sup>rd</sup> ed. Thomson PDR, Montvale 2004
- Guenette SA, Beaudry F, Marier JF, Vachon P. Pharmacokinetics and anesthetic activity of eugenol in male Sprague-Dawley rats. *J Vet Pharmacol Therap* 2006, 29: 265-270
- Guenette SA, Ross A, Marier JF, Beaudry F, Vachon P. Pharmacokinetics of eugenol and its effects on thermal hypersensitivity in rats. *Eur J Pharmacol* 2007, 562: 60-67
- Guenther TM, Luo G. Investigation of the role of the 2',3'-epoxidation pathway in the bioactivation and genotoxicity of dietary allylbenzene analogs. *Toxicol* 2001, 160: 47-58
- Hartnoll G, Moore D, Douek D. Near fatal ingestion of oil of cloves. *Arch Dis Child* 1993, 69: 392-393
- Hikiba H, Watanabe E, Barrett JC, Tsutsui T. Ability of fourteen chemical agents used in dental practice to induce chromosome aberrations in Syrian hamster embryo cells. *J Pharmacol Sci* 2005, 97: 146-152
- Hübner J. Komplementäre Onkologie: Supportive Maßnahmen und evidenzbasierte Empfehlungen. Schattauer GmbH, Stuttgart 2008
- Hume WR. Effect of eugenol on respiration and division in human pulp, mouse fibroblasts and liver cells in vitro. *J Dent Res* 1984, 63: 1262-1265
- Hussein G, Miyashiro H, Nakamura N, Hattori M, Kakiuchi N, Shimotohno K. Inhibitory Effects of Sudanese medicinal plant extracts on hepatitis C virus (HCV) protease. *Phytother Res* 2000, 14: 510-516
- International Plant Names Index. Available at: <http://www.ipni.org> [accessed: 09/2011]
- Isaacs G. Permanent local anaesthesia and anhidrosis after clove oil spillage. *Lancet* 1983, 1(8329): 882
- Ishidate MJ, Sofuni T, Yoshikawa K, Hayashi M, Sawada M, Matsouka A. Primary mutagenicity screening of food additives currently used in Japan. *Food Chem Toxicol* 1984, 22: 623-36
- Janes SE, Price CS, Thomas D. Essential oil poisoning: N-acetylcysteine for eugenol-induced hepatic failure and analysis of a national database. *Eur J Pediatr* 2005, 164: 520-522
- Jeurissen SMF, Bogaards JJP, Boersma MG, ter Horst JPF, Awad HM, Fiamegos YC, van Beek TA, Alink GM, Sudhölter EJR, Cnubben NHP, Rietjens IMCM. Human cytochrome P450 enzymes of importance for the bioactivation of methyleugenol to the proximate carcinogen 1'-hydroxymethyleugenol. *Chem Res Toxicol* 2006, 19: 111-116
- Kabuto H, Tada M, Kohno M. Eugenol [2-Methoxy-4-(2-propenyl)phenol] prevents 6-hydroxydopamine-induced dopamine depression and lipid peroxidation inductivity in mouse striatum. *Biol Pharm Bull* 2007, 30: 423-427
- Khan MSA, Zahin M, Hasan S, Husain FM, Ahmad I. Inhibition of quorum sensing regulated bacterial functions by plant essential oils with special reference to clove oil. *Lett Appl Microbiol* 2009, 49: 354-360
- Kim HM, Lee EH, Hong SH, Song HJ, Shin MK, Kim SH, Shin TY. Effect of *Syzygium aromaticum* extract on immediate hypersensitivity in rats. *J Ethnopharmacol* 1998, 60: 125-131
- Koch R. Die Einwirkung von Nelkenöl (*Oleum caryophylli*) und Eugenol auf die Pulpa. Inaugural-Dissertation, Medizinische Fakultät der Universität Basel 1953

- Kozam G, Mantell GM. The effect of eugenol on oral mucosa membranes. *J Dent Res* 1978, 57: 954-957
- Kumar P, Singh DK. Molluscicidal activity of *Ferula asafoetida*, *Syzygium aromaticum* and *Carum carvi* and their active components against the snail *Lymnaea acuminata*. *Chemosphere* 2006, 63: 1568-1574
- Kumar P, Singh VK, Singh DK. Kinetics of enzyme inhibition by active molluscicidal agents ferulic acid, umbelliferone, eugenol and limonene in the nervous tissue of snail *Lymnaea acuminata*. *Phytotherapy Res* 2009, 23: 172-177
- Kumari MVR. Modulatory influences of clove (*Caryophyllus aromaticus*, L) on hepatic detoxification systems and bone marrow genotoxicity in male Swiss albino mice. *Cancer Lett* 1991, 60: 67-73
- Kurokawa M, Nagasaka K, Hirabayashi T, Uyama S, Sato H, Kageyama T, Kadota S, Ohyama H, Hozumi T, Namba T, Shiraki K. Efficacy of traditional herbal medicines in combination with acyclovir against herpes simplex virus type 1 infection in vitro and in vivo. *Antiviral Res* 1995, 27: 19-37
- Kurokawa M, Hozumi T, Basnet P, Nakano M, Kadota S, Namba T, Kawana T, Shiraki K. Purification and characterization of Eugenol as an Anti-herpesvirus compound from *Geum japonicum* and *Syzygium aromaticum*. *J Pharmacol Exp Therapeut* 1998, 284: 728-735
- Laekeman GM, Van Hoof L, Haemers A, Vanden Berghe DA, Herman AG, Vlietinck AJ. Eugenol a valuable compound for in vitro experimental research and worthwhile for further in vivo investigation. *Phytother Res* 1990, 4: 90-96
- Lane BW, Ellenhorn MJ, Hulbert TV, McCarron M. Clove oil ingestion in an infant. *Hum Exp Toxicol* 1991, 10: 291-294
- Lee JI, Lee HS, Jun WJ, Yu KW, Shin DH, Hong BS, Cho HY, Yang HC. Purification and characterization of antithrombotics from *Syzygium aromaticum* (L.) Merr. & Perry. *Biol Pharm Bull* 2001, 24(2): 181-187
- Lee SJ, Han JI, Lee GS, Park MJ, Choi IG, Na KJ, Jeung EB. Antifungal effect of eugenol and nerolidol against *Microsporum gypseum* in a guinea pig model. *Biol Pharm Bull* 2007, 30: 184-188
- Li W, Tsubouchi R, Qiao S, Haneda M, Murakami K, Yoshino M. Inhibitory action of Eugenol compounds on the production of nitric oxide in RAW264.7 macrophages. *Biomed Res* 2006, 27: 69-74
- Li HY, Lee BK, Kim JS, Jung SJ, Oh SB. Eugenol inhibits ATP-induced P2X currents in trigeminal ganglion neurons. *Korean J Physiol Pharmacol* 2008, 12: 315-321
- Maralhas A, Monteiro A, Martins C, Kranendonk M, Laires A, Rueff J, Rodrigues AS. Genotoxicity and endoreduplication inducing activity of the food flavouring Eugenol. *Mutagenesis* 2006, 21: 199-204
- Masago R, Matsuda T, Kikuchi Y, Miyazaki Y, Iwanaga K, Harada H, Katsuura T. Effects of inhalation of essential oils on EEG activity and sensory evaluation. *J Physiol Anthropol* 2000, 19: 35-42
- McDonald JW, Heffner JE. Eugenol causes oxidant-mediated edema in isolated perfused rabbit lungs. *Am Rev Respir Dis* 1991, 143: 806-809
- Meyer SLF, Ladshman DK, Zasada IA, Vinyard BT, Chitwood DJ. Dose-response effects of clove oil from *Syzygium aromaticum* on the root-knot nematode *Meloidogyne incognita*. *Pest Manag Sci* 2008, 64: 223-229
- Mishra RK, Singh SK. Safety assessment of *Syzygium aromaticum* flower bud (clove) extract with respect to testicular function in mice. *Food Chem Toxicol* 2008, 46: 3333-3338

- Miyazawa M, Hisama M. Antimutagenic Activity of Phenylpropanoids from Clove (*Syzygium aromaticum*). *J Agric Food Chem* 2003, 51: 6413-6422
- Morimoto I, Watanabe F, Osawa T, Okitsu T, Kada T. Mutagenicity screening of crude drugs with *Bacillus subtilis* rec-assay and *Salmonella*/microsome reversion assay. *Mutat Res* 1982, 97: 81-102
- Munerato MC, Sinigaglia M, Reguly ML, de Andrade HH. Genotoxic effects of eugenol, isoeugenol and safrole in the wing spot test of *Drosophila melanogaster*. *Mutat Res* 2005, 582: 87-94
- National Toxicology Program. Carcinogenesis studies of Eugenol. 1983. Available at: [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr223.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr223.pdf) [accessed 15.04.2010]
- Niinimäki A. Delayed-type allergy to spices. *Contact Dermatitis* 1984, 11: 34-40
- Nishijima H, Uchida R, Kameyama K, Kawakami N, Ohkubo T, Kitamura K. Mechanisms mediating the vasorelaxing action of eugenol, a pungent oil, on rabbit arterial tissue. *Jpn J Pharmacol* 1999, 79: 327-334
- Oetinger FC. Betäubung von Regenbogenforellen (*Oncorhynchus mykiss*) mit Nelkenöl und BHA – Stressbelastung und Produktqualität. PhD Thesis Veterinary Faculty, Univ. Munich 2003
- Ohkubo T, Shibata M. The selective capsaicin antagonist capsazepine abolished the antinociceptive action of eugenol and guaiacol. *J Dent Res* 1997, 76: 848-851
- Opdyke DL. Monographs on fragrance raw materials. *Food Cosmet Toxicol* 1975, 13: 761-763
- Park MJ, Gwak KS, Yang I, Choi WS, Jo HJ, Chang JW, Jeung EB, Choi IG. Antifungal activities of the essential oils in *Syzygium aromaticum* and *Leptospermum petersonii* and their constituents against various dermatophytes. *J Microbiol* 2007, 45: 460-465
- Pinto E, Vale-Silva L, Cavaleiro C, Salgueiro L. Antifungal activity of the clove essential oil from *Syzygium aromaticum* on *Candida*, *Aspergillus* and dermatophyte species. *J Med Microbiol* 2009, 58: 1454-62
- Prashar A, Locke IC, Evans CS. Cytotoxicity of clove (*Syzygium aromaticum*) oil and its major components to human skin cells. *Cell Prolif* 2006, 39: 241-248
- Rajasekaran et al. Antifertility effect in male rats of oleanolic acid, a triterpene from *Eugenia jambolana* flowers. *J Ethnopharmacol* 1988, 24: 115-121
- Rasheed A, Laekeman G, Totte J, Vlietinck AJ, Herman AG. Eugenol and prostaglandin biosynthesis. *New England J Med* 1984, 310: 50-51
- Rasheed A, Laekeman GM, Vlietinck AJ, Janssens J, Hatfield G, Totte J, Herman AG. Pharmacological influence of nutmeg and nutmeg constituents on rabbit platelet function. *Planta Med* 1984, 50: 222-226
- Reichl FX, Mohr K, Hein L, Hickel R. Taschenatlas der Pharmakologie und Toxikologie für Zahnmediziner. Georg Thieme Verlag, Stuttgart 2007
- Reiter M, Brandt W. Relaxant effects on tracheal and ileal smooth muscles of the guinea pig. *Arzneim Forsch* 1985, 35: 408-414
- Rompelberg CJ, Evertz SJ, Bruijntjes-Rozier GC, van den Heuvel PD, Verhagen H. Effect of eugenol on the genotoxicity of established mutagens in the liver. *Food Chem Toxicol* 1996, 34: 33-42

- Saini A, Sharma S, Chhibber S. Induction of resistance to respiratory tract infection with *Klebsiella pneumoniae* in mice fed on a diet supplemented with tulsi (*Ocimum sanctum*) and clove (*Syzygium aromaticum*) oils. *J Microbiol Immunol Infect* 2009, 42: 107-113
- Santoro GF, Cardoso MG, Guimarães LGL, Mendonça LZ, Soares MJ. Trypanosoma cruzi: Activity of essential oils from *Achillea millefolium* L., *Syzygium aromaticum* L. and *Ocimum basilicum* L. on epimastigotes and trypomastigotes. *Exp Parasitol* 2007, 116: 283-290
- Schulz JM, Herrmann K. Über das Vorkommen von Hydroxibenzoesäuren und Hydroxizimtsäuren in Gewürzen IV. Über Gewürzphenole. *Z Lebensm Unters Forsch* 1980, 171: 193-199
- Srivastava KC, Justesen U. Inhibition of platelet aggregation and reduced formation of thromboxane and lipoxygenase products in platelets by oil of cloves. *Prostagland Leukotr Med* 1987, 29: 11-18
- Srivastava KC. Antiplatelet principles from a food spice clove (*Syzygium aromaticum* L). *Prostagland Leukotr Essent Fatty Acids* 1993, 48:363-372; *erratum* 1993, 49: 885
- Swanson AB, Chambliss DD, Blomquist JC, Miller EC, Miller JA. The mutagenicity of safrole, estragole, eugenol, trans-anethole, and some of their known or possible metabolites for *Salmonella typhimurium* mutants. *Mut Res* 1979, 60: 143-153
- Tajuddin, Shamshad A, Abdul L, Iqbal AQ. Aphrodisiac activity of 50% ethanolic extracts of *Myristica fragrans* Houtt. (nutmeg) and *Syzygium aromaticum* (L) Merr. & Perry. (clove) in male mice: a comparative study. *BMC Complementary and Alternative Medicine* 2003, 3:6
- Tajuddin, Shamshad A, Abdul L, Iqbal AQ. Effect of 50% ethanolic extract of *Syzygium aromaticum* (L) Merr. & Perry. (clove) on sexual behaviour of normal male rats. *BMC Complementary and Alternative Medicine* 2004, 4:17
- Taguchi Y, Ishibashi H, Takizawa T, Inoue S, Yamaguchi H, Abe S. Protection of oral or intestinal candidiasis in mice by oral or intragastric administration of herbal food, clove (*Syzygium aromaticum*). *Jpn J Med Mycol* 2005, 46: 27-33
- Takechi M, Tanaka Y. Purification and characterization of antiviral substance from the bud of *Syzygium aromaticum*. *Planta Med* 1981, 42: 69-74
- Toda S. Inhibitory effects of aromatic herbs on lipid peroxidation and protein oxidative modification of mice brain homogenate by copper in vitro. *Phytother Res* 2001, 15: 541-543
- Toda S. Inhibitory effects of aromatic herbs on lipid peroxidation and protein oxidative modification of mice brain homogenate by copper. *Phytother Res* 2003, 17: 546-548
- Umehara K, Takagi R, Kuroyanagi M, Ueno A, Taki T, Chen YJ. Studies on differentiation-inducing activities of triterpenes. *Chem Pharm Bull* 1992, 40: 401-405
- Wagner H, Sprinkmeyer L. Chromatographic and spectroscopic analysis of drug distillates. *Dtsch Apoth Ztg* 1973, 113: 1159-1166
- Wagner H, Wierer M, Bauer R. In vitro Inhibition of prostaglandin biosynthesis by essential oils and phenolic compounds. *Planta Med* 1986, 52: 184-187
- WHO monographs on selected medicinal plants. Vol 2. Flos Caryophylli, World Health Organization, Geneva 2002
- Yokozawa T, Chen CP, Tanaka T. Direct scavenging of nitric oxide by traditional crude drugs. *Phytomedicine* 2000, 6(6): 453-463

Yousef RT, Tawil GG. Antimicrobial activity of volatile oils. *Pharmazie* 1980, 35: 698-701

Zheng GQ, Kenney PM, Lam LKT. Sesquiterpenes from clove (*Eugenia caryophyllata*) as potential anticarcinogenic agents. *J Nat Prod* 1992, 55: 999-1003