



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

22 November 2011  
EMA/HMPC/563402/2010  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Agropyron repens* (L.) P. Beauv., rhizoma

Final

**This document was valid from 22 November 2011 until March 2022. It is now superseded by a [new version](#) adopted by the HMPC on 30 March 2022 and published on the EMA website.**

**The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Arceusz A, Mieczkowska A, Radecka I, Wesołowski M. Zawartość żelaza i cynku w naparach i odwarach sporządzonych z roślinnych surowców leczniczych. *Bromat Chem Toksykol* 2009; 42:808-814.

Arni PC and Percival EGV. Studies on fructosans. Part II. Triticin from the rhizomes of couch grass (*Triticum repens* L.). *J Chem Soc* 1951; 1822-1830.

Ballabh B, Chaurasia OP, Ahmed Z, Singh SB. Traditional medicinal plants of cold desert Ladakh-used against kidney and urinary disorders. *J Ethnopharmacol* 2008; 118:331-339.

Barnes J, Anderson LA, Phillipson JD. Couchgrass. Herbal Medicines. A guide for healthcare professionals. Pharmaceutical Press, London 2002, 160-161.

Barsom S. Die Behandlung von Mktionbeschwerden mit dem Phytopharmakon Acorus. *Erfahrungsheilkunde* 1981; 30:1011-1016.

Biggs DR, Hancock KR. Fructan 2000. *Trends Plant Sci* 2001; 6:8-9.

Boesel R, Schilcher H. Composition of the essential oil of *Agropyron repens* rhizome. *Planta Med* 1989; 55:399-400.

Borkowski B. Zarys Farmakognozji. Surowce o budowie tkankowej. Rhizoma *Agropyri* – Rhizoma Graminis - Kłącze perzu. PZWL, Warszawa 1952, 126-127.



- Borkowski B. Zarys Farmakognozji. Rhizoma Agropyri – Kłącze perzu. PZWL, Warszawa 1974, 288-291.
- Bradley P. Couch grass rhizome. *Agropyri repentis* rhizoma. British Herbal Compendium. Vol 2. British Herbal Medicine Association, Bornemouth 2006, 123-126.
- British Herbal Pharmacopoeia. Agropyron. British Herbal Medicine Association. Scientific Committee. London 1971.
- Bruneton J. Pharmacognosy. Phytochemistry Medicinal Plants. Fructan-containing Drugs Other than Inulin. Intercept Ltd, Lavoisier Publishing Inc., London, Paris, New York 1999, 78-79.
- Cammue B, Stinissen HM, Peumans WJ. A new type of cereal lectin from leaves of couch grass (*Agropyrum repens*). *Eur J Biochem* 1985; 148:315-322.
- Claus EP. Gathercoal and Wirth Pharmacognosy. Triticum, Couch grass or Dog grass. Lea and Febiger, Philadelphia 1956, 60-61.
- Duke JA. Couchgrass, Quackgrass. CRC Handbook of Medicinal Herbs. CRC Press, Inc. Boca Raton. London, New York, Washington 2002, 227-228.
- Eddouks M, Maghrani M, Michel JB. Hypoglycaemic effect of *Triticum repens* P. Beauv. in normal and diabetic rats. *J Ethnopharmacol* 2005; 102:228-232.
- Eddouks M, Quahidi ML, Farid O, Moufid A, Khalidi A, Lemhadri A. L'utilisation des plantes médicinales dans le traitement du diabète au Maroc. *Phytotherapie* 2007; 5:194-203.
- European Pharmacopoeia 6. Couch grass rhizome – Graminis rhizoma. 01/2008:1306.
- Frerichs G, Arends G, Zörnig H. Hagers Handbuch der Pharmazeutischen Praxis. Agropyrum. Springer-Verlag, Berlin, Göttingen, Heidelberg 1949, 329-330.
- Friebe A, Schulz M, Kück P, Schnabi H. Phytotoxins from shoot extracts and root exudates of *Agropyron repens* seedlings. *Phytochemistry* 1995; 38:1157-1159.
- Frohne D. Heilpflanzenlexikon. Elymus repens. Gustav Fischer Verlag, Stuttgart, Jena, New York 1994, 240-241.
- ESCOP. Graminis rhizoma. Monographs on the medicinal use of plant drugs, Supplement 2009. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2009, 126-130.
- German Commission E Monograph. Graminis rhizoma (*Agropyri* rhizoma). Bundesanzeiger No. 22a, 1.02.1990.
- Grases F, Ramis M, Costa-Bauzá A, March JG. Effect of *Herniaria hirsuta* and *Agropyron repens* on calcium oxalate urolithiasis risk in rats. *J Ethnopharmacol* 1995; 45:211-214.
- Hagin RD, Bobnick SJ. Isolation and identification of a slug-specific molluscicide from quackgrass (*Agropyron repens*, L. Beauv.). *J Agric Food Chem* 1991; 39:192-196.
- Hanlidou E, Karousou R, Kleftoyanni V, Kokkini S. The herbal market of Thessaloniki (N Greece) and its relation to the ethnobotanical tradition. *J Ethnopharmacol* 2004; 91:281-299.
- Hänsel R, Keller K, Rimpler H, Schneider G, editors. Hagers Handbuch der Pharmazeutischen Praxis. Drogen A-D. Agropyron. Springer-Verlag, Berlin, Heidelberg, New York 1992, 138-141.
- Hautmann C, Scheithe K. Fluidextrakt aus *Agropyron repens* bei Harnwegsinfektionen oder Reizblase. Ergebnisse einer multizentrischen Anwendungsbeobachtung. *Z Phytotherapie* 2000; 21:252-255.

- Henderson J, Triebkorn R. Chemical control of terrestrial Gastropods. In: Barker G. M. (ed) Molluscs as Crop Pests. CAB International, Wallingford 2002, 1-31.
- Hiller K, Melzig MF. Lexikon der Arzneipflanzen und Drogen. *Agropyron repens*. Spektrum Akademischer Verlag, Heidelberg, Berlin 1999.
- Hoppe HA. Drogenkunde. Handbuch der Pflanzlichen und Tierischen Rohstoffe. *Agropyrum repens*. Cram, De Gruyter and Co, Hamburg 1958, 32-33.
- Jaretsky R. Lehrbuch der Pharmakognosie. Rhizoma Graminis. Deutscher Apotheker-Verlag, Berlin 1937, 113.
- Karsten G, Weber U, Oehlkers F, Stahl E. Lehrbuch der Pharmakognosie. Rhizoma Graminis. Gustav Fischer Verlag, Stuttgart 1956, 33-34.
- Kiesewetter R, Müller M. Zur Frage der "sedativen" Wirkung von Radix Valerianae. *Pharmazie* 1958; 13:777-781.
- Koetter U, Kaloga M, Schilcher H. Isolierung und Struktur-aufklärung von *p*-Hydroxymizimsäurealkylester-Verbindungen aus dem Rhizom von *Agropyron repens*; 1. Mitteilung. *Planta Med* 1993; 59:279-280.
- Koetter U, Kaloga M, Schilcher H. Isolierung und Struktur-aufklärung von *p*-Hydroxymizimsäurealkylester-Verbindungen aus dem Rhizom von *Agropyron repens*; 2. Mitteilung. *Planta Med* 1994; 60:488-489.
- Korhammer S, Haslinger E. Isolation of a biologically active substance from rhizomes of quackgrass [*Elymus repens* (L.) Gould]. *J Agric Food Chem* 1994; 42:2048-2050.
- Lans C, Turner N, Khan T, Brauer G. Ethnoveterinary medicines used to treat endoparasites and stomach problems in pigs and pets in British Columbia, Canada. *Vet Parasitol* 2007; 148:325-340.
- Leporatti ML, Ivancheva S. Preliminary comparative analysis of medicinal plants used in the traditional medicine of Bulgaria and Italy. *J Ethnopharmacol* 2003; 87:123-142.
- Łuczaj Ł, Szymański WM. Wild vascular plants gathered for consumption in the Polish countryside: a review. *J Ethnobiol Ethnomed* 2007; 3:17, doi:10.1186/1746-4269-3-17.
- Łuczaj Ł. Archival data on wild food plants used in Poland in 1948. *J Ethnobiol Ethnomed* 2008; 4:4, doi:10.1186/1746-4269-4-4.
- Macías FA, Marín D, Oliveros-Bastidas A, Chinchilla D, Simonet AM, Molinillo JMG. Isolation and Synthesis of Allelochemicals from Gramineae: Benzoxazinones and Related Compounds. *J Agric Food Chem* 2006; 54:991-1000.
- Madaus G. Lehrbuch der Biologischen Heilmittel. *Triticum repens* Quecke, Graminae. Georg Thieme Verlag, Leipzig 1938. <http://www.henriettesherbal.com/eclectic/madaus/Triticum.html>
- Maghrani M, Lemhadri A, Zeggwagh NA, El Amraoui M, Haloui M, Jouad H, Eddouks M. Effects of an aqueous extract of *Triticum repens* on lipid metabolism in normal and recent-onset diabetic rats. *J Ethnopharmacol* 2004; 90:331-337.
- Martindale. Couch-grass. The Complete Drug Reference. The Pharmaceutical Press. Electronic version 2009.
- Mascolo N, Autore G, Capasso F, Menghini A, Fasulo MP. Biological screening of Italian medicinal plants for anti-inflammatory activity. *Phytother Res* 1987; 1:28-31.

Müller SO, Schmitt M, Dekant W, Stopper H, Schlatter J, Schreier P, Lutz WK. Occurrence of emodin, chrysophanol and physcion in vegetables, herbs and liquors. Genotoxicity and anti-genotoxicity of the anthraquinones and of the whole plants. *Food Chem Toxicol* 1999; 37:481-491.

Newall CA, Anderson LA, Phillipson JD. Couchgrass. Herbal Medicines. A Guide for Health-care Professionals. The Pharmaceutical Press, London 1996, 91.

Oppermann E. Alles im Fluss beim älteren Herrn? *Fortschr Med* 1995; 113(7):70-71.

Pasławska S, Piekos R. Studies on the optimum conditions of extractions of silicon species from plants with water. *Planta Medica* 1976; 30:216-220.

PDR for Herbal Medicines. Triticum. *Agropyron repens*. Thomson Medical Economics, Montvale 2000, 771-772.

PDR for Herbal Medicines. Triticum. *Agropyron repens*. Thomson Medical Economics, Montvale 2004, 597-598.

Penn DJ, Lynch JM. Effect of decaying couch grass rhizomes on the growth of barley. *J Appl Ecology* 1981; 18:669-674.

Penn DJ, Lynch JM. The effect of bacterial fermentation of couch grass rhizomes and *Fusarium culmorum* on the growth of barley seedlings. *Plant Pathol* 1982; 31:39-43.

Petrova AP, Krasnov EA, Saprykina EV, Subbotina YA, Ermilova EV. Chemical composition of couch grass and studies of its antioxidant activity in allergic contact dermatitis. *Pharm Chemistry J* 2009; 43:30-32.

Pironi A, Quave C, Nebel S, Heinrich M. Ethnopharmacy of the ethnic Albanians (Arbëreshë) of northern Basilicata, Italy. *Fitoterapia* 2002; 73:217-241.

Powell RG, Petroski RJ. Alkaloid toxins in endophyte-infected grasses. *Natural Toxins* 1992; 1:163-170.

Rącz-Kotilla E, Rącz G, Solomon A. The action of *Taraxacum officinale* extracts on the body weight and diuresis of laboratory animals. *Planta Med* 1974; 26:212-217.

Receptariusz Zielarski. Zjednoczenie Przemysłu Zielarskiego Herbapol. Wydawnictwo Przemysłu Lekkiego i Spożywczego, Warszawa 1963, 58-61, 180-181, 294-295.

Receptariusz Zielarski. Zjednoczenie Przemysłu Zielarskiego Herbapol. Wydawnictwo Przemysłu Lekkiego i Spożywczego, Warszawa 1967, 186-187, 292-295, 324-325.

Redžić SS. The ecological aspect of ethnobotany and ethnopharmacology of population in Bosnia and Herzegovina. *Coll Antropol* 2007; 31:869-890.

Sánchez-Moreiras AM, Weiss OA, Reigosa-Roger MJ. Allelopathic Evidence in the Poaceae. *Bot Rev* 2004; 69:300-319.

Schimmer O, Kruger A, Paulini, H, Haefele F. An evaluation of 55 commercial plant extracts in the Ames mutagenicity test. *Pharmazie* 1994; 49:448-451.

Schulz V, Hänsel R, Tyler VE. Rational Phytotherapy. A Physician's Guide to Herbal Medicine. Springer Verlag, Berlin, Heidelberg 1998, 221-238.

Simons RG, Grinwich DL. Immunoreactive detection of four mammalian steroids in plants. *Can J Bot* 1989; 67:288-296.

Steinegger E, Hänsel R. Lehrbuch der Pharmakognosie. Auf photochemischer Grundlage. Fructosane und Fructosandrogen. Springer Verlag, Berlin, Heidelberg, New York 1972, 88-89.

Stoop JMH, Williamson JD, Mason Pharr D. Mannitol metabolism in plants: a method for coping with stress. *Trends Plant Sci* 1996; 1:139-144.

Toai TV, Linscott DL. Phytotoxic effect of decaying quackgrass (*Agropyron repens*) residues. *Weed Sci Vol* 1979; 27:595-598.

Viegi L, Pieroni A, Guarrera PM, Vangelisti R. A review of plants used in folk veterinary medicine in Italy as basis for a databank. *J Ethnopharmacol.* 2003; 89:221-244.

Wallis TE. Textbook of Pharmacognosy. Couch grass rhizome. Churchill Ltd, London 1955, 388-389.

Weston LA, Burke BA, Putnam AR. Isolation, characterization and activity of phytotoxic compounds from quackgrass. *J Chem Ecology* 1987; 13:403-421.

Whitehead DC, Dibb H, Hartley RD. Phenolic compounds in soil as influenced by the growth of different plant species. *J Appl Ecology* 1982; 19:579-588.

Wichtl M. Graminis rhizoma. In: Herbal Drugs and Phytopharmaceuticals. [Bisset NG, translated and edited]. Medpharm GmbH Scientific Publisher, CRC Press, Stuttgart 1994, 241-242.

Wichtl M. Graminis rhizoma, Couch grass rhizome. In: Herbal Drugs and Phytopharmaceuticals. Medpharm CRC Press Boca Raton, London, New York, Washington 2002, 261-263.