



11 March 2010
EMA/HMPC/281529/2009
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Orthosiphon stamineus* Benth., folium

This document was valid from 11 March 2010 until September 2021.
It is now superseded by a new version adopted by the HMPC on
22 September 2021 and published on the EMA website.

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abdel Sattar A, Bankova V, Kujumgiev A, Galabov A, Ignatova A, Todorova C, Popov S. *Chemical composition and biological activity of leaf exudates from some Lamiaceae plants*. Pharmazie, 1995. 50: 62-65.

Adam Y, Somchit MN, Sulaiman MR, Nasaruddin AA, Zuraini A, Bustamam AA, Zakaria ZA. Diuretic properties of Orthosiphon stamineus Benth. J Ethnopharmacol, 2009. 124; 154-158.

Afssaps (1998). Médicaments à base de plantes. Les cahiers de l'Agence n°3 (Agence du médicament, Ed.).

Akowuah GA, Zhari I, Norhayati I, Khamsah SM, Nor Amin MN, Karupiah S, Zakri Z. *Antioxidant activity of aqueous leaf extracts of Orthosiphon stamineus*. J Trop Med Plants, 2003. 4: 163-168.

Arafat OM, Tham SY, Sadikun A, Zhari I, Haughton PJ, Asmawi MZ. *Studies on diuretic and hypouricemic effects of Orthosiphon stamineus methanol extracts in rats*. J Ethnopharmacol, 2008. 118: 354-360.

Awale S, Tezuka Y, Banskota AH, Adnyana IK, Kadota S. *Highly-oxygenated isopimarane-type diterpenes from Orthosiphon stamineus of Indonesia and their nitric oxide inhibitory activity*. Chem Pharm Bull, 2003c. 51: 268-275.

Awale S, Tezuka Y, Banskota AH, Adnyana IK, Kadota S. *Nitric oxide inhibitory isopimarane-type diterpenes from Orthosiphon stamineus of Indonesia*. J Nat Prod, 2003b. 66: 255-258.

Awale S, Tezuka Y, Banskota AH, Kadota S. *Inhibition of NO production by highly-oxygenated diterpenes of Orthosiphon stamineus and their structure-activity relationship*. Biol Pharm Bull, 2003d. 26: 468-473.

Awale S, Tezuka Y, Banskota AH, Kadota S. *Siphonols A-E: novel nitric oxide inhibitors from Orthosiphon stamineus of Indonesia*. Bioorg Med Chem Lett, 2003a. 13: 31-35.

Barnes J, et al. *Herbal medicines* 2nd ed. Pharmaceutical Press, London 2002.



Beaux D, Fleurentin J, Mortier F, *Effect of extracts of Orthosiphon stamineus Benth., Hieracium pilosella L., Sambucus nigra L. and Arctostaphylos uva-ursi (L.) Spreng. in rats.* Phytotherapy Res, 1999. 13: 222-225.

Blumenthal M, et al. The complete German Commission E Monographs. American Botanical Council, Austin Texas 1998.

Bombardelli E, Bonati A., Gabetta B, Mustich G. Flavonoid constituents of *Orthosiphon stamineus*. Fitoterapia, 1972. 43 (12):35-40.

Bradley PR editor. British Herbal Compendium. Vol 2. British Herbal Medicine Association, Bournemouth 2006.

British Herbal Pharmacopoeia. 4th ed. British Herbal Medicine Association, Exeter 1996.

Bruneton J. Pharmacognosie : Phytochimie plantes médicinales, Editions TEC & DOC, Paris 1998, 200-251.

Casadebeig-Lafon J, Jacob M, Cassanas G, Marion C, Puech A. *Elaboration d'extraits végétaux adsorbés, réalisation d'extraits secs d'Orthosiphon stamineus Benth.* Pharm Acta Helv, 1989. 64: 220-224.

Chen CP, Lin CC, Namba T. *Screening of Taiwanese crude drugs for antibacterial activity against Streptococcus mutans.* J Ethnopharmacol, 1989. 27: 285-295.

Chow SY, Liao JF, Yang HY, Chen CF. *Pharmacological effects of Orthosiphonis herba.* J Formosan Med Assoc, 1979. 78: 953-960.

Commission E monographs. *Orthosiphonis folium (Orthosiphonblätter).* 1986, revised in 1990.

Available at: <http://content.herbalgram.org/youngliving/CommissionE/default.asp?p=864>.

Dharmaraj S, Hossain MA, Zhari S, Lay Harn G, Ismail Z. *The use of principal component analysis and self-organizing map to monitor inhibition of calcium oxalate crystal growth by Orthosiphon stamineus extract.* Chemometrics and Intelligent Laboratory Systems, 2006. 81: 21-28.

Doan DD, Nguyen NH et al. Studies on the individual and combined diuretic effects of four Vietnamese traditional herbal remedies (*Zea mays*, *Imperata cylindrical*, *Plantago major* and *Orthosiphon stamineus*). J.Ethnopharmacol, 1992. 36: 225-231.

Englert J and Harnischfeger G. *Diuretic action of aqueous Orthosiphon extract in rats.* Planta Med, 1992. 58 :237-8.

ESCOP, *ESCOP Monographs (2nd edition completely revised and expanded)* European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2003.

Garcia-Moran S, Saez-Royuela F, Gento E, Lopez Morante Ariasa A. *Hepatitis aguda asociada a ingestión de Camellia thea y Orthosiphon stamineus.* Gastroenterol Hepatol, 2004. 27: 559-60.

Guérin JC and Réveillère HP. *Activité antifongique d'extraits végétaux à usage thérapeutique. II. Etude de 40 extraits sur 9 souches fongiques (Antifungal activity of plant extracts used in therapy. II. Study of 40 plant extracts against 9 fungi species).* Ann Pharm Franc, 1985. 43: 77-81.

Hussein AA, Meyer JJM, Jimeno ML, Rodríguez B. *Bioactive diterpenes from Orthosiphon labiatus and Salvia africana-lutea.* J Nat Prod, 2007. 70: 293-295.

Kavimani S, Ilango R, Thangadurai JG, Jaykar B, Majumdar UK, Gupta M. *Diuretic activity of aqueous extract of Orthosiphon thymiflorus in rats.* Indian J Pharm Sci, 1997. 59: 96-98.

Lyckander IM and Malterud KE. *Lipophilic flavonoids from Orthosiphon spicatus as inhibitors of 15-lipoxygenase*. Acta Pharm Nord, 1992. 4: 159-166.

Malterud KE, Hanche-Olsen IM, Smith-Kielland I. *Flavonoids from Orthosiphon spicatus*. Planta Med, 1989. 55: 569-570.

Mariam A, Asmawi MZ, Sadikun A. *Hypoglycaemic activity of the aqueous extract of Orthosiphon stamineus*. Fitoterapia, 1996. 67: 465-468.

Masuda T, Masuda K, Shiragami S, Jitoe A, Nakatani N. *Orthosiphols A and B, novel diterpenoid inhibitors of TPA (12-O-tetradecanoylphorbol-13-acetate)-induced inflammation, from Orthosiphon stamineus*. Tetrahedron, 1992. 48: 6787-6792.

Matsubara T, Bohgaki T, Watarai M, Suzuki H, Ohashi K, Shibuya H. *Antihypertensive actions of methylripariochromene A from Orthosiphon aristatus, an Indonesian traditional medicinal plant*. Biol Pharm Bull, 1999. 22: 1083-1088.

Matsuura S, Kinii T, Iinuma M. Studies on the flavonoid of Kumis-kuching (Orthosiphon stamineus Benth.). Yakugaku zasshi. J Pharm Soc Japan, 1973. 93 (11): 1517-1519.

Nirdnay M et al. Effects of folia orthosiphonis on Urinary Stone Promoters and Inhibitors. J Med Assoc Thai, 1991. 74: 318-321.

Nguyen MTT, Awale S, Tezuka Y, Chien-Hsiung C, Kadota S. *Staminane- and isopimarane-type diterpenes from Orthosiphon stamineus of Taiwan and their nitric oxide inhibitory activity*. J Nat Prod, 2004. 67: 654-658.

Ohashi K, Bohgaki T, Matsubara T, Shibuya H. *Indonesian Medicinal Plants XXIII. Chemical structures of two new migrated pimarane-type diterpenes, neoorthosiphols A and B, and suppressive effects on rat thoracic aorta of chemical constituents isolated from the leaves of Orthosiphon aristatus (Lamiaceae)*. Chem Pharm Bull, 2000. 48: 433-435.

Olah NK, Radu L, Mogoşan C, Hangau D, Gocan S. *Phytochemical and pharmacological studies on Orthosiphon stamineus Benth. (Lamiaceae) hydroalcoholic extracts*. J Pharm Biomed Anal, 2003. 33:117-23.

Paris RR, Moyse H. Matière médicale Tome III, 1967, 288-290.

Gruenwald J, Brendler T, Jaenicke C, editors. PDR for herbal Medicines. 3rd ed. Thomson PDR, Montvale 2004.

PSD (Pesticide Safety Directorate), *PSD guidance document: toxicological significance of reduced levels of serum ALT and/or AST in animal studies*. Pesticides Safety Directorate, Health and Safety Executive, 2007.

Rutenbeck H. *Klinische Untersuchungen über ein neues Präparat aus Koemis-Koetjing, dem indischen Nierentee* (clinical investigations on a new preparation from Koemis-Koetjing, Indian kidney tea). Dtsch Med Wochenschr, 1935. 10: 377-378.

Russel WR, Scobbie L, Duthie GG, Chesson A. *Inhibition of 15-lipoxygenase-catalysed oxygenation of arachidonic acid by substituted benzoic acids*. Bioorg Med Chem, 2008. 16: 4589-4593.

Schut GA and Zwaving JH. *Pharmacological investigation of some lipophilic flavonoids from Orthosiphon aristatus*. Fitoterapia, 1993. 66: 99-102.

Sriplang K, Adisakwattana S, Rungsipipat A, Yibchok-Anun S. *Effects of Orthosiphon stamineus aqueous extract on plasma glucose concentration and lipid profile in normal and streptozotocin-induced diabetic rats*. J Ethnopharmacol, 2007. 109: 510-514.

Tezuka Y, et al. *Constituents of the Vietnamese Medicinal Plant Orthosiphon stamineus*. Chem Pharm Bull, 2000. 48 (11): 1711-1719.

Tiktinsky, O.L; Bablumyan, Yu. A. *The therapeutic effect of Java Tea and Equisetum arvense in patients with uratic diathesis*. Urol Nefrol, 1983. 48: 47-50.

Yam MF, Ang LF, Basir R, Salman IM, Ameer OZ, Asmawi MZ. *Evaluation of the antipyretic potential of Orthosiphon stamineus Benth standardized extract*. Inflammopharmacology, 2009. 17: 50-54.

Superseded