



This document was valid from September 2007 until September 2012.  
It is now superseded by a [new version](#) adopted by the HMPC  
on 24 September 2012 and published on the EMA website.

London, 28 November 2008  
Doc. Ref. EMEA/HMPC/111736/2007

**COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)**

**LIST OF REFERENCES SUPPORTING THE ASSESSMENT ON:**

**Primulae radix**  
*Primula veris* L. and *Primula elatior* (L.) Hill, radix  
(primula root)

*The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.*

Antonone, R., De Simone, F., Morrica, P., Ramundo, E. Traditional phytotherapy in the Roccamonfina volcanic group, Campania, Southern Italy. *J Ethnopharmacol* **22**, 295-306. 1988

Auster, F., Schäfer, J. *Arzneipflanzen*. Thieme. Leipzig. 1961

Bässler, D., Zieseniß, E. Behandlung akuter Erkältungskrankheiten bei Kindern – Ergebnisse einer Anwendungsbeobachtung mit einem Primel – Thymian – Präparat. Kongressband Phytopharmaka Phytotherapie. 2005, 23

Boyd, EM. Expectorants and respiratory tract fluid. *J Pharm Pharmacol* **6**, 521-42. 1954

Büechi, S. Antivirale Saponine. Pharmakologische und klinische Untersuchungen. *Dtsch Apoth Ztg* **136**, 89-98. 1996

Calis, I., Yürüker, A., Rügger, H., Wright, AD., Sticher, O. Triterpene saponins from *Primula veris* subsp. *macrocalyx* and *Primula elatior* subsp. *meyeri*. *J Nat Prod* **55**, 1299-306, 1992

Chibanguza, G., Maerz, R., Sterner, W. Zur Wirksamkeit und Toxizität eines pflanzlichen Sekretolytikums und seiner Einzeldrogen. *Drug Res* **34**, 32-6. 1984

- Commission E monographs. The complete German commission E monographs. Translation by Blumenthal M et al, American Botanical Council. Austin, 1998
- Dingermann, Th., Loew, D. Phytopharmakologie. Wiss. VerlagsgesmbH, Stuttgart. 2003, 188-94
- Dorsch, W., Loew, D., Meyer-Buchtela, E., Schilcher, H. Primulae radix. Kinderdosierungen von Phytopharmaka. Bonn: Kooperation Phytopharmaka, 2002
- Ernst E., Maerz R., Sieder Ch. A controlled multi-centre study of herbal versus synthetic secretolytic drugs for acute bronchitis. *Phytomedicine* **4**, 287-93. 1997
- ESCOP Monograph. PRIMULAE RADIX (Primula Root). ESCOP Monographs Second edition. ESCOP 2003, 407-10
- Flamm, S., Kroeber, L., Seel, H. Pharmakodynamik deutscher Heilpflanzen. Hippokrates. Stuttgart. 1940, 228-31
- Fournier, P. Le Livre des Plantes médicinales et vénéneuses de France. Lechevalier. Paris, 1948, 273-77
- Gaisböck F. Radix Primulae als Expektorans und Diuretikum. *Klin Wschr* **3**, 474-79. 1924
- Grünwald, J., Graubaum, HJ., Busch, R. Efficacy and tolerability of a fixed combination of thyme and primrose root in patients with acute bronchitis. *Arzneim Forsch/Drug Res* **55**, 669-76. 2005
- Grünwald, J., Graubaum, HJ., Busch, R. Evaluation of the non-inferiority of a fixed combination of thyme fluid – and primrose root extract in comparison to a fixed combination of thyme fluid extract and primrose root tincture in patients with acute bronchitis. *Arzneim Forsch/Drug Res* **56**, 574-81. 2006
- Joachimowitz, R. *Wien Med Wochenschrift* **18**, 606-8, 1920
- Häberlein, H., Prenner, L. Ein Meilenstein in der Efeu-Forschung: ein biophysikalischer und zellbiologischer Beitrag zum Wirkungsmechanismus. Kongressband Phytopharmaka Phytotherapie S9. 2005
- Hänsel, R., Keller, K., Rimpler, H., Schneider, G., editors. Primula. In: Hagers Handbuch der Pharmazeutischen Praxis, 5th ed. Band 6, Drogen P-Z. Berlin. Springer-Verlag, 1994, 269-87
- Hänsel, R., Sticher, O. Pharmakognosie – Phytopharmazie. Springer, Heidelberg, 2007, 953
- Hausen, BM. On the occurrence of the contact allergen Primin and other quinoid compounds in species of the family of Primulaceae. *Arch Derm Res* **261**, 311-21. 1978
- Hegnauer, R. Chemotaxonomie der Pflanzen. Birkhäuser, Basel, 1969, 387-403
- Hostettman, K., Marston, A. Saponins: Cambridge: Cambridge University Press. 1995
- List, PH, Hörhammer, L. Hagers Handbuch der pharmazeutischen Praxis, Springer, Berlin-Heidelberg-New York, 1977, 872-83
- Lohmann, K., Reiningger, E., Bauer, R. Screening of European anti-inflammatory herbal drugs for inhibition of cyclooxygenase-1 and 2. *Phytomedicine Suppl. II*, 99, 2000
- Madaus, R. Lehrbuch der biologischen Heilmittel, Thieme, Leipzig, 1938
- Margineanu, C., Cucu, V., Grecu, L., Parvu, C. Die Anticandida Wirkung der Primula Saponine. *Planta Med* **30**, 35-8, 1976

McGuffin, M., Hobs, Ch., Upton, R., Goldberg, A. Botanical safety handbook. CRC Press, Boca Raton. 1997

Nauert, Ch., Bentley, Ch., Fiebich, BL. *In vitro* Untersuchungen zur mukolytischen Wirkung einer fixen Kombination von Thymian und Primula. Kongressband Phytopharmaka Phytotherapie. Berlin, 2005, 31

Nauert, Ch., Grünwald, HJ. Wirksamkeit und Verträglichkeit flüssiger Darreichungsformen einer fixen Kombination von Thymian und Primula bei Kindern mit akuter Bronchitis. Kongressband Phytopharmaka Phytotherapie. Berlin, 2005, 31

Oakenfull, D. Saponins in food – a review. Food Chemistry **7**, 19-40. 1981

Oswiecimska, M., Sendra, J., Janeczko, Z. Antimitotic activity of saponin fractions and extracts from Radix Primulae, Radix Saponariae and Semen Hippocastani. Pol J Pharmacol Pharm **27**, 349-54. 1975

Rao, GS., Sinsheimer, JE., Cochran, KW. Antiviral activity of triterpenoid saponins containing acylated  $\beta$ -amyrin aglycones. J Pharm Sci **63**, 471-3. 1974

Steinegger, E., Hänsel, R. Primulasaponine und Primelwurzel. In: Pharmakognosie, 5th ed. Berlin: Springer Verlag. 1992, 210-1

Sufka, KJ., Roach, T., Chambliss, WG., Broom, SL., Feltenstein, MW., Wyandt, CM., Zeng, L. Anxiolytic properties of botanical extracts in the chick social separation-stress procedure. Psychopharmacology **153**: 219-24, 2001

Thieme, H., Winkler, HJ. Über Vorkommen und Akkumulation von Phenolglykosiden in der Familie der Primulaceen. Pharmazie **26**, 434-6. 1971

Tschesche, R., Wulff, G. Über die antimikrobielle Wirksamkeit von Saponinen. Z Naturforsch **20b**, 543-6. 1965

Tschesche, R., Wulff, G. Chemie und Biologie der Saponine. In: Herz W, Grisebach H, Kirby GW, editors. Fortschritte der Chemie organischer Naturstoffe / Progress in the Chemistry of Organic Natural Products, 30, Wien-New York: Springer-Verlag, 1973, 461-606

Tschesche, R., Ballhorn, L. Protoprimulagenin A als Aglykon des Hauptsaponins von Primula elatior. Phytochemistry **12**, 305-6, 1975

Tschesche, R., Wagner, R., Widera, W. Saponine aus den Wurzeln von Primula elatior. Konstitution eines Nebensaponins und Revision der Zuckerkette des Hauptsaponins. Liebigs Ann Chem, 1983, 993-1000

Vogel, G. Zur Pharmakologie von Saponinen. Planta Med **11**, 362-76. 1963

Walthelm, U., Ditrich, K., Gelbrich, G., Schöpke, TH. Effects of saponins on the water solubility of different model compounds. Planta Med **67**, 49-54. 2001

Weiß, RF. Lehrbuch der Phytotherapie. 7th ed., Stuttgart Hippokrates 1991, 265-7

Weyers, W. Phytotherapie in der Behandlung extraartikulärer Rheumaerkrankungen. Therapiewoche Schweiz **11**, 832-8. 1992

Wichtl, M., Schäfer-Korting, M. Primelwurzel. In: Hartke K, Hartke H, Mutschler E, Rucker G, Wichtl M, editors: DAB10 – Kommentar. Stuttgart: Wissenschaftliche Verlagsgesellschaft, 1991

Wichtl, M. Primulae radix. In: Wichtl M, editor: Herbal drugs and phytopharmaceuticals. Medpharm Scientific Publishers. Stuttgart, 2004, 472-4

Wichtl, M, Neubeck, M., in: Hartke, K., Kartke, H., Wichtl, M.: Kommentar zum Europäischen Arzneibuch, Wiss. VerlagsgesmbH, Stuttgart, 2005

Wiesner, J. Die Rohstoffe des Pflanzenreichs. Wilhelm Engelmann. Leipzig, 1928, 1820-1

Wolters, B Die Verbreitung antibiotischer Eigenschaften bei Saponindrogen. Dtsch Apoth Ztg **106**, 1729-33. 1966

#### Further references, which have been evaluated but not included into the assessment report

	comment
Ahmad, VU., Sultana, V., Arif, S., Saqib, QN. Saponins from <i>Primula denticulate</i> . <i>Phytochemistry</i> <b>27</b> , 304-6, 1988	No relevance
Badmaev, V., Nowakowski, M. Protection of epithelial cells against influenza A virus by plant derived biological response modifier Ledretan-96 <i>Phytother Res</i> <b>14(4)</b> , 245-9, 2000	Data not relevant, combination of 23 extracts
Budzianowski, J., Morozowska, M., Wesolowska, M. Lipophilic flavones of <i>Primula veris</i> from field cultivation and <i>in vitro</i> cultures. <i>Phytochemistry</i> <b>66</b> , 1033-9, 2005	Only leaves, not relevant for underground organs
Cebo, B., Krupinska, J., Sobanski, H., Mazur, J., Czarnecki, R. Pharmacological properties of saponin fractions from Polish crude drugs: <i>Saponaria officinalis</i> , <i>Primula officinalis</i> , and <i>Aesculus hippocastanum</i> . <i>Herba Polon</i> <b>22</b> , 154-62, 1976	Effects of direct application on isolated organs
Dinand, PA. <i>Handbuch der Heilpflanzenkunde</i> , Schreiber, Esslingen. 1921	
Drozd, B. Schwankungen des Saponingehalts und der hämolytischen Aktivität bei <i>Saponaria officinalis</i> , <i>Primula officinalis</i> , <i>Polemonium coeruleum</i> und <i>Glycyrrhiza glabra</i> . <i>Pharmazie</i> <b>19</b> , 538-40, 1961	Saponon content during vegetation period
Fintelmann, V., Weiß, RF. <i>Lehrbuch der Phytotherapie</i> , Hippokrates, Stuttgart, 2002	No changes to Weiß RF 1991
Frigot, P., Goris, A. New studies on the composition of essences of the underground organs of various <i>Primula</i> species. <i>Ann Pharm Fr</i> <b>26</b> , 287-90, 1968	Analytical method out-of-date
Gilg, E., Brandt, W., Schürhoff, PN. <i>Lehrbuch der Pharmakognosie</i> , Springer, Berlin, 1927	No further information
Glasl, H., Ihrig, M. Quantitative Bestimmung von Triterpensaponinen in Drogen. <i>Pharm Ztg</i> <b>129</b> , 2619-22. 1984	New TLC-method
Goris, A., Frigot, P. New analysis of various volatile oils of the roots of primrose. <i>Ann Pharm Fr</i> <b>26</b> , 123-9. 1968	Analytical method out-of-date
Goris, A., Frigot, P. Composition of the oil extracted from the underground organs of <i>Primula elatior</i> . <i>Ann Pharm Fr</i> <b>32</b> , 233-6. 1974	Analytical method out-of-date
Greco, L., Cucu, V. Saponine aus <i>Primula officinalis</i> und <i>P. elatior</i> . <i>Planta Med</i> <b>27</b> , 247-53. 1975	Analytical method out-of-date
Hahn-Deinstrop. E., Koch, A., Müller, M. HPTLC measured values of primula saponins in extracts of <i>Primulae radix</i> : a comparison after derivatization between handspraying, dipping and autospraying. <i>Chromatographia</i> <b>51</b> (Suppl.), 302-4. 2000	Very specific analytical details
Harborne, JB. Comparative biochemistry of the flavonoids-VII: Correlations between flavonoid pigmentation and systematics in the family primulaceae. <i>Phytochemistry</i> <b>7</b> , 1215-30. 1968	Aerial parts
Jentzsch, K., Kubelka, W., Kvarda, B. Untersuchungen über den	Analytical method out-of-

Saponingehalt von Radix Primulae veris im Verlauf mehrjähriger Kultur. Sci Pharm <b>41</b> , 162-5. 1973	date; saponin content during cultivation
Kartnig, Th., Ri, CY. TLC studies on sugar components of saponins from the roots of Primula veris and P. elatior. Planta Med <b>23</b> , 379-80. 1973	Analytical method out-of-date
Kartnig, Th., Ri, CY., Wegschaider, O. Untersuchungen über die Aufbereitung und die Stabilität von Saponindrogen. Planta Med <b>22</b> , 127-35, 1972	Correlation storage and saponin content
März, R., Chibanguza, G. Ein Beitrag zur Pharmakologie und Toxikologie einer Drogenkombination und ihrer Einzeldrogen Planta Med <b>45(3)</b> ,11. 1982	Abstract of poster, publication see Chibanguza (1984)
Mazurek, I. Die Wertbestimmung der Saponine im DAB 7. Pharmazie <b>9</b> , 310-25. 1954	Investigations about the haemolytical index
Mestenhauer, A. The culture of Primula veris: correlations between the saponin and the starch content of the root. Pharmazie <b>16</b> , 45-9. 1961	Analytical method out-of-date
Morozowska, M. Vegetative development, flowering, fruiting and saponin content in cultivated cowslip (Primula veris) plants. Herba Pol <b>50(2)</b> , 28-35. 2004	Details on morphology, saponin content during vegetation period
Müller, A., Ganzera, M., Stuppner, H. Analysis of phenolic glycosides and saponins in Primula elatior and Primula veris by liquid chromatography, evaporative light scattering detection and mass spectrometry. J Chromatogr A <b>1112(-2)</b> , 218-23. 2006	Simultaneous detection of saponins and phenolic glycosides
Pieroni, A., Dibra, B., Grishaj, G., Grishaj, I., Macai, SG. Traditional phytotherapy of the Albanians of Lepushe, Northern Albanian Alps. Fitoterapia <b>76</b> , 379-99. 2005	Not in EU. Flowers for stomach ache and flu.
Primorac, M., Sekulovic, D., Antonic, S. <i>In vitro</i> determination of the spermicidal activity of plant saponins. Pharmazie <b>40(8)</b> , 585. 1985	Not relevant
Siems, K., Jaensch, M., Jakupovic, J. Structures of the two saponins isolated from commercially available root extract of Primula sp. Planta Med <b>64(3)</b> , 272-4. 1998	Plant source not defined
Tschesche, R., Tjoa, BT., Wulff, G. Triterpenes XXI. Sapogenins from roots of Primula veris. Liebigs Ann Chem <b>696</b> , 160-71, 1966	Acid hydrolysis of saponins
Wagner, H., Reger, H. Radix Primulae-Extrakte: HPLC-Analyse. Deutsch Apoth Ztg <b>126</b> , 1489-93. 1986	First application of the 'new' HPLC for standardization of Primula root
Waller, GR., Yamasaki, K. Saponins used in traditional and modern medicine. Plenum Press New York. 1995	Summary of data, original data considered in AR
Warburg, O. Die Pflanzenwelt, Bibliographisches Institut, Leipzig. 1922	Only botanical information
Zwaving, JH. The saponins of primrose and soapwort, well-known expectorants. Pharm Weekbl <b>106</b> , 629-48. 1971	Review of the status in 1971