

This document was valid from July 2006 until May 2013.
It is now superseded by a new version adopted by the HMPC
on 14 May 2013 and published on the EMA website.

**List of bibliographic references supporting the HMPC Assessment Report
on *Plantago ovata* Forssk., semen (EMEA/HMPC/166377/2006)
(28 February 2007)**

- (1) Tarpila S et al.
Efficacy of ground flaxseed on constipation in patients with irritable bowel syndrome.
Current Topics in Nutraceutical Research 2004; 2: 119-25
(corresponding to Ispaghula husk assessment report reference 1)
- (2) HagerROM 2003, Springer Verlag Heidelberg
Plantaginis ovatae semen

Sharma PK et al.
Mucilage in seeds of *Plantago ovata* and its wild allies.
J Ethnopharmacol 1986; 17: 289-95
(corresponding to ESCOP monograph reference 6)
- (3) Heckers H et al.
Fecal composition and colonic function due to dietary variables. Results of a long-term study in healthy young men consuming 10 different diets.
Practical Gastroenterology - Special Issue on the Symposium on Intestinal Motility (Lisbon) 1984: 24-39
(corresponding to ESCOP monograph reference 7)
- (4) Wichtl M. Indische Flohsamen – *Plantaginis ovatae semen*. In: Hartke K, Hartke H, Mutschler E, Rücker G, Wichtl M, editors.
Kommentar zum Europäischen Arzneibuch.
Stuttgart: Wissenschaftliche Verlagsgesellschaft, 1999 (12.Lfg): F 12
(corresponding to ESCOP monograph reference 8)
- (5) Leng-Peschlow E.
Plantago ovata seeds as dietary fibre supplement: physiological and metabolic effects in rats.
The British Journal of Nutrition 1991; 66: 331-49
(corresponding to ESCOP monograph reference 2)
- (6) Kritchevsky D et al.
Influence of psyllium preparations on plasma and liver lipids of cholesterol-fed rats. Artery 1995; 21: 303-11
(corresponding to ESCOP monograph reference 37)
- (7) Gelissen IC et al.
Effect of *Plantago ovata* (psyllium) husk and seeds on sterol metabolism: studies in normal and ileostomy subjects.
American Journal of Clinical Nutrition 1994; 59: 395-400
- (8) Mahapatra SC et al.
Effect of cellulose and ispaghula on intestinal function of hamsters maintained on diets of varying fibre content.
Indian Journal of Medical Research 1988; 88: 175-180
(corresponding to ESCOP monograph reference 39)

- (9) Leng-Peschlow E.
Interference of dietary fibres with gastrointestinal enzymes in vitro.
Digestion 1989; 44: 200-10
- (10) German Monograph on Plantaginis ovatae semen of the Commission E, Bundesanzeiger Nr. 22a vom 01.02.1990, correction Bundesanzeiger Nr. 74 vom 19.04.1991
- (11) Hamouz W.
Die Behandlung der akuten und chronischen Diarröh mit Agiocur®.
Med Klin 1984; 79: 32-3
(corresponding to Ispaghula husk assessment report reference 79)
- (12) Segawa K et al.
Cholesterol-lowering effects of psyllium seed associated with urea metabolism. *Biological & pharmaceutical bulletin* 1998; 21: 184-7
(corresponding to ESCOP monograph reference 38)
- (13) Williams CL et al.
A summary of conference recommendations on dietary fiber in childhood
Conference on Dietary Fiber in Childhood, New York (New York, USA),
May 24, 1994. *Pediatrics* 1995; 96: 1023-8
(corresponding to Ispaghula husk assessment report reference 95)
- (14) Williams CL et al.
Is a high-fiber diet safe for children?
Pediatric 1995; 96: 1014-9
(corresponding to Ispaghula husk assessment report reference 96)
- (15) McClung HJ et al.
Constipation and dietary fiber intake in children.
Pediatrics 1995; 96: 999-1001
(corresponding to Ispaghula husk assessment report reference 97)
- (16) Bishop C.
Nonprescription drugs: guide to the pregnant patient. Part 4.
Canadian Pharmaceutical Journal (Canada) 1978; 111: 385-8.
(corresponding to Ispaghula husk assessment report reference 98)
- (17) Greenhalf JO et al.
Laxative in the treatment of constipation in pregnant and breast-feeding mothers.
The Practitioner 1973; 210: 259-63
(corresponding to Ispaghula husk assessment report reference 99)
- (18) Rubira N et al.
Occupational asthma and anaphylaxis due to seeds of Plantago ovata.
Alergologia e Inmunologia Clinica 2000; 15: 96-9
(corresponding to Ispaghula husk assessment report reference 101)
- (19) Aleman AM et al.
Asthma related to inhalation of Plantago ovata.
Medicina Clinica 2001; 116: 20-2 (corresponding to Ispaghula husk assessment report reference 102)
- (20) Khalli B et al.
Psyllium-associated anaphylaxis and death: a case report and review of the literature. *Annals of allergy, asthma & immunology: Official publication of the American College of Allergy,*

Superseded

- (21) Sölter H, Lorenz D
Summary of clinical results with Prodiem® Plain. A bowel-regulating agent.
Today's therapeutic Trends 1983; 1: 45 – 59
- (22) Post-evaluation of the studies with Agiocur® from the publication by Sölter and Lorenz
(Today's therapeutic Trens 1 (1983), 45-59) with reference to the effective Plantago ovata
dosage in comparison to dosages published in monographs. Madaus.
Cologne 25 July 2005
- (23) Ligny G.
Therapie des Colon irritabile.
Therapeutikon 1988; 7: 449-53

Superseded