



Axumin

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
IA/0034/G	This was an application for a group of variations. A.7 - Administrative change - Deletion of manufacturing sites A.7 - Administrative change - Deletion of manufacturing sites	09/05/2024		SmPC, Labelling and PL	

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



	A.7 - Administrative change - Deletion of manufacturing sites A.7 - Administrative change - Deletion of manufacturing sites				
IB/0033/G	This was an application for a group of variations. B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation	19/04/2024	n/a		
IB/0032	B.I.d.1.a.4 - Stability of AS - Change in the re-test period/storage period - Extension or introduction of a re-test period/storage period supported by real time data	07/02/2024	n/a		
PSUSA/10594 /202305	Periodic Safety Update EU Single assessment - fluciclovine (18F)	11/01/2024	n/a		PRAC Recommendation - maintenance
IAIN/0030/G	This was an application for a group of variations. A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release A.5.a - Administrative change - Change in the name	16/12/2022	24/04/2023	Annex II, Labelling and PL	

	and/or address of a manufacturer/importer responsible for batch release A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release				
IA/0029/G	This was an application for a group of variations. B.II.e.6.b - Change in any part of the (primary) packaging material not in contact with the finished product formulation - Change that does not affect the product information A.7 - Administrative change - Deletion of manufacturing sites	11/05/2022	24/04/2023	Annex II, Labelling and PL	
R/0027	Renewal of the marketing authorisation.	16/12/2021	10/02/2022	SmPC, Annex II, Labelling and PL	Based on the review of data on quality, safety and efficacy, the CHMP considered that the benefit-risk balance of Axumin in the approved indication remains favourable and therefore recommended the renewal of the marketing authorisation with unlimited validity.
IB/0028/G	This was an application for a group of variations. B.II.b.2.c.2 - Change to importer, batch release arrangements and quality control testing of the FP - Including batch control/testing B.II.b.1.f - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile medicinal products (including those that are	02/12/2021	10/02/2022	Annex II, Labelling and PL	

	aseptically manufactured) excluding biological/ immunological medicinal products B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site				
IA/0026	B.II.b.5.z - Change to in-process tests or limits applied during the manufacture of the finished product - Other variation	09/08/2021	n/a		
IA/0025/G	This was an application for a group of variations. B.II.e.6.b - Change in any part of the (primary) packaging material not in contact with the finished product formulation - Change that does not affect the product information A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)	21/06/2021	n/a		
IB/0023	C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	22/03/2021	18/11/2021	SmPC, Annex II, Labelling and PL	
IA/0024	A.7 - Administrative change - Deletion of manufacturing sites	02/03/2021	18/11/2021	Annex II, Labelling and PL	
PSUSA/10594 /202005	Periodic Safety Update EU Single assessment - fluciclovine (18F)	14/01/2021	n/a		PRAC Recommendation - maintenance

IB/0022/G	<p>This was an application for a group of variations.</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.2.c - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure for a reagent, which does not have a significant effect on the overall quality of the AS</p> <p>B.I.b.2.c - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure for a reagent, which does not have a significant effect on the overall quality of the AS</p> <p>B.I.c.1.z - Change in immediate packaging of the AS - Other variation</p>	09/12/2020	18/11/2021	SmPC, Annex II, Labelling and PL	
-----------	--	------------	------------	----------------------------------	--

	<p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.1.f - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile medicinal products (including those that are aseptically manufactured) excluding biological/immunological medicinal products</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p> <p>B.II.b.2.c.2 - Change to importer, batch release arrangements and quality control testing of the FP - Including batch control/testing</p> <p>B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation</p> <p>B.II.e.7.b - Change in supplier of packaging components or devices (when mentioned in the dossier) - Replacement or addition of a supplier</p>				
IA/0021/G	<p>This was an application for a group of variations.</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p> <p>B.II.d.2.a - Change in test procedure for the finished</p>	31/08/2020	n/a		

	product - Minor changes to an approved test procedure B.II.e.7.b - Change in supplier of packaging components or devices (when mentioned in the dossier) - Replacement or addition of a supplier				
PSUSA/10594/201911	Periodic Safety Update EU Single assessment - fluciclovine (18F)	25/06/2020	25/08/2020	SmPC and PL	Refer to Scientific conclusions and grounds recommending the variation to terms of the Marketing Authorisation(s)' for PSUSA/10594/201911.
IAIN/0019	C.I.11.a - Introduction of, or change(s) to, the obligations and conditions of a marketing authorisation, including the RMP - Implementation of wording agreed by the competent authority	12/06/2020	n/a		
IAIN/0017	C.I.11.a - Introduction of, or change(s) to, the obligations and conditions of a marketing authorisation, including the RMP - Implementation of wording agreed by the competent authority	16/01/2020	25/08/2020	Annex II	
PSUSA/10594/201905	Periodic Safety Update EU Single assessment - fluciclovine (18F)	16/01/2020	n/a		PRAC Recommendation - maintenance
IAIN/0016	A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release	08/10/2019	25/08/2020	Annex II, Labelling and PL	
IA/0014/G	This was an application for a group of variations. B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure	08/08/2019	n/a		

	<p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p> <p>B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process</p> <p>B.II.e.7.b - Change in supplier of packaging components or devices (when mentioned in the dossier) - Replacement or addition of a supplier</p>				
PSUSA/10594 /201811	Periodic Safety Update EU Single assessment - fluciclovine (18F)	14/06/2019	n/a		PRAC Recommendation - maintenance
II/0010	<p>Submission of an updated RMP version 2.0 in order to update to GVP Module V Rev.2 and introduce changes in line with the updated RMP template format; the update further includes new exposure information from both clinical trials and worldwide commercial exposure from US and EU countries and corrections to the effectiveness measurement of the image interpretation training from a review of self-assessment scores to normal pharmacovigilance activities.</p> <p>C.I.11.b - Introduction of, or change(s) to, the obligations and conditions of a marketing authorisation, including the RMP - Implementation of change(s) which require to be further substantiated by new additional data to be submitted by the MAH where significant assessment is required</p>	14/02/2019	n/a		

T/0012	Transfer of Marketing Authorisation	07/01/2019	06/02/2019	SmPC, Labelling and PL	
PSUSA/10594 /201805	Periodic Safety Update EU Single assessment - fluciclovine (18F)	17/01/2019	n/a		PRAC Recommendation - maintenance
IB/0009/G	<p>This was an application for a group of variations.</p> <p>B.I.a.1.a - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The proposed manufacturer is part of the same pharmaceutical group as the currently approved manufacturer</p> <p>B.I.a.1.a - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The proposed manufacturer is part of the same pharmaceutical group as the currently approved manufacturer</p> <p>B.I.a.1.a - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The proposed manufacturer is part of the same pharmaceutical group as the currently approved manufacturer</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.1.a - Replacement or addition of a</p>	02/10/2018	23/01/2019	SmPC, Annex II, Labelling and PL	

<p>manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.1.f - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile medicinal products (including those that are aseptically manufactured) excluding biological/ immunological medicinal products</p> <p>B.II.b.1.f - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile medicinal products (including those that are aseptically manufactured) excluding biological/ immunological medicinal products</p> <p>B.II.b.1.f - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile medicinal products (including those that are aseptically manufactured) excluding biological/ immunological medicinal products</p> <p>B.II.b.2.c.2 - Change to importer, batch release arrangements and quality control testing of the FP - Including batch control/testing</p> <p>B.II.b.2.c.2 - Change to importer, batch release arrangements and quality control testing of the FP - Including batch control/testing</p>				
--	--	--	--	--

	B.II.b.2.c.2 - Change to importer, batch release arrangements and quality control testing of the FP - Including batch control/testing				
IB/0006/G	<p>This was an application for a group of variations.</p> <p>B.I.b.1.h - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition or replacement (excl. Biol. or immunol. substance) of a specification parameter as a result of a safety or quality issue</p> <p>B.I.b.2.c - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure for a reagent, which does not have a significant effect on the overall quality of the AS</p>	28/06/2018	n/a		
PSUSA/10594/201711	Periodic Safety Update EU Single assessment - fluciclovine (18F)	14/06/2018	n/a		PRAC Recommendation - maintenance
IAIN/0007/G	<p>This was an application for a group of variations.</p> <p>A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient</p> <p>A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or</p>	11/06/2018	23/01/2019	Annex II, Labelling and PL	

	<p>intermediate used in the manufacture of the AS or manufacturer of a novel excipient</p> <p>A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release</p> <p>A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)</p> <p>A.7 - Administrative change - Deletion of manufacturing sites</p>				
IB/0005/G	<p>This was an application for a group of variations.</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.1.f - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile medicinal products (including those that are aseptically manufactured) excluding biological/immunological medicinal products</p> <p>B.II.b.2.c.2 - Change to importer, batch release arrangements and quality control testing of the FP - Including batch control/testing</p>	24/04/2018	23/01/2019	Annex II, Labelling and PL	

	B.II.b.5.z - Change to in-process tests or limits applied during the manufacture of the finished product - Other variation				
IB/0003/G	This was an application for a group of variations. B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process B.II.c.1.z - Change in the specification parameters and/or limits of an excipient - Other variation	15/02/2018	n/a		
II/0002/G	This was an application for a group of variations. B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site B.II.b.1.f - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile medicinal products (including those that are aseptically manufactured) excluding biological/immunological medicinal products	15/02/2018	23/01/2019	SmPC, Annex II, Labelling and PL	

	<p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p> <p>B.II.b.2.c.2 - Change to importer, batch release arrangements and quality control testing of the FP - Including batch control/testing</p> <p>B.II.e.4.c - Change in shape or dimensions of the container or closure (immediate packaging) - Sterile medicinal products</p> <p>B.II.e.1.a.3 - Change in immediate packaging of the finished product - Qualitative and quantitative composition - Sterile medicinal products and biological/immunological medicinal products</p> <p>B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation</p>				
II/0001/G	<p>This was an application for a group of variations.</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.1.f - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the FP - Site where any</p>	15/02/2018	23/01/2019	SmPC, Annex II, Labelling and PL	

manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile medicinal products (including those that are aseptically manufactured) excluding biological/immunological medicinal products

B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place

B.II.b.2.c.2 - Change to importer, batch release arrangements and quality control testing of the FP - Including batch control/testing

B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation

B.II.e.1.a.3 - Change in immediate packaging of the finished product - Qualitative and quantitative composition - Sterile medicinal products and biological/immunological medicinal products

B.II.e.4.c - Change in shape or dimensions of the container or closure (immediate packaging) - Sterile medicinal products

B.II.e.5.a.1 - Change in pack size of the finished product - Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - Change within the range of the currently approved pack sizes